PROCEUTICALS PRIVATE LABEL BY TIZO TINTED FACIAL MINERAL SUNSCREEN BACKBAR- titanium dioxide, zinc oxide cream Fallien Cosmeceuticals, LTD

Active Ingredients:

Titanium Dioxide 8%

Zinc Oxide 3.8%

Warnings:

Stop use and ask a doctor if rash occurs.

Warnings:

Do not use on broken or damaged skin.

Warnings:

Keep out of the reach of children.

Purpose:

Sunscreen

Warnings:

Whe using this product, keep out of eyes.

Directions:

Apply liberally 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating. Immediatley after towel drying. At leat every 2 hours.

Warnings:

For external use only. Do not use on damage or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Inactive Ingredients:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone

Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI 77491), Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

Uses:

Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Package Label:

DRUG FACTS

ACTIVE INGREDIENTS: PURPOSE:
Titanium Dioxide 8% Sunscreen
Zinc Oxide 3.8% Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - · After 80 minutes of swimming or sweating
 - · Immediately after towel drying
 - · At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - · Limit time in the sun, especially from 10 am-2 pm
 - \cdot Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (C177491), Lauryl PEC/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

OTHER INFORMATION:

- \cdot Protect this product from excessive heat and direct sun
- · May stain some fabrics
- · PA +++

MANUFACTURED FOR: City, State, Zip



tinted mineral sunscreen

broad spectrum spf 40 water resistant (80 minutes)

net wt. 3 oz /85 g

PROCEUTICALS PRIVATE LABEL BY TIZO TINTED FACIAL MINERAL SUNSCREEN BACKBAR

titanium dioxide, zinc oxide cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-201	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ALUMINA (UNII: LMI26O6933)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
IRON OXIDES (UNII: 1K09F3G675)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
DIMETHICONE (UNII: 92RU3N3Y10)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58892- 201-85	85 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/01/2014	

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	03/01/2014		

Labeler - Fallien Cosmeceuticals, LTD (958388357)

Establishment				
Name	Address	ID/FEI	Business Operations	
Fragrance Manufacturing Inc.		793406000	manufacture(58892-201)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	analysis (58892-201)	

Revised: 1/2025 Fallien Cosmeceuticals, LTD