

CLARINS UV PLUS ANTI-POLLUTION B.S. SPF 50, SUNSCREEN MULTI-PROTECTION TINT MEDIUM- homosalate, octocrylene, oxybenzone, titanium dioxide liquid
Laboratoires Clarins

CLARINS UV PLUS ANTI-POLLUTION SUNSCREEN MULTI-PROTECTION BROAD SPECTRUM SPF 50 OIL-FREE - MEDIUM

Drug Facts

Active ingredients

HOMOSALATE 4%

OCTOCRYLENE 4%

OXYBENZONE 1.5%

TITANIUM DIOXIDE 8.4%

Purpose

Sunscreen

Uses:

- helps prevent sunburn
- if used as directed with other sun protection measures (**see Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings:

For external use only.

Do not use

on damaged or broken skin.

When using this product:

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - reapply at least every 2 hours
 - use a water resistant sunscreen if swimming or sweating

Other information:

- protect this product from excessive heat and direct sun

Questions or comments?

Call 1-866-325-2746 Monday-Friday 9am to 6:30pm ET

Inactive ingredients:

DIMETHICONE. AQUA/WATER/. CI 77891/TITANIUM DIOXIDE. ALCOHOL. POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE. ALUMINUM HYDROXIDE. STEARIC ACID. CI 77492/IRON OXIDES. PEG/PPG-18/18 DIMETHICONE. NYLON-12. PEG-12 DIMETHICONE. SODIUM CHLORIDE. PHENOXYETHANOL. PARFUM/FRAGRANCE. CI 77491/IRON OXIDES. GLYCERIN. ETHYLHEXYLGLYCERIN. TOCOPHERYL ACETATE. CI 77499/IRON OXIDES. DISODIUM EDTA. SANICULA EUROPAEA EXTRACT. BUTYLENE GLYCOL. SODIUM LAUROYL GLUTAMATE. LYSINE. MAGNESIUM CHLORIDE. SODIUM HYALURONATE. HYDROXYPROPYLTRIMONIUM MALTODEXTRIN CROSSPOLYMER. THERMUS THERMOPHILLUS FERMENT. RIBES NIGRUM (BLACK CURRANT) BUD EXTRACT. POTASSIUM SORBATE. CITRIC ACID. CAMELLIA SINENSIS LEAF EXTRACT. CUCUMIS MELO (MELON) FRUIT EXTRACT. LAPSANA COMMUNIS FLOWER/LEAF/STEM EXTRACT. SODIUM LAURYL SULFATE. [S2703A]

Package Labeling:

CLARINS
PARIS

UV PLUS
ANTI-POLLUTION

Ecran Teinté
Multi-Protection

BROAD SPECTRUM
SPF 50
Oil-free

Sunscreen
Multi-Protection
Tint

MEDIUM

Shake well before use. Apply after your regular daytime moisturizer. **Warnings: for external use only. Do not use** on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. **Directions:** apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Children under 6 months: Ask a doctor,

Questions or comments?

Call 1-866-325-2746

Monday-Friday 9am to 6:30pm ET

ACTIVE INGREDIENTS: HOMOSALATE 4% · OCTOCRYLENE 4% · OXYBENZONE 1.5% · TITANIUM DIOXIDE 8.4%.

CLARINS
92200 Neuilly-sur-Seine
95300 Pontoise - France

Made in France

50 mL 1.7 Fl. Oz.

CLARINS UV PLUS ANTI-POLLUTION B.S. SPF 50, SUNSCREEN MULTI-PROTECTION TINT MEDIUM

homosalate,octocrylene,oxybenzone,titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58668-1619
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	40 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	15 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	84 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

DIMETHICONE (UNII: 92RU3N3Y1O)
WATER (UNII: 059QF0KO0R)
ALCOHOL (UNII: 3K9958V90M)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
NYLON-12 (UNII: 446U8J075B)
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
GLYCERIN (UNII: PDC6A3C0OX)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM LAUROYL GLUTAMATE (UNII: NCX1UU2D33)
LYSINE (UNII: K3Z4F929H6)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
RIBES NIGRUM FLOWER BUD (UNII: VYH9Y9BCCP)
POTASSIUM SORBATE (UNII: 1VPU26JZ4)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
MUSKMELON (UNII: ZV095H5633)
LAPSANA COMMUNIS FLOWERING TOP (UNII: T9B77O7PZA)
SODIUM LAURYL SULFATE (UNII: 368GB5141J)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58668-1619-1	1 in 1 CARTON	09/22/2015	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/22/2015	

Labeler - Laboratoires Clarins (266317555)