

**ZYRTEC ALLERGY- cetirizine hydrochloride tablet, film coated**  
**Kenvue Brands LLC**

-----  
**Zyrtec Allergy**

***Drug Facts***

**Active ingredient (in each tablet)**

Cetirizine HCl 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur ■ avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## Directions

---

adults and children 6 years and over	1 tablet (5 mg) or 2 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 2 tablets (10mg) in 24 hours.
adults 65 years and over	1 tablet (5 mg) once daily; do not take more than 1 tablet (5 mg) in 24 hours.
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

## Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if pouch is torn or damaged**
- meets USP Dissolution Test 2

## Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

## Questions?

call **1-800-343-7805** (toll-free) or **215-273-8755** (collect)

## PRINCIPAL DISPLAY PANEL

NDC 50580-754-15

**ZYRTEC®**

## **ALLERGY**

Cetirizine HCl Tablets  
**5mg/antihistamine**

**Indoor &  
Outdoor  
Allergies  
5mg Strength Tablets**

## **24 Hour relief of**

- **Sneezing**
- **Runny Nose**

- Itchy, Watery Eyes
- Itchy Throat or Nose

**15 Tablets**  
**5 mg each**

Take 1 to 2 tablets\* once daily depending on the severity of your symptoms  
 \*Adults 65 and older take only one tablet per day

**Actual Size**

**15 Tablets**



**GO PACKS®**  
 15 Portable Pouches  
 One 5 mg tablet per pouch



NDC 50580-754-15  
**ZYRTEC®**  
 Cetirizine HCl tablets **ALLERGY**  
 5 mg/antihistamine

**Indoor & Outdoor Allergies**  
**5 mg Strength**  
**5 mg Tablets**

**24 Hour** relief of  
 Sneezing  
 Runny Nose

Itchy, Watery Eyes  
 Itchy Throat or Nose  
**15 Tablets**  
**5 mg each**

Take 1 to 2 tablets\* once daily depending on the severity of your symptoms  
 \*Adults 65 and older take only one tablet per day

**15 Tablets**  
 Actual Size

**Directions**


adults and children 6 years and over	1 tablet (5 mg) or 2 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 2 tablets (10 mg) in 24 hours.
adults 65 years and over	1 tablet (5 mg) once daily; do not take more than 1 tablet (5 mg) in 24 hours.
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information** ■ store between 20° to 25°C (68° to 77°F) ■ do not use if pouch is torn or damaged ■ meets USP Dissolution Test 2

**Inactive ingredients** colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)

©2011 Abbott Laboratories, All rights reserved. 11-001-777-777



## ZYRTEC ALLERGY

cetirizine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50580-754
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDWL1A)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	RECTANGLE	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	Z;5MG
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-754-35	1 in 1 CARTON	02/15/2025	
1		35 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:50580-754-15	15 in 1 CARTON	02/15/2025	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019835	02/15/2025	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 7/2025

Kenvue Brands LLC