

**CHILDRENS COUGH MUCUS RELIEF- dextromethorphan hbr, guaifenesin liquid**  
**Discount Drug Mart**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Children's Cough Mucus Relief 512**

**Drug Facts**

**Active ingredients**

**(in each 5 mL teaspoonful)**

Dextromethorphan HBr, USP 5 mg

Guaifenesin, USP 100 mg

**Purpose**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves: cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain the bronchial tubes

**Warnings**

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious condition.

**Keep out of reach of children.**

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away

**Directions**

- do not take more than 6 doses in any 24-hour period

age

dose

Children 6 years to 12 years

1 to 2 teaspoonfuls (tsps) every 4 hours

Children 4 years to under 6 years

1/2 to 1 teaspoonful (tsps) every 4 hours

Children under 4 years

do not use

**Other information**

- each teaspoonful contains sodium 3 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided
- **Keep carton for full direction for use**

**Inactive ingredients**

anhydrous citric acid, dextrose, D&C red #33, FD&C red #40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

**Questions?**

Call weekdays from 9:30 AM to 4:30 PM EST 1-877-798-5944

**Children's Cough Mucus Relief product label****DISCOUNT****drug****mart****FOOD FAIR****DO NOT USE IF PRINTED SEAL, UNDER CAP IS TORN OR MISSING****COMPARE TO THE ACTIVE INGREDIENTS IN CHILDREN'S MUCINEX® COUGH\*****Children's Cough Mucus Relief****Cough Suppressant****Expectorant**

Dextromethorphan HBr 5 mg

Guaifensin 100 mg

Relieves Chest Congestion

Thins &amp; Loosens Mucus

Alcohol free

for ages 4 to 12

CHERRY FLAVOR

4 FL OZ (118 ml)

\* this product is not manufactured or distributed by Reckitt Benckiser Inc., the distributor of Children's Mucinex® Cough.

**SATISFACTION GUARANTEED**

**IF DISSATISFIED, RETURN THE UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS, AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256**

BX-052

**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**

### Drug Facts

**Active ingredients**      **Purpose**  
 (in each 5 mL teaspoonful)  
 Dextromethorphan HBr, USP 5 mg.....Cough suppressant  
 Guaifenesin, USP 100 mg.....Expectorant

**Uses**  
 ■ temporarily relieves: cough due to minor throat and bronchial irritation as may occur with a cold  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain the bronchial tubes

**Warnings**  
**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.  
**Ask a doctor before use if the child has**  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ persistent or chronic cough such as occurs with asthma

**When using this product**  
 ■ do not use more than directed

**Stop use and ask a doctor if**  
 ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children**  
 In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ do not take more than 6 doses in any 24-hour period

age	dose
Children 6 years to under 12 years	1 to 2 teaspoonfuls (tsps) every 4 hours
Children 4 years to under 6 years	1/2 to 1 teaspoonful (tsp) every 4 hours
Children under 4 years	do not use

### Drug Facts (continued)

**Other information**  
 ■ each teaspoon contains: sodium 3 mg  
 ■ store between 20-25°C (68-77°F)  
 ■ do not refrigerate  
 ■ dosing cup provided  
 ■ **Keep carton for full direction for use**

**Inactive ingredients**  
 anhydrous citric acid, dextrose, D&C red #33, FD&C red #40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

**Questions?** Call weekdays from 9:30 AM to 4:30 PM EST 1-877-798-5944

**SATISFACTION GUARANTEED**  
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256



BX-052



COMPARE TO THE ACTIVE INGREDIENTS IN CHILDREN'S MUCINEX® COUGH\*

## Children's Cough Mucus Relief

Cough Suppressant Expectorant

Dextromethorphan HBr 5 mg  
 Guaifenesin 100 mg

Relieves Chest Congestion  
 Thins & Loosens Mucus

Alcohol free  
 For ages 4 to 12

**CHERRY FLAVOR**



4 FL OZ (118 mL)

**discount drug mart** COMPARE TO THE ACTIVE INGREDIENTS IN CHILDREN'S MUCINEX® COUGH

### Children's Cough Mucus Relief

Cough Suppressant Expectorant

Dextromethorphan HBr 5 mg  
 Guaifenesin 100 mg

Relieves Chest Congestion Thins & Loosens Mucus

Alcohol free for ages 4 to 12

**CHERRY FLAVOR**

**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**

**Active ingredients**      **Purpose**  
 (in each 5 mL teaspoonful)  
 Dextromethorphan HBr 5 mg.....Cough suppressant  
 Guaifenesin 100 mg.....Expectorant

**Uses**  
 ■ temporarily relieves: cough due to minor throat and bronchial irritation as may occur with a cold  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain the bronchial tubes

**Warnings**  
**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.  
**Ask a doctor before use if the child has**  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ persistent or chronic cough such as occurs with asthma

**When using this product**  
 ■ do not use more than directed

**Stop use and ask a doctor if**  
 ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children**  
 In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ do not take more than 6 doses in any 24-hour period

Age	Dose
Children 6 years to under 12 years	1 to 2 teaspoonfuls (tsps) every 4 hours
Children 4 years to under 6 years	1/2 to 1 teaspoonful (tsp) every 4 hours
Children under 4 years	Do not use

**Other information:** ■ each teaspoon contains sodium 3 mg  
 ■ store between 20-25°C (68-77°F) ■ do not refrigerate  
 ■ dosing cup provided ■ **Keep carton for full direction for use**

**Inactive ingredients:** anhydrous citric acid, dextrose, FD&C red #33, FD&C red #40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

**Questions?** Call weekdays from 9:30 AM to 4:30 PM EST 1-877-798-5944

**SATISFACTION GUARANTEED**  
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

LOT: \_\_\_\_\_  
 EXP: \_\_\_\_\_

## CHILDRENS COUGH MUCUS RELIEF

dextromethorphan hbr, guaifenesin liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-512
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
DEXTROSE (UNII: IY9XDZ35W2)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTITOL (UNII: D65DG142WK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-512-24	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/04/2016	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/04/2016	

**Registrant** - AptaPharma Inc. (790523323)

**Establishment**

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(53943-512)

Revised: 4/2017

Discount Drug Mart