

**ASPERCREME LIDOCAINE FOOT (DIABETIC)- lidocaine hydrochloride cream
Chattem, Inc.**

Aspercreme Lidocaine Foot Cream-Diabetic

***ASPERCREME with LIDOCAINE FOOT PAIN CREAM
(For Diabetic Skin)***

Drug Facts

Active ingredient

Lidocaine HCl 4%

Purpose

Topical anesthetic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- if you have serious foot problems, such as ulcers or infections
- if you have numbness or reduced ability to feel pain
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warning on this carton.
- do not allow contact with the eyes and the mucous membranes
- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- massage into painful area until thoroughly absorbed into skin

children 12 years or younger: ask a doctor

Inactive ingredients

water, alcohol denat. (10%), cetearyl alcohol, ceteth-20 phosphate, dimethicone, caprylyl methicone, dicetyl phosphate, glyceryl stearate, aloe barbadensis leaf juice, panthenol, tocopheryl acetate, magnesium ascorbyl phosphate, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, acrylates/C10-30 alkyl acrylate crosspolymer, ethylhexylglycerin, methylparaben, disodium EDTA, citric acid

333-105

Child-resistant packaging. Close cap tightly after use.

PRINCIPAL DISPLAY PANEL

Max Strength

Aspercreme

Lidocaine

2 in 1

Pain Relief + Moisturization

foot cream



ASPERCREME LIDOCAINE FOOT (DIABETIC)

lidocaine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0597
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z 41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5VN99N)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PANTHENOL (UNII: WW9CM0O67Z)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
C30-45 ALKYL CETEARYL DIMETHICONE CROSSPOLYMER (UNII: 4ZK9VP326R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0597-0	1 in 1 CARTON	06/01/2018	
1		113 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/2018	

Labeler - Chattem, Inc. (003336013)