

OXYGEN - oxygen gas
Broadway Home Medical

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

**OXYGEN,
COMPRESSED
USP**

UN 1072

C.A.S. NO. 7782-44-7

Representative Labeling
pursuant to 21 CFR 207.3 (10)
Company name and contact information
are printed in this box

**⚠ WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.**
Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation.
Use only with equipment cleaned for oxygen service and rated for cylinder pressure.
Use a back flow preventative device in the piping.
Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F).
Use in accordance with Material Safety Data Sheet (MSDS).
DO NOT REMOVE THIS PRODUCT LABEL.

⚠ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> "M6"	170 Liters	<input type="checkbox"/> "E"	682 Liters
<input type="checkbox"/> "C"	248 Liters	<input type="checkbox"/> "H"	6910 Liters
<input type="checkbox"/> "D"	415 Liters	<input type="checkbox"/> Other	____ Liters

03227002

LOT
LITER

164.

**Representative Labeling pursuant
to 21 CFR 207.3(10)**

OXYGEN, COMPRESSED USP

UN 1072

C.A.S No. 7782-44-7

**WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES
COMBUSTION.**

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation.

Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

Use a back flow preventative device in the piping.

Close valve after each use and when empty. Cylinder temperatures should not exceed 52°C (125°F).

Use in accordance with Material Safety Data Sheet (MSDS).

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

OXYGEN

oxygen gas

Product Information

Product Type

HUMAN PRESCRIPTION DRUG

Item Code (Source)

NDC:63215-001

Route of Administration		RESPIRATORY (INHALATION)		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)		Oxygen	99 L in 100 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63215-001-01	164 L in 1 CYLINDER		
2	NDC:63215-001-02	415 L in 1 CYLINDER		
3	NDC:63215-001-03	682 L in 1 CYLINDER		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved medical gas		01/01/1936		

Labeler - Broadway Home Medical (809508963)

Establishment

Name	Address	ID/FEI	Business Operations
Compressed Gases Inc.		147470967	manufacture

Revised: 4/2011

Broadway Home Medical