FERMIERPAPA PURE MORINGA SUNSCREEN- zinc oxide, titanium dioxide cream Cheolwon Cosmetic Farming Association

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENTS

Zinc Oxide 10.26% Titanium Dioxide 6.00%

INACTIVE INGREDIENTS

Moringa Oleifera Leaf Extract, Dicaprylyl Carbonate, Coco-Caprylate/Caprate, Caprylic/Capric Triglyceride, Propanediol, Pentylene Glycol, Polyglyceryl-3, Polyricinoleate, Cocos Nucifera (Coconut) Oil, Stearic Acid, Dicaprylyl Ether, Aloe Barbadensis Leaf Water, Beeswax, Euphorbia Cerifera (Candelilla), Wax, Sodium Chloride, Aluminum Hydroxide, Polyglyceryl-2, Dipolyhydroxystearate, Glyceryl Caprylate, Helianthus Annuus (Sunflower) Seed Oil, Polyglyceryl-3 Diisostearate, Simmondsia Chinensis (Jojoba) Seed Oil, Polyglyceryl-3 Ricinoleate, Butylene Glycol, Water, Cucurbita Pepo (Pumpkin) Seed Oil, Houttuynia Cordata Extract, Sodium Gluconate, Xanthan Gum, Dipotassium Glycyrrhizate, Centella Asiatica Extract, Lavandula Angustifolia (Lavender) Oil, Polygonum Cuspidatum Root Extract, Scutellaria Baicalensis Root Extract, Camellia Sinensis Leaf Extract, Glycyrrhiza Uralensis (Licorice) Root Extract, Chamomilla Recutita (Matricaria) Flower Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract

PURPOSE

Sunscreen

WARNINGS

For external use only

Avoid contact with eyes.

Recommend to use it after small amounts are tested on your skin.

Discontinue use if signs of irritation or rashes appear.

Replace the cap after use.

Do not use on the part having scars.

Keep it by avoiding direct sunlight.

Keep out of reach of children

DESCRIPTION

Uses

- Helps prevent sunburn.
- Prevention of freckles and blemishes
- Skin aging prevention
- Prevention of skin cancer, etc.

Directions


- Apply on all exposed areas 15-20 minutes before sun exposure.
- Re-apply often (every 2 hours) and after swimming, excessive perspiration and washing to ensure maximum sun protection.

- In case of staying long hours outside, apply it every 3 hours. apply small amount to the skin evenly to be exposed to UV rays before you go out.
- Soak the cotton pad with sunscreen remover and wipe the part softly the sunscreen is applied. Then rinse off it with a foam cleanser like doing massage
- In case of staying long hours outside, apply it every 3 hours.

Questions

070-7807-7800 https://fermierpapa.com

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



FERMIERPAPA PURE MORINGA SUNSCREEN zinc oxide, titanium dioxide cream Product Information Product Type HUMAN OTC DRUG Item Code (Source) Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	5.13 g in 50 g
Titanium Dioxide (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	Titanium Dioxide	3.00 g in 50 g

Inactive Ingredients	
Ingredient Name	Strength
MORINGA OLEIFERA LEAF (UNII: 4WET1AWO9B)	
Dicaprylyl Carbonate (UNII: 609 A3V1SUA)	

	Packaging			
Ш	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:81482-010-02	1 in 1 CARTON	01/02/2021	
	NDC:81482-010-01	50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/02/2021	

Labeler - Cheolwon Cosmetic Farming Association (694697125)

Registrant - Cheolwon Cosmetic Farming Association (694697125)

Establishment			
Name	Address	ID/FEI	Business Operations
Cheolwon Cosmetic Farming Association		694697125	manufacture(81482-010)

Revised: 2/2021 Cheolwon Cosmetic Farming Association