

**ST. MORIZ SUNCARE 50 BODY SUNSCREEN- sunscreen lotion**  
**Hothouse Beauty Inc**

-----  
**St. Moriz Suncare 50+ Body Sunscreen SPF 50**

**Active Ingredient**

Active Ingredients: homosalate 10%, octocrylene 10%, octisalate 4%, avobenzone 3%

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only.
- Do not use on damaged or broken skin
- When using this product [bullet] keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if [bullet] rash or irritation develops and lasts.
- Keep out of reach of children, If product is swallowed, get medical help or contact poison control centre right away.
- To ensure compatibility, we recommend patch testing before first use. In the unlikely event of a negative reaction, discontinue use and consult your medical practitioner.

**Do not use**

Do not use on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact Poison Control Center right away.

**Directions**

- Apply generously 15 minutes before sun exposure”
- Reapply [bullet] after 80 minutes of swimming or sweating [bullet] immediately after towel drying [bullet] at least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: □ limit time in the sun, especially from 10 a.m. - 2 p.m. □ wear long-sleeved

shirts, pants, hats, and sunglasses

### **Inactive ingredients**

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Butyloctyl Salicylate, C12-20 Alkyl Glucoside, C14-22 Alcohols, Chlorphenesin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipotassium Glycyrrhizate, Disodium Edta, Fragrance, Phenoxyethanol, Propylene Glycol, Silica, Simmondsia Chinensis (Jojoba) Seed Oil, Steareth-21, Tocopheryl Acetate, Trehalose, Triethanolamine, Water

### **Other Information**

Protect the product in this container from excessive heat and direct sun. Store below 30 degrees celcius.

### **Uses**

Helps prevent sunburn.

### **St. Moriz Suncare 50+ Body Sunscreen**

NDC 85178-2125-1

180 mL / 6.08 fl oz

Principal Display Panel and information panel primary container:

**ST. MORIZ**  
SUNCARE

**50+**  
BODY  
SUNSCREEN

BROAD SPECTRUM  
SPF 50+

WATER RESISTANT  
(80 MINS)

PLUS VITAMINE

6.08 fl oz (180 mL)

NO OXYBENZONE  
NO OCTINOATE

**Drug Facts**

<b>Active Ingredients:</b> Avobenzone 3%, Homosalate 10%, Octisalate 4%, Octocrylene 10%,.....	<b>Purpose</b> Sunscreen
<b>Uses:</b> Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.	
<b>Warnings</b> For external use only. <b>Do not use</b> on damaged or broken skin. <b>When using this product</b> keep out of eyes. Rinse with water to remove. <b>Stop use and ask a doctor</b> if rash occurs.	
<b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Centre right away. May stain some fabrics.	
<b>Directions:</b> • Apply liberally 15 minutes before sun exposure. • Reapply After 80 minutes of swimming or sweating. • Immediately after towel drying. • At least every 2 hours. • Children under 6 months: Ask a doctor	
• <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf value of 15 or higher and other sun protection measure including; limit time in the sun, especially from 10a.m. to 2p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.	
<b>Inactive Ingredients:</b> Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Butylacetyl Salicylate, C12-20 Alkyl Glucoside, C14-22 Alcohols, Chlorphenesin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipotassium Glycyrrhizate, Disodium Edta, Fragrance, Phenoxethanol, Propylene Glycol, Silica, Simmondsia Chinensis (Jojoba) Seed Oil, Steareth-21, Tocopheryl Acetate, Triethanolamine, Water.	
<b>Other Information</b> Protect this product from excessive heat and direct sun.	
<b>Questions Or Comments</b> Call +1-302-742-1982, Mon-Fri	

**Cruelty Free**  
INTERNATIONAL

**VEGAN FRIENDLY**

5 060950 1964567

Distributed by  
Hothouse Beauty Inc.  
500 South Dupont Highway,  
Dover, Kent County  
Delaware, 19901, US.  
www.stmoriz.com  
info@stmoriz.com  
9XST5670101

## ST. MORIZ SUNCARE 50 BODY SUNSCREEN

sunscreen lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85178-2125
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIPOTASSIUM GLYCYRRHIZATE</b> (UNII: CA2Y0FE3FX)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>TRIETHANOLAMINE</b> (UNII: 9O3K93S3TK)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V)
<b>JOJOBA OIL</b> (UNII: 724GKU717M)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>C12-20 ALKYL GLUCOSIDE</b> (UNII: K67N5Z1RUA)
<b>C14-22 ALCOHOLS</b> (UNII: B1K89384R)
<b>STEARETH-21</b> (UNII: 53J3F32P58)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85178-2125-1	180 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/20/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/20/2025	

**Labeler** - Hothouse Beauty Inc (119438098)

Revised: 1/2025

Hothouse Beauty Inc