REGULAR STRENGTH ANTACID ANTIGAS - aluminum hydroxide, magnesium hydroxide, simethicone liquid Harris Teeter, LLC

Regular Strength Antacid Antigas

ACTIVE INGREDIENTS (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg Magnesium hydroxide 400 mg Simethicone 40 mg

PURPOSE

Antacid Antacid Antigas

USE(S)

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach and gas associated with these symptoms

WARNINGS

Do not take more than 80 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

ASK A DOCTOR BEFORE USE IF YOU HAVE

- kidney disease
- a magnesium-restricted diet

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

• presently taking a prescription drug. Antacids may interact with certain prescription drugs.

STOP USE AND ASK DOCTOR

if symptoms last more than two weeks

KEEP OUT OF REACH OF CHILDREN

.

DIRECTIONS

- shake well before use
- adults and children 12 years and older: take 10 mL to 20 mL four times a day, or as directed by a doctor
- children under 12 years: consult a doctor
- mL = milliliter

OTHER INFORMATION

- each 10 mL contains: magnesium 170 mg, sodium 5 mg
- store at 20°C-25°C (68°-77°F)
- do not freeze

INACTIVE INGREDIENTS

ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol

PRINCIPAL DISPLAY PANEL

Harris Teeter™


NDC 69256-503-05

REGULAR STRENGTH ANTACID

Heartburn & Acid Indigestion Pressure & Bloating

Mint Flavor Liquid **12** FL OZ (355 mL)

Alcohol Content 0.4% v/v



Antacid & Antigas

Heartburn & Acid Indigestion Pressure & Bloating



Drug Facts

DO NOT USE IF PRINTED SEAL Under Cap is broken or missing

Active ingredients (in each 10 mL) Purpose

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg....Antacid Magnesium hydroxide 400 mg.....Antacid Simethicone 40 mg......Antigas

Uses relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach and gas associated with these symptoms

Warnings

Do not take more than 80 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than two weeks

Keep out of reach of children.

Directions ■ shake well before use ■ adults and children 12 years and older: take 10 - 20 mL four times a day, or as directed by a doctor ■ children under 12 years: consult a doctor ■ mL = milliliter

Other information ■ each 10 mL contains: magnesium 170 mg, sodium 5 mg ■ store at 20°C-25°C (68°F-77°F) ■ do not freeze

Inactive ingredients ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol.

PROUDLY DISTRIBUTED BY: HARRIS TEETER, LLC MATTHEWS, NC 28105

1-800-432-6111 or harristeeter.com



REGULAR STRENGTH ANTACID ANTIGAS

aluminum hydroxide, magnesium hydroxide, simethicone liquid

ORAL

Product Information

Route of Administration

	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69256-503
- 1				

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	400 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
GLYCERIN (UNII: PDC6A3C0OX)			
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZ N16)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
PROPYLPARABEN (UNII: Z8IX2SC10H)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

l	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:69256-503- 05	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/06/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	02/06/2025	

Labeler - Harris Teeter, LLC (048463103)

Revised: 2/2025 Harris Teeter, LLC