FORTHIQ PAIN RELIEF LIDOCAINE PATCH- pain relief lidocaine patch patch Henan Enokon Medical Instrument Co., Ltd.

83559-007

Active Ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Use

For temporary relief of pain

Warnings

For external use only

Do not use

Do not use more than 1 patch at a time on wounds or damaged skin with a heating pad if you have ever had an allergic reaction to this product or any of its ingredients

When Using

When using this product use only as directed avoid contact with the eyes, mucous membranes or rashes do not bandage tightly

Stop Use

Stop use and ask a doctor if localized skin reactions occur, such as rash, itching, redness, irritation, pain swelling and blistering conditions worsen symptoms persist for more than 7 days symptoms clear up and occur again within a few days

Ask Doctor

If pregnant or breast-feeding, ask a health professional before use. Children under 12 years of age: consult a doctor

Keep Out Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Directions Adults and children 12 years of age and over clean and dry affected area remove film from patch and apply to the skin (see illustration) apply 1 patch at a time to affected area, not more than 3 to 4 times daily remove patch from the skin after at most 8 hours of application Children under 12 years of age: consult a doctor

Other information

Other information avoid storing product in direct sunlight protect product from excessive moisture store at 20-25°C(68-77°F)

Inactive ingredients

Aluminum Glycinate, Edetate Disodium, Ethylhexylglycerin, Glycerin, Kaolin, Phenoxyethanol, Polyvinylpyrrolidone, Propylene Glycol, Sodium Carboxymethylcellulose, Sodium Polyacrylate, Tartaric Acid, Water

PRINCIPAL DISPLAY PANEL



FORTHIQ PAIN RELI pain relief lidocaine patch pa		АТСН			
pain relief lidocalite pateri pa					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:83559-007	
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingre	dient Name		Basis of Stren	gth	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE		4 g in 100
Inactive Ingredients					
	Ingredient Name				Strength
PHENOXYETHANOL (UNII: HIE492	2ZZ3T)				
TARTARIC ACID (UNII: W48881119)H)				

GLYCERIN (UNII: PD	C6A3C0OX)						
KAOLIN (UNII: 24H4NWX5CO)							
CARBOXYMETHYL	CELLULOSE SODIUM (UNII: K679OBS311)						
ALUMINUM GLYCINATE (UNII: 1K713C615K)							
EDETATE DISODIUM (UNII: 7FLD91C86K)							
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)							
POVIDONE (UNII: FZ989GH94E)							
SODIUM ACRYLATE (UNII: 7C98FKB43H)							
WATER (UNII: 059Q	F0KO0R)						
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)							
	(
Packaging							
	Package Description		eting Start Date	Mai	keting End Date		
			Date	Mai	-		
# Item Code 1 NDC:83559-007-	Package Description 32 in 1 BOX; Type 0: Not a Combination		Date	Mai	-		
1 NDC:83559-007-	Package Description 32 in 1 BOX; Type 0: Not a Combination Product		Date	Mai	-		

OTC Monograph Drug M017	
-------------------------	--

Establishment							
Name	Address	ID/FEI	Business Operations				
Henan Enokon Medical Instrument Co., Ltd.		701730676	manufacture(83559-007)				

01/23/2025

Revised: 1/2025

Henan Enokon Medical Instrument Co., Ltd.