WALGREENS HONEY LEMON COUGH DROPS- menthol lozenge Walgreens

Menthol 7.5 mg

Active ingredient (in each drop)

Menthol 7.5 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, in accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have:

- persistent or chronic cough such as accurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

adults and children 5 years and overs- dissolve 1 lozenge slowly in mouth. Repeat evert 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor


Other information

• 10 calories per drop

Inactive ingredients: Beta carotene, corn starch, corn syrup, eucalyptus oil, glycerin, honey, medium chain triglycerides, natural and artificial flavors, soybean oil, sucrose and water.

Questions? Or to report an adverse event call **1-800-245-2898**. Monday - Friday, 9AM to 4PM EST





nenthol lozenge	HUNEY	LEMON COUGH		3		
Product Inform	nation					
Product Type		HUMAN OTC DRUG	Item Cod	e (Source)	NDC:0	0363-9959
Route of Adminis	tration	ORAL				
Active Ingredie	ent/Active	Moiety				
	Ingred	ient Name		Basis of	Strength	Strength
MENTHOL (UNII: L7T	-	ient Name NTHOL - UNII:L7T10EIP3A)		Basis of MENTHOL	Strength	Strength 7.5 mg
	10EIP3A) (MEN				Strength	-
	10EIP3A) (MEN	NTHOL - UNII:L7T10EIP3A)				7.5 mg
Inactive Ingred	10EIP3A) (MEN lients Ing				Strength Stren	7.5 mg
Inactive Ingred	10EIP3A) (MEN lients Ing	NTHOL - UNII:L7T10EIP3A)				7.5 mg
Inactive Ingred WATER (UNII: 059QF	TIOEIP3A) (MEN dients Ing OKOOR)	NTHOL - UNII:L7T10EIP3A)				7.5 mg
Inactive Ingred WATER (UNII: 059QF Product Chara	TIOEIP3A) (MEN dients Ing OKOOR)	NTHOL - UNII:L7T10EIP3A)	Scor	MENTHOL	Stren	7.5 mg
MENTHOL (UNII: L7T Inactive Ingred WATER (UNII: 059QF Product Chara Color Shape	dients Ing OKOOR)	NTHOL - UNII:L7T10EIP3A)	Scor	MENTHOL	Stren	7.5 mg

	Warrings Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, breadache rash swelling pauses or wonting consult a
	Uses temporarily relieves: cough as may occur with a cold constronal minor imitation and sore throat
	Sective ingredient (in each drop) Autoport (in each drop) Anssender (in each drop) (in each drop) Anssender (in each drop) (
	Drug Facts
ЭА	а элаалазгая аязняаэт С
	\bigcirc

Packaging							
ŧ	ltem Code	Package	Description	Marketing Start Date	Marketing End Date		
	NDC:0363-9959- 40	40 in 1 BAG; Type 0 Product	: Not a Combination	01/23/2025			
	larketing li	nformation					
	larketing Marketing Category	nformation Application N	Jumber or Monograph Citation	Marketing Start Date	Marketing End		

Labeler - Walgreens (008965063)

Registrant - Bestco (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco		002149136	manufacture(0363-9959)

Revised: 1/2025

Walgreens