OVERNIGHT RELIEF GEL-PATCH- menthol patch Shanghai Chuangshi Medical Technology (Group) Co., Ltd.

CSI MENTHOL OVERNIGHT RELIEF GEL-PATCH, 15 Patches

Active ingredient

Menthol 4% w/w Purpose: Topical analgesic

Purpose

Topical analgesic

Uses

Temporarily relieves minor aches and pains of muscles and joints associated with:

- simple backache
- arthrits
- strains
- bruises
- sprains

Warnings

For external use only

When using this prudocts:

- use only as directed
- avoid contact with eyes or on mucous membranes
- do not apply to wounds or damaged skin
- do not apply to irritated skin or if excessive irritation develops
- do not bandage tightly or use with heating pad or device

Stop use and ask a doctor if:

• you experience pain, swelling or blistering of the skin

• condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days

• arthritic pain persists for more than 10 days, or redness is present

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately

Ask doctor

Stop use and ask a doctor if:

• you experience pain, swelling or blistering of the skin

• condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days

• arthritic pain persists for more than 10 days, or redness is present

If pregnant or breastfeeding, ask a health professional before use.

When using

When using this prudocts:

- use only as directed
- avoid contact with eyes or on mucous membranes
- do not apply to wounds or damaged skin
- do not apply to irritated skin or if excessive irritation develops
- do not bandage tightly or use with heating pad or device

Do not use

- do not apply to wounds or damaged skin
- do not apply to irritated skin or if excessive irritation develops
- do not bandage tightly or use with heating pad or device

Stop use

Stop use and ask a doctor if: Burning disconfort or excessive skin irritation develops, condition worsens, or if symptoms persist for more than 7 days, or clear up and occur again within a few days

Pregnancy or breast feeding

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children

If accidentally ingested, get medical help or contact a Poison Control Center immediately

Directions

• adults and children 12 years of age and older: Clean and dry affected area, pop apart and partially peel back protective film and apply exposed gel-patch to site of pain. Carefully remove remaining film while pressing the gel-patch to skin and leave in place for up to 8 hours. Use on affected areas not more than 3 to 4 times daily.

- children under 12 years of age: consult a physician
- wash hands after use with cool water

Dosage forms & strengths

This is patch dosage form.

The active ingredient strength is 4%.

Inactive ingredients

Benzalkonium Chloride[]Carboxymethylcellulose Sodium[]Dihydroxyaluminum Aminoacetate[]Edetate Disodium[]Glycerin[]Kaolin[]Lauralkonium Chloride[]Lavender Essential Oil[]L-Tartaric Acid[]Mineral Oil[]Petrolatum[]Polyacrylic Acid[]Polysorbate 80[]Propylene Glycol[]PVP[]Sodium Polyacrylate[]Titanium Dioxide[]Water

Questions or comments

Questions or comments: 86-21-31166566

Other information


- store at 20-25°C (68-77°F)
- store in a cool dry place away from direct sunlight

Package label. Principal display panel

€SI上海创始医疗科技(集团)有限公司

地址:上海市青浦区练塘工业园章练塘路388号 电话:021-31166566 网址: www.shchuangshi.com.cn

印刷制版确认单



135mm 5 <u>mm</u> 5	CCL DATCU	MENTHOL - TOPICAL ANALGESIC 1PATCH-3,857 x 2,766 (10cm x 7cm)	- einge buckent- erthöfen Werninger: For enternal use oxy, Werne singer bis sproket: - use any a directed - vasi- - ein ert agyst selfmatter dass - on gene sproket anger - onders waren, ert langer - onders waren,	d contact with eyes or on nuccess membras of a macrossimilation develope — a dott draw particle in the more than 7 days or draw draw particle is more than 7 days or draw that 0 days, or draw and days filtered at the 10 days, or draw and days filtered at a days and days. Can and days filtered of app and days. Can and days filtered at a set of the days of the days of the set of the days of the days of the days of the set of the days of	ess - do not apply to wo bandage fighty or use with up and occur again within r contact a Puisen Control es, pop apart and partially ing film while pressing the 4 kmms daly. r use with coal water ct surfight es data. Diffyrdrogeturnin rise Out. I-Toratric Acid. His to, Tlarative Dioxide. Water	h heating pad or device a few days Center immediately peri Dack protective o gal-patch to skin and um Aminascotate, ered DB, Potrelatum,	5mm
产品名称:	材质: PET 1.2s AL 0.7s	PE4. 8s	尺寸:100	0x135 m m			
效果:	封边开口: 三边封0.5cm, 开口见标注		版/次:	A/0	颜 色	2	2728C 7740C 调白
审核:	供应:	质检:		业务:			制作: 肖胜辉
备注: 该稿件制作部电子留档一份,业务员彩稿留档一份,送供应部彩稿一份,送质检部彩稿一份, 送印刷单位彩稿随同光盘一份。							



OVERNIGHT RELIEF	GEL-PATCH			
menthol patch				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC	:73557-134
Route of Administration	TOPICAL			
Active Ingredient/Active	Moiety			
Ingred	ient Name	Basis of S	trength	Strength
MENTHOL (UNII: L7T10EIP3A) (ME	NTHOL - UNII:L7T10EIP3A)	MENTHOL		0.04 g in 1 g
Inactive Ingredients				

Ingredient Name	Strength
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
LAURALKONIUM CHLORIDE (UNII: 07HUP5A29X)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Product Characteristics					
Color	white	Score			
Shape		Size			
Flavor		Imprint Code			
Contains					

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:73557-134- 15	15 in 1 BOX	01/22/2025			
1		5.5 g in 1 PATCH; Type 0: Not a Combination Product				
M	Marketing Information					
	Marketing	Application Number or Monograph	Marketing Start	Marketing End		

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/22/2025	

Labeler - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Registrant - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(73557-134) , label(73557- 134)

Revised: 1/2025

Shanghai Chuangshi Medical Technology (Group) Co., Ltd.