

**ISOPROPYL ALCOHOL- isopropyl alcohol solution**  
**Medline Industries, LP**

-----  
**799 Isopropyl Alcohol (wintergreen)**

***Active ingredient***

Isopropyl alcohol 70%

***Purpose***

First aid antiseptic

***Uses***

first aid to help prevent the risk of infection in:

- minor cuts
- scrapes
- burns

***Warnings***

**For external use only**

**Flammable. Keep away from fire or flame, heat, spark, electrical.**

**Ask a doctor before use if you have**

deep or puncture wounds, animal bites or serious burns

**When using this product**

- do not get into eyes
- do not inhale
- do not apply over large areas of the body
- do not use longer than 1 week

**Stop use and ask a doctor if**

condition persists or gets worse

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Caution**

Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous

membranes. Avoid inhaling this product.

***Directions***

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

***Other information***

- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- will produce serious gastric disturbances if taken internally

***Inactive ingredients***

blue 1, glycerin, methyl salicylate, water, yellow 5

**Manufacturing Information**

Manufactured for: Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in USA with domestic and foreign materials

[www.medline.com](http://www.medline.com)

1-800-MEDLINE

REF: MDS098003WZ

RG15VJO

**Package Label**



NDC: 53329-799-06

**70%**  
**ISOPROPYL ALCOHOL**

WITH GLYCERIN AND WINTERGREEN

First aid antiseptic

**WARNING FLAMMABLE**   
Keep away from heat, spark, electrical fire or flame.

Product sealed for your protection.  
Use only in a well-ventilated area; fumes can be harmful.

**16 FL OZ**  
**(1 PT) 473 mL**

L0015304FA

**Drug Facts**

<b>Active ingredient</b> Isopropyl alcohol 70%	<b>Purpose</b> First aid antiseptic
---	--

**Uses** first aid to help prevent the risk of infection in:  
 minor cuts  scrapes  burns

**Warnings**  
For external use only

**Flammable**  keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns

**When using this product**  do not get into eyes  do not inhale  do not apply over large areas of the body  do not use longer than 1 week

**Stop use and ask a doctor if** condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** – Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.


**Directions**  clean the affected area  apply a small amount of this product on the area 1 to 3 times daily  may be covered with a sterile bandage  if bandaged, let dry first

**Other information**  does not contain, nor is intended as a substitute for grain or ethyl alcohol  will produce serious gastric disturbances if taken internally

**Inactive ingredients** blue 1, glycerin, methyl salicylate, water, yellow 5

REF MDS098003WZ

www.medline.com Made in US with US and foreign components for Medline Industries, Inc., Mundelein, IL 60060 USA. 1-800-MEDLINE RG15VJO L0015304BA Pat. D675,101



(01)10888277336124

## ISOPROPYL ALCOHOL

isopropyl alcohol solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53329-799
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -	ISOPROPYL	70 mL

UNII:ND2M416302)

ALCOHOL

in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-799-06	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/06/2015	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	08/06/2015	

**Labeler** - Medline Industries, LP (025460908)**Registrant** - Medline Industries, LP (025460908)

Revised: 2/2025

Medline Industries, LP