

ISOPROPYL ALCOHOL- isopropyl alcohol solution
Medline Industries, LP

799 Isopropyl Alcohol (wintergreen)

Active ingredient

Isopropyl alcohol 70%

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only

Flammable. Keep away from fire or flame, heat, spark, electrical.

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not get into eyes
- do not inhale
- do not apply over large areas of the body
- do not use longer than 1 week

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Caution

Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous

membranes. Avoid inhaling this product.

Directions

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Other information

- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- will produce serious gastric disturbances if taken internally

Inactive ingredients

blue 1, glycerin, methyl salicylate, water, yellow 5

Manufacturing Information

www.medline.com

Made in US with US and foreign components

for Medline Industries, Inc.

Mundelein, IL 60060 USA

1-800-MEDLINE

REF: MDS098003WZ

Package Label



NDC: 53329-799-06

70%
ISOPROPYL ALCOHOL

WITH GLYCERIN AND WINTERGREEN

First aid antiseptic

WARNING FLAMMABLE 
Keep away from heat, spark, electrical fire or flame.

Product sealed for your protection.
Use only in a well-ventilated area; fumes can be harmful.

16 FL OZ
(1 PT) 473 mL

L0015304FA

Drug Facts

Active ingredient Isopropyl alcohol 70%	Purpose First aid antiseptic
Uses first aid to help prevent the risk of infection in: ■ minor cuts ■ scrapes ■ burns	
Warnings For external use only	
Flammable ■ keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns	
When using this product ■ do not get into eyes ■ do not inhale ■ do not apply over large areas of the body ■ do not use longer than 1 week	
Stop use and ask a doctor if condition persists or gets worse	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Caution – Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.	
Directions ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first	
Other information ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally	
Inactive ingredients blue 1, glycerin, methyl salicylate, water, yellow 5	

REF MDS098003WZ

www.medline.com Made in US with US and foreign components for Medline Industries, Inc., Mundelein, IL 60060 USA. 1-800-MEDLINE RG15VJO L0015304BA Pat. D675,101



(01)10888277336124

ISOPROPYL ALCOHOL

isopropyl alcohol solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-799
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -	ISOPROPYL	70 mL

UNII:ND2M416302)	ALCOHOL	in 100 mL
------------------	---------	-----------

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-799-06	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/06/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	08/06/2015	

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)