

**ZICAM KIDS COLD RELIEF REMEDY- soft chews tablet, chewable**  
**BestCo Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Zincum aceticum 2X**  
**Zincum gluconicum 2X**

Active ingredients (in each soft chew)

Zincum aceticum 2X

Zincum gluconicum 2X

Purpose

Relieves cold symptoms

Uses

- temporarily relieves symptoms of the common cold
- nasal congestion
- runny nose
- scratchy throat

Zicam Cold Remedy Relief KIDS was formulated to relieve symptoms of the common cold and was not formulated to be effective for flu or allergies.

Ask a doctor before use if your child has a sensitivity to zinc or is allergic to zinc.

Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions


- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- children 6-11 years of age (with adult supervision)
- take 1 soft chew at the onset of symptoms
- chew thoroughly before swallowing
- repeat every 3 hours; not to exceed more than 4 doses in 24 hours
- to avoid minor stomach upset, do not take on an empty stomach
- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 6 years of age; do not use.

Other information

- store between 15-29C (59-84F)
- avoid freezing and excessive heat

Inactive ingredients

citric acid, corn syrup, corn syrup solids, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, hydrogenated coconut oil, malic acid, purified water, soy lecithin, sucralose, sucrose



## ZICAM KIDS COLD RELIEF REMEDY

soft chews tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52642-231
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	3.54 mg
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	4.5 mg

## Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	purple	Score	score with uneven pieces
Shape	RECTANGLE	Size	22mm
Flavor	GRAPE	Imprint Code	NA
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52642-231-18	18 in 1 CARTON; Type 0: Not a Combination Product	05/06/2014	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/06/2014	

**Labeler** - BestCo Inc. (002149136)

**Registrant** - BestCo Inc. (002149136)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
BestCo Inc.		002149136	manufacture(52642-231)

Revised: 2/2016

BestCo Inc.