

**ST MORIZ SUNCARE BODY SUNSCREEN SPF30- suncare body sunscreen
spf30 lotion**

Aopline Health Industry Technology (Guangzhou) Co., Ltd.

Active ingredient

HOMOSALATE
GLYCERIN
OCTOCRYLENE
OCTISALATE
AVOBENZONE

Inactive ingredient

PROPYLENE GLYCOL
WATER
BUTYLOCTYL SALICYLATE
GLYCERETH-20
ISOSTEARETH-20
ISOCETETH-20
LAURIC/MYRISTIC/PALMITIC/STEARIC GLYCERIDES
GLYCERYL STEARATE
ALUMINUM STARCH OCTENYLSUCCINATE
PHENOXYETHANOL
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER
TRIETHANOLAMINE
CHLORPHENESIN
FRAGRANCE
DISODIUM EDTA
XANTHAN GUM

Helps prevent sunburn, if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun

Warning

For external use only.
Do not use on damaged or broken skin,
When using this product keep out of eyes, Rinse with water to remove,
Stop use and ask a doctor if rash occurs. Keep out of reach of children, If product is swallowed, get medical help or contact a Poison Control Centre right away. May stain some fabrics.

stop to use

Stop use and ask a doctor if rash occurs

Do not use

Do not use on damaged or broken skin

When

Apply liberally 15 minutes before sun exposure,
Reapply: After 80 minutes of swimming or seating,
Immediately after towel drying.. At least every 2 hours,
keep out of children to use it

Indication

Directions: Apply liberally 15 minutes before sun exposure,
Reapply: After 80 minutes of swimming or seating,
Immediately after towel drying.

At least every 2 hours,

Children under 6 months: Ask a Doctor


Sun Protection Measures: spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including, limit time in the sun, especially from 10 a.m. to 2 p.m., Wear long-sleeved shirts, pants, hats, and sunglasses,


Directions: Apply liberally 15 minutes before sun exposure, e Reapply: After 80 minutes of swimming or seating,. Immediately after towel drying.. At least every 2 hours,

labeling

80mm x 50mm (1mm Rads)



80mm x 50mm (1mm Rads)



ST MORIZ SUNCARE BODY SUNSCREEN SPF30

suncare body sunscreen spf30 lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82723-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	14.4 mg in 180 mL
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	10.9 mg in 180 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 mg in 180 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	5.4 mg in 180 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	7.2 mg in 180 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
WATER (UNII: 059QF0KO0R)	
GLYCERETH-20 (UNII: GJ57297I4F)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ISOSTEARETH-20 (UNII: 78H2SJ8X8M)	
ISOCETETH-20 (UNII: O020065R7Z)	
LAURIC ACID (UNII: 1160N9NU9U)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82723-013-01	180 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2025	

Labeler -
Aopline Health Industry Technology (Guangzhou) Co., Ltd. (715076108)