

**ST MORIZ SUNCARE BODY SUNSCREEN SPF50- suncare body sunscreen
spf50 lotion**

Aopline Health Industry Technology (Guangzhou) Co., Ltd.

active

HOMOSALATE
OCTOCRYLENE
OCTISALATE
AVOBENZONE

PROPYLENE GLYCOL

WATER

C14-22 ALCOHOLS

C12-20 ALKYL GLUCOSIDE

BUTYLOCTYL SALICYLATE

STEARETH-21

TREHALOSE

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER

SILICA

PHENOXYETHANOL

ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER

TRIETHANOLAMINE

CHLORPHENESIN

DIPOTASSIUM GLYCYRRHIZATE

FRAGRANCE

DISODIUM EDTA

TOCOPHERYL ACETATE

SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL

Purpose

Helps prevent sunburn, if used as directed with other sun protection measures it can decrease the risk of skin cancer and early aging caused by the sun,

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes, rinse with water to remove. Stop use and ask a doctor if rash occurs, keep out of reach of children, if product is swallowed, get medical help or contact a Poison Control Center right away

do not use

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs,

Keep out of reach of children, if product is swallowed, get medical help or contact a Poison Control Center right away



Apply liberally 15 minutes before su:xposure, * Reapply: After 80 minutes of swimming cely afler towel drying. At leas!weating.e Imivery 2 hours, * Children under 6 months: Ask a dock

Directions: * Apply liberally 15 minutes before sunexposure, e Reapply: After 80 minutes of swimming orswearing, " |mmedately afler towel drying," At leastevery 2 hours, * Children under 6 months: Ask a docior. Sun Protection Measures:Spending time in the sunincreases your risk of skin canoer and carly skin aging, Todecrease this risk, regulary use a sunscreen with a broadsoectrum spf value of 15 or higher and other sunprotection measure including, lmit time in the sun,especially from 10a.m, to 2p.m, Wear long-sleeved shirtspants, hats, and sunglasses,

Directions: * Apply liberally 15 minutes before sunexposure, e Reapply: After 80 minutes of swimming orswearing, " |mmedately afler towel drying," At leastevery 2 hours, * Children under 6 months: Ask a docior. Sun Protection Measures: \$pending time in the sunincreases your risk of skin canoer and carly skin aging, Todecrease this risk, regulary use a sunscreen with a broadsoectrum spf value of 15 or higher and other sunprotection measure including, lmit time in the sun,especially from 10a.m, to 2p.m, Wear long-sleeved shirtspants, hats, and sunglasses,

80mm x 50mm (1mm Rads)

80mm x 50mm (1mm Rads)



ST MORIZ SUNCARE BODY SUNSCREEN SPF50

suncare body sunscreen spf50 lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82723-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	18 mg in 180 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	5.4 mg in 180 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	7.2 mg in 180 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	18 mg in 180 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
STEARETH-21 (UNII: 53J3F32P58)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
C14-22 ALCOHOLS (UNII: B1K89384RJ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
DIPOTASSIUM GLYCYRRHIZATE (UNII: CA2Y0FE3FX)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M)	
TREHALOSE (UNII: B8WCK70T7I)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82723-014-01	180 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/26/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/26/2025	

Establishment

Name	Address	ID/FEI	Business Operations
Aopline Health Industry Technology (Guangzhou) Co., Ltd.		715076108	manufacture(82723-014)

Revised: 1/2025

Aopline Health Industry Technology (Guangzhou) Co., Ltd.