

**ST MORIZ SUNCARE FACE SUNSCREEN SPF30- suncare face sunscreen
spf30 lotion**

Aopline Health Industry Technology (Guangzhou) Co., Ltd.

Active Ingredients

OCTISALATE
TITANIUM DIOXIDE
OCTOCRYLENE

Purpose

Sunscreen

Uses

Uses: Helps prevent sunburn.

Warnings

For external use only .
Do not use on broken or damaged skin .
Stop use and ask a doctor if rash occurs
When using this product keep out of eyes . Rinse with water to remove .
Keep out of reach of children . If product is swallowed , get medical help or contact a
Poison Control Center right away .

Directions

Directions : Apply liberally 15 minutes before sun or water exposure. Works best on
moisturized skin.

Reapply:

After 80 minutes of swimming or sweating.

Immediately after towel drying.

At least every 2 hours.

Children under 6 months: Ask a doctor.

Inactive Ingredients

CYCLOHEXASILOXANE
WATER
CYCLOPENTASILOXANE
GLYCERIN
PROPYLENE GLYCOL
ALCOHOL
CETYL ETHYLHEXANOATE

ALUMINUM HYDROXIDE
STEARIC ACID
DIPROPYLENE GLYCOL
C12-15 ALKYL BENZOATE
ARACHIDYL ALCOHOL
BEHENYL ALCOHOL
ARACHIDYL GLUCOSIDE
PHENOXYETHANOL
1,2-HEXANEDIOL
CHLORPHENESIN
POLYSORBATE 60
ALLANTOIN
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER
TRIETHANOLAMINE
XANTHAN GUM
DISODIUM EDTA

Keep out of reach of children

Keep out of reach of children . If product is swallowed , get medical help or contact a Poison Control Center right away

Stop use

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes . Rinse with water to remove .

When using this product keep out of eyes . Rinse with water to remove .

Keep out of reach of children . If product is swallowed , get medical help or contact a Poison Control Center right away

Do not use

Do not use on broken or damaged skin .

Stop use and ask a doctor if rash occurs

Directions : Apply liberally 15 minutes before sun or water exposure. Works best on moisturized skin.

Reapply:

After 80 minutes of swimming or sweating.


Immediately after towel drying.

At least every 2 hours.

Children under 6 months: Ask a doctor.

Package Label

40mm x 50mm (1mm Rads)



ST MORIZ SUNCARE FACE SUNSCREEN SPF30

suncare face sunscreen spf30 lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82723-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5.4 mg in 180 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	9 mg in 180 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.4 mg in 180 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
BEHENYL ALCOHOL (UNII: 9G10E216XY)	
ARACHIDYL GLUCOSIDE (UNII: 6JVV35J0OJ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	

ALLANTOIN (UNII: 344S277G0Z)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALCOHOL (UNII: 3K9958V90M)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
CETYL ETHYLHEXANOATE (UNII: 134647VMX4)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82723-015-01	180 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/27/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

Labeler - Aopline Health Industry Technology (Guangzhou) Co., Ltd. (715076108)

Revised: 1/2025

Aopline Health Industry Technology (Guangzhou) Co., Ltd.