

**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 LATTE
180F- octinoxate, zinc oxide emulsion
LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 BEIGE
220C- octinoxate, zinc oxide emulsion
LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15
ALMENDRA 230N- octinoxate, zinc oxide emulsion
LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15
CHAMPAGNE 170N- octinoxate, zinc oxide emulsion
LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15
CAPUCCINO 310C- octinoxate, zinc oxide emulsion
BEL STAR S.A.**

LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15

Active Ingredients

OCTINOXATE 6.00%

ZINC OXIDE 2.94%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdi/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

MAY CONTAIN : Titanium dioxide, iron oxides.

ALMENDRA 230N

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: ALMENDRA 230N

Drug Facts

(continued)

Inactive ingredients:

Water, dimethicone, isododecane, trimethylsilylsilicate, glycerin, alcohol denat., hdI/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

MAY CONTAIN: Titanium dioxide, iron oxides.

10% complejo con colágeno y retinol.

*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.

*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol. Este producto contiene vitamina A. Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia. Contiene Vitamina A. Consider your daily intake before use. Do not use during pregnancy or lactation.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00928, Made in Colombia.


www.lbel.com

L'BEL CONCENTRÉ

10%
COMPLEX*
WITH COLLAGEN
AND RETINOL
ANTI-AGING

BASE SÉRUM
ANTIEDAD GLOBAL
FPS 15
GLOBAL ANTI-AGING
SERUM FOUNDATION
SPF 15

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

BEIGE 220C

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: BEIGE 220C

Drug Facts

(continued)

Inactive ingredients:

Water, dimethicone, isododecane, trimethylsilylsilicate, glycerin, alcohol denat., hdI/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

MAY CONTAIN: Titanium dioxide, iron oxides.

10% complejo con colágeno y retinol.
*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.
*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.
Este producto contiene vitamina A.
Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.
Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00928, Made in Colombia.


www.lbel.com

L'BEL CONCENTRÉ

10%
COMPLEX*
WITH COLLAGEN
AND RETINOL
ANTI-AGING

BASE SÉRUM
ANTIEDAD GLOBAL
FPS 15
GLOBAL ANTI-AGING
SERUM FOUNDATION
SPF 15

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

CAPUCCINO 310C

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: CAPUCCINO 310C

Drug Facts

(continued)

Inactive ingredients:

Water, dimethicone, isododecane, trimethylsilylsilicate, glycerin, alcohol denat., hdI/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

MAY CONTAIN: Titanium dioxide, iron oxides.

10% complejo con colágeno y retinol.
*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.
*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.
Este producto contiene vitamina A.
Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.
Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00928, Made in Colombia.


www.lbel.com

L'BEL CONCENTRÉ

10%
COMPLEX*
WITH COLLAGEN
AND RETINOL
ANTI-AGING

BASE SÉRUM
ANTIEDAD GLOBAL
FPS 15
GLOBAL ANTI-AGING
SERUM FOUNDATION
SPF 15

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto.
The packaging has a base without product content.

CHAMPAGNE 170N

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: CHAMPAGNE 170N

Drug Facts

(continued)

Inactive ingredients:

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdi/trimethylol hexyl lactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

MAY CONTAIN: Titanium dioxide, iron oxides.

10% complejo con colágeno y retinol.

*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.

*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.

Este producto contiene vitamina A.

Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.

Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com


L'

L'BEL
CONCENTRÉ

10%
COMPLEX*
WITH COLLAGEN
AND RETINOL
ANTI-AGING

BASE SÉRUM
ANTIEDAD GLOBAL
FPS 15
GLOBAL ANTI-AGING
SERUM FOUNDATION
SPF 15

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

LATTE 180F

Drug Facts

Active Ingredients Purpose
 OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: LATTE 180F

Drug Facts

(continued)

Inactive ingredients:

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdI/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disleadimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

MAY CONTAIN: Titanium dioxide, iron oxides.

10% complejo con colágeno y retinol.
 *Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.
 *Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.
 Este producto contiene vitamina A.
 Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.
 Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00928, Made in Colombia.


www.lbel.com

L'BEL
 CONCENTRÉ

10%
 COMPLEX*
 WITH COLLAGEN
 AND RETINOL
 ANTI-AGING

BASE SÉRUM
 ANTIEDAD GLOBAL
 FPS 15
 GLOBAL ANTI-AGING
 SERUM FOUNDATION
 SPF 15

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
 The packaging has a base without product content.

LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 LATTE 180F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-375
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	

NIACINAMIDE (UNII: 25X51I8RD4)
SODIUM POTASSIUM ALUMINUM SILICATE (UNII: Z6C6FF3Y9R)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PANTHENOL (UNII: WW9CM0067Z)
PROLINE (UNII: 9DLQ4CIU6V)
AMYL SALICYLATE (UNII: VZ09C30208)
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
MICA (UNII: V8A1AW0880)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
SODIUM PCA (UNII: 469OTG57A2)
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
WATER (UNII: 059QF0KO0R)
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
RETINYL PALMITATE (UNII: 1D1K0N0VVC)
TROMETHAMINE (UNII: 023C2WHX2V)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ISODODECANE (UNII: A8289P68Y2)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
RICE AMINO ACIDS (UNII: 5ET1T25H82)
TOCOPHEROL (UNII: R0ZB2556P8)
FERROUS OXIDE (UNII: G7036X8B5H)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE (UNII: 92RU3N3Y1O)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)
LAUROYL LYSINE (UNII: 113171Q70B)
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)
ALCOHOL (UNII: 3K9958V90M)
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-375-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 BEIGE 220C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-372
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SODIUM POTASSIUM ALUMINUM SILICATE (UNII: Z6C6FF3Y9R)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROLINE (UNII: 9DLQ4CIU6V)	
AMYL SALICYLATE (UNII: VZ09C30208)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
MICA (UNII: V8A1AW0880)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SODIUM PCA (UNII: 469OTG57A2)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
WATER (UNII: 059QF0KO0R)	
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
RETINYL PALMITATE (UNII: 1D1K0N0VVC)	

TROMETHAMINE (UNII: 023C2WHX2V)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ISODODECANE (UNII: A8289P68Y2)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
RICE AMINO ACIDS (UNII: 5ET1T25H82)
TOCOPHEROL (UNII: R0ZB2556P8)
FERROUS OXIDE (UNII: G7036X8B5H)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE (UNII: 92RU3N3Y1O)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
TRIMETHYLSILOXSILICATE (M/Q 0.66) (UNII: 5041RX63GN)
LAUROYL LYSINE (UNII: 113171Q70B)
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)
ALCOHOL (UNII: 3K9958V90M)
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-372-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 ALMENDRA 230N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-371
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SODIUM POTASSIUM ALUMINUM SILICATE (UNII: Z6C6FF3Y9R)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
PANTHENOL (UNII: WW9CM0O67Z)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROLINE (UNII: 9DLQ4CIU6V)	
AMYL SALICYLATE (UNII: VZ09C30208)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
MICA (UNII: V8A1AW0880)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SODIUM PCA (UNII: 469OTG57A2)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
WATER (UNII: 059QF0KO0R)	
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)	
RETINYL PALMITATE (UNII: 1D1K0N0VVC)	
TROMETHAMINE (UNII: 023C2WHX2V)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ISODODECANE (UNII: A8289P68Y2)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
RICE AMINO ACIDS (UNII: 5ET1T25H82)	
TOCOPHEROL (UNII: ROZB2556P8)	
FERROUS OXIDE (UNII: G7036X8B5H)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)	
LAUROYL LYSINE (UNII: 113171Q70B)	
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-371-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 CHAMPAGNE 170N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-374
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SODIUM POTASSIUM ALUMINUM SILICATE (UNII: Z6C6FF3Y9R)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROLINE (UNII: 9DLQ4CIU6V)	
AMYL SALICYLATE (UNII: VZ09C30208)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
MICA (UNII: V8A1AW0880)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

SODIUM PCA (UNII: 469OTG57A2)
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
WATER (UNII: 059QF0KO0R)
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
RETINYL PALMITATE (UNII: 1D1K0N0VVC)
TROMETHAMINE (UNII: 023C2WHX2V)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ISODODECANE (UNII: A8289P68Y2)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
RICE AMINO ACIDS (UNII: 5ET1T25H82)
TOCOPHEROL (UNII: R0ZB2556P8)
FERROUS OXIDE (UNII: G7036X8B5H)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE (UNII: 92RU3N3Y1O)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)
LAUROYL LYSINE (UNII: 113171Q70B)
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)
ALCOHOL (UNII: 3K9958V90M)
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-374-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 CAPUCCINO 310C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-373
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SODIUM POTASSIUM ALUMINUM SILICATE (UNII: Z6C6FF3Y9R)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROLINE (UNII: 9DLQ4CIU6V)	
AMYL SALICYLATE (UNII: VZ09C30208)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
MICA (UNII: V8A1AW0880)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SODIUM PCA (UNII: 469OTG57A2)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
WATER (UNII: 059QF0KO0R)	
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
RETINYL PALMITATE (UNII: 1D1K0N0VVC)	
TROMETHAMINE (UNII: 023C2WHX2V)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ISODODECANE (UNII: A8289P68Y2)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
RICE AMINO ACIDS (UNII: 5ET1T25H82)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERROUS OXIDE (UNII: G7036X8B5H)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)	
LAUROYL LYSINE (UNII: 113171Q70B)	

OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)	
ALCOHOL (UNII: 3K9958V90M)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-373-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

Labeler - BEL STAR S.A. (880160197)

Revised: 8/2025

BEL STAR S.A.