

**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 LATTE 180F- octinoxate, zinc oxide emulsion**  
**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 BEIGE 220C- octinoxate, zinc oxide emulsion**  
**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 ALMENDRA 230N- octinoxate, zinc oxide emulsion**  
**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 CHAMPAGNE 170N- octinoxate, zinc oxide emulsion**  
**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 CAPUCCINO 310C- octinoxate, zinc oxide emulsion**  
**BEL STAR S.A.**

-----

**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15**

## **Drug Facts**

### **Active Ingredients**

OCTINOXATE 6.00%

ZINC OXIDE 2.94%

### **Purpose**

Sunscreen

### **Uses**

- Helps prevent sunburn.

### **Warnings**

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

### **Do not use**

on damaged or broken skin.

### **When using this product**

keep out of eyes. Rinse with water to remove.

### **Stop use and ask a doctor if**

rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

## **Other information**

- Protect the product in this container from excessive heat and direct sun.

## **Inactive ingredients**

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdi/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

**MAY CONTAIN** : Titanium dioxide, iron oxides.

**ALMENDRA 230N**

10% complejo con colágeno y retinol.  
\*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.  
\*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.

Este producto contiene vitamina A. Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.  
Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

### Drug Facts

Active Ingredients	Purpose
OCTINOXATE 6.00 %	Sunscreen
ZINC OXIDE 2.94 %	Sunscreen

#### Uses

- Helps prevent sunburn.

#### Warnings

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes. Rinse with water to remove.**

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

#### Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

#### Inactive ingredients:

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdI/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

**MAY CONTAIN:** Titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

TONE: ALMENDRA 230N

# L'BEL CONCENTRÉ

10%  
COMPLEX\*  
WITH COLLAGEN  
AND RETINOL  
ANTI-AGING

BASE SÉRUM  
ANTIEDAD GLOBAL  
FPS 15  
GLOBAL ANTI-AGING  
SERUM FOUNDATION  
SPF 15

0.87 fl. oz. | 26 ml

BEIGE 220C

10% complejo con colágeno y retinol.  
\*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.  
\*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.

Este producto contiene vitamina A. Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.

Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

### Drug Facts

#### Active Ingredients Purpose

OCTINOXATE 6.00 % ..... Sunscreen  
ZINC OXIDE 2.94 % ..... Sunscreen

#### Uses

- Helps prevent sunburn.

#### Warnings

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes. Rinse with water to remove.**

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

#### Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

#### Inactive ingredients:

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdi/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

**MAY CONTAIN:** Titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**TONE: BEIGE 220C**

# L'BEL CONCENTRÉ

10%  
COMPLEX\*  
WITH COLLAGEN  
AND RETINOL  
ANTI-AGING

BASE SÉRUM  
ANTIEDAD GLOBAL  
FPS 15  
GLOBAL ANTI-AGING  
SERUM FOUNDATION  
SPF 15

0.87 fl. oz. | 26 ml

**CAPUCCINO 310C**

10% complejo con colágeno y retinol.  
\*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.

\*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.

Este producto contiene vitamina A. Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.

Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

### Drug Facts

Active Ingredients	Purpose
OCTINOXATE 6.00 %	Sunscreen
ZINC OXIDE 2.94 %	Sunscreen

#### Uses

- Helps prevent sunburn.

#### Warnings

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

#### Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

#### Inactive ingredients:

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdi/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

**MAY CONTAIN:** Titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**TONE: CAPUCCINO 310C**

# L'BEL CONCENTRÉ

10%  
COMPLEX\*  
WITH COLLAGEN  
AND RETINOL  
ANTI-AGING

BASE SÉRUM  
ANTIEDAD GLOBAL  
FPS 15  
GLOBAL ANTI-AGING  
SERUM FOUNDATION  
SPF 15

0.87 fl. oz. | 26 ml

**CHAMPAGNE 170N**

10% complejo con colágeno y retinol.  
\*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.  
\*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.

Este producto contiene vitamina A. Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.  
Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

### Drug Facts

#### Active Ingredients Purpose

OCTINOXATE 6.00 % ..... Sunscreen  
ZINC OXIDE 2.94 % ..... Sunscreen

#### Uses

- Helps prevent sunburn.

#### Warnings

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes. Rinse with water to remove.**

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

#### Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

#### Inactive ingredients:

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hd/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium Hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

**MAY CONTAIN:** Titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

**TONE: CHAMPAGNE 170N**

# L'BEL CONCENTRÉ

10%  
COMPLEX\*  
WITH COLLAGEN  
AND RETINOL  
ANTI-AGING

BASE SÉRUM  
ANTIEDAD GLOBAL  
FPS 15  
GLOBAL ANTI-AGING  
SERUM FOUNDATION  
SPF 15

0.87 fl. oz. | 26 ml

**LATTE 180F**

10% complejo con colágeno y retinol.  
 \*Complex contains: Vegetable collagen, amino acids, retinol, hydroxyethyl urea and tocopherol.  
 \*Complejo contiene: Colágeno vegetal, aminoácidos, retinol, hidroxietil urea y tocoferol.  
 Este producto contiene vitamina A. Tenga en cuenta su consumo diario antes de utilizarlo. No usar durante el embarazo, ni lactancia.  
 Contains Vitamin A. Consider your daily intake before use. Do not use during pregnancy or lactation.

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 6.00 %	Sunscreen
ZINC OXIDE 2.94 %	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts**  
(continued)

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, alcohol denat., hdi/trimethylol hexyllactone crosspolymer, mica, polyglyceryl-3 diisostearate, octyldodecyl stearoyl stearate, sodium potassium aluminum silicate, hydroxyethyl urea, peg-10 dimethicone, sodium pca, lecithin, albizia julibrissin bark extract, silica, polysilicone-11, hydrolyzed soy protein, phenoxyethanol, sodium chloride, methylpropanediol, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, retinyl palmitate, rice amino acids, caprylyl glycol, chlorphenesin, lauroyl lysine, silanediol salicylate, disteardimonium hectorite, fragrance, panthenol, tocopheryl acetate, proline, tromethamine, hydrolyzed adansonia digitata seed extract, echinacea purpurea callus lysate, tocopherol, citric acid, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

**MAY CONTAIN:** Titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

**TONE: LATTE 180F**

L'BEL  
CONCENTRÉ

10%  
COMPLEX\*  
WITH COLLAGEN  
AND RETINOL  
ANTI-AGING

BASE SÉRUM  
ANTIEDAD GLOBAL  
FPS 15  
GLOBAL ANTI-AGING  
SERUM FOUNDATION  
SPF 15

0.87 fl. oz. | 26 ml

**LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 LATTE 180F**

octinoxate, zinc oxide emulsion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-375
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>SODIUM POTASSIUM ALUMINUM SILICATE</b> (UNII: Z6C6FF3Y9R)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>AMYL SALICYLATE</b> (UNII: VZ09C30208)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b> (UNII: 2JU6ZH6GRE)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>SODIUM PCA</b> (UNII: 469OTG57A2)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>RETINYL PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>RICE AMINO ACIDS</b> (UNII: 5ET1T25H82)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>IRON OXIDES</b> (UNII: 1K09F3G675)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.66)</b> (UNII: 5041RX63GN)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-375-01	1 in 1 CARTON	01/27/2025	



1	26 mL in 1 JAR; Type 0: Not a Combination Product		
---	---	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

## LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 BEIGE 220C

octinoxate, zinc oxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-372
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>SODIUM POTASSIUM ALUMINUM SILICATE</b> (UNII: Z6C6FF3Y9R)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>AMYL SALICYLATE</b> (UNII: VZ09C30208)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b> (UNII: 2JU6ZH6GRE)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>SODIUM PCA</b> (UNII: 469OTG57A2)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)
<b>RETINYL PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>RICE AMINO ACIDS</b> (UNII: 5ET1T25H82)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>IRON OXIDES</b> (UNII: 1K09F3G675)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.66)</b> (UNII: 5041RX63GN)
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-372-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

## LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 ALMENDRA 230N

octinoxate, zinc oxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-371
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
<b>Inactive Ingredients</b>		
<b>Ingredient Name</b>	<b>Strength</b>	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)		
<b>SODIUM POTASSIUM ALUMINUM SILICATE</b> (UNII: Z6C6FF3Y9R)		
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)		
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)		
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)		
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)		
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)		
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)		
<b>AMYL SALICYLATE</b> (UNII: VZ09C30208)		
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)		
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)		
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b> (UNII: 2JU6ZH6GRE)		
<b>MICA</b> (UNII: V8A1AW0880)		
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)		
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)		
<b>SODIUM PCA</b> (UNII: 469OTG57A2)		
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)		
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)		
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)		
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)		
<b>RETINYL PALMITATE</b> (UNII: 1D1K0N0VVC)		
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)		
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)		
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)		
<b>ISODODECANE</b> (UNII: A8289P68Y2)		
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)		
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)		
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)		
<b>RICE AMINO ACIDS</b> (UNII: 5ET1T25H82)		
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)		
<b>IRON OXIDES</b> (UNII: 1K09F3G675)		
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)		
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)		
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)		
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.66)</b> (UNII: 5041RX63GN)		
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)		
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)		
<b>ALCOHOL</b> (UNII: 3K9958V90M)		
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)		

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-371-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

## LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 CHAMPAGNE 170N

octinoxate, zinc oxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-374
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>SODIUM POTASSIUM ALUMINUM SILICATE</b> (UNII: Z6C6FF3Y9R)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>AMYL SALICYLATE</b> (UNII: VZO9C30208)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b> (UNII: 2JU6ZH6GRE)	

<b>MICA</b> (UNII: V8A1AW0880)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>SODIUM PCA</b> (UNII: 469OTG57A2)
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0W0S5G)
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)
<b>RETINYL PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>RICE AMINO ACIDS</b> (UNII: 5ET1T25H82)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>IRON OXIDES</b> (UNII: 1K09F3G675)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.66)</b> (UNII: 5041RX63GN)
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-374-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

## LBEL CONCENTRE GLOBAL ANTI AGING SERUM FOUNDATION SPF 15 CAPUCCINO 310C

octinoxate, zinc oxide emulsion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-373
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>SODIUM POTASSIUM ALUMINUM SILICATE</b> (UNII: Z6C6FF3Y9R)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>AMYL SALICYLATE</b> (UNII: VZO9C30208)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b> (UNII: 2JU6ZH6GRE)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>SODIUM PCA</b> (UNII: 469OTG57A2)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>RETINYL PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>RICE AMINO ACIDS</b> (UNII: 5ET1T25H82)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>IRON OXIDES</b> (UNII: 1K09F3G675)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	

<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.66)</b> (UNII: 5041RX63GN)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-373-01	1 in 1 CARTON	01/27/2025	
1		26 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2025	

**Labeler** - BEL STAR S.A. (880160197)

Revised: 1/2025

BEL STAR S.A.