

**AESOP AVAIL BODY SUNSCREEN BROAD SPECTRUM SPF 50- avobenzone,
octisalate, octocrylene lotion**
Emeis Cosmetics Pty Ltd

Drug Facts

Active ingredients

Avobenzone 2.86%
Octisalate 4.95%
Octocrylene 9.75%

Purpose

Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply generously 15 minutes before sun exposure.
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early

skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222.

Inactive ingredients

water, diisopropyl adipate, acrylates copolymer, ethylhexyl methoxycrylene, capryloyl glycerin/sebacic acid copolymer, euphorbia cerifera (candelilla) wax, silica, glycerin, panthenol, PEG-40 stearate, triacontanyl PVP, phenoxyethanol, glyceryl behenate, ethylhexylglycerin, benzyl alcohol, lavandula angustifolia (lavender) oil, simmondsia chinensis (jojoba) seed oil, octyldodecanol, citrus limon (lemon) peel oil, ammonium acryloyldimethyltaurate/VP copolymer, xanthan gum, rosmarinus officinalis (rosemary) leaf oil, methyl glucose sesquisteate, tocopheryl acetate, mentha viridis (spearmint) leaf oil, tocopherol, dehydroacetic acid, mentha piperita (peppermint) oil, glycine soja (soybean) oil, beta-carotene, daucus carota sativa (carrot) root extract, linalool, limonene, geraniol, citral, coumarin

Informations Pharmaceutiques (suite)

Ingédients inactifs

eau, adipate de diisopropyle, copolymère d'acrylates, éthylhexyl méthoxycrylate, copolymère capryloylglycérine/acide sébacique, cire d'euphorbia cerifera (candelilla), silice, glycérine, panthénol, stéarate de PEG-40, PVP triacétate, phénoxyéthanol, béhénate de glycéryle, éthylhexylglycérine, alcool benzylque, huile de lavandula angustifolia (lavande), huile de graines de simmondsia chinensis (jojoba), octyldodecanol, huile de zeste de citrus limon (citron), copolymère d'acryloyldiméthyltaurate d'ammonium/VP, gomme xanthane, huile de feuille de rosmarinus officinalis (romarin), méthyl glucoside sesquitéarate, acétate de tocophéryle, huile de feuille de mentha viridis (menthe verte), tocophérol, acide déihydroacétique, huile de mentha piperita (menthe poivrée), glycine soja (huile de soja), bêta-carotène, extrait de racine de daucus carota sativa (carotte), linalol, limonène, géraniol, citral, coumarine

Aēsop.

SPF 50 Avail Body Lotion
Sunscreen

Broad Spectrum SPF 50
Lotion pour le Corps avec
Protection Solaire à Large
Spectre SPF 50

Spearmint Leaf • Panthenol • Tocopherol
Feuille de Menthe Verte • Panthénol •
Tocophérol

Massage generously into uncovered skin
fifteen minutes prior to sun exposure.
Reapply every two hours. Use water-
resistant sunscreen if swimming or
sweating.

A appliquer généreusement quinze minutes
avant l'exposition au soleil. Renouvelez
l'application toutes les deux heures. Utilisez
un écran solaire résistant à l'eau si vous
prévoyez de nager ou de transpirer.

Drug Facts

Active ingredients	Purpose
Avobenzone 2.86%	Sunscreen
Octisalate 4.95%	Sunscreen
Octocrylene 9.75%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, diisopropyl adipate, acrylates copolymer, ethylhexyl methoxycrylate, capryloyl glycerin/sebacic acid copolymer, euphorbia cerifera (candelilla) wax, silica, glycerin, panthenol, PEG-40 stearate, triacetyl PVP, phenoxyethanol, glyceryl behenate, ethylhexylglycerin, benzyl alcohol, lavandula angustifolia (lavender) oil, simmondsia chinensis (jojoba) seed oil, octyldodecanol, citrus limon (lemon) peel oil, ammonium acryloyldimethyltaurate/VP copolymer, xanthan gum, rosmarinus officinalis (rosemary) leaf oil, methyl glucoside sesquitéarate, tocopheryl acetate, mentha viridis (spearmint) leaf oil, tocopherol, dehydroacetic acid, mentha piperita (peppermint) oil, glycine soja (soybean) oil, beta-carotene, daucus carota sativa (carrot) root extract, linalol, limonene, géraniol, citral, coumarine

You may report a serious adverse reaction to Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222

Informations Pharmaceutiques

Ingédients actifs	Objectif
Avobenzone 2.86%	Écran solaire
Octisalate 4.95%	Écran solaire
Octocrylene 9.75%	Écran solaire

Utilisation

- contribue à prévenir les coups de soleil
- utilisé selon le mode d'emploi avec d'autres moyens de protection solaire (voir le **Mode d'emploi**), diminue le risque de cancer de la peau et de vieillissement cutané précoce causé par le soleil

Avvertissements

Pour usage extérieur seulement

Ne pas utiliser sur une peau abîmée ou fissurée

Utiliser ce produit en évitant le contour des yeux. Rincer à l'eau pour l'enlever.

Cesser l'utilisation et consulter un médecin en cas d'irritation

Garder hors de portée des enfants. En cas d'ingestion, demander de l'aide médicale ou contacter immédiatement un centre antipoison.

Mode d'emploi

En écran solaire:

- appliquez une dose généreuse 15 minutes avant de vous exposer au soleil
- réappliquez au moins toutes les 2 heures
- utilisez un écran solaire résistant à l'eau pour nager ou si vous transpirez
- **Mesures de Protection Solaire.** L'exposition prolongée au soleil augmente le risque de cancer de la peau et le vieillissement prématuré de la peau. Pour diminuer ce risque, appliquez régulièrement un écran solaire à Large Spectre SPF 15 ou plus et autre protection solaire en :
 - limitant le temps passé au soleil, particulièrement entre 10 h 00 et 14 h 00
 - portant des chemises à manches longues, des chapeaux et des lunettes de soleil
 - pour les enfants de moins de 6 mois : consulter un médecin

Autres informations

- protégez le produit dans ce contenant de la chaleur excessive et des rayons directs du soleil →

Vous pouvez signaler une réaction indésirable grave à Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222.



Manufactured in Australia. Fabriqué en Australie.
☎ +61 3 9412 8900 ✉ aesop@aesop.com
Aēsop Australia, 564 St Kilda Road, Melbourne
Victoria 3004. Aēsop USA S/D, Inc., Dist., New York,
NY 10001.

aesop.com

Net wt. 138 g / 4.8 oz



Aēsop.

SPF
50

Avail Body Lotion Sunscreen Broad Spectrum SPF 50

Lotion pour le Corps avec Protection Solaire
à Large Spectre SPF 50

Spearmint Leaf • Panthenol • Tocopherol

Feuille de Menthe Verte • Panthénol • Tocophérol

Massage generously into uncovered skin fifteen minutes prior to sun exposure. Reapply every two hours. Use water-resistant sunscreen if swimming or sweating.

A appliquer généreusement quinze minutes avant l'exposition au soleil. Renouvelez l'application toutes les deux heures. Utilisez un écran solaire résistant à l'eau si vous prévoyez de nager ou de transpirer.

Drug Facts. Active ingredients: Avobenzone 2.86%, Octisalate 4.95%, Octocrylene 9.75% **Purpose:** Sunscreen **Uses:** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun **Warnings:** **For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor if** rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** For sunscreen use: • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: →



BATCH AREA
22x8mm

Manufactured in Australia. Fabriqué en Australie.

+61 3 9412 8900 ✉ aesop@aesop.com

Aesop Australia, 564 St Kilda Road, Melbourne
Victoria 3004. Aesop USA S/D, Inc., Dist.,
New York, NY 10001.

PLBM23NA.H01 F04

aesop.com

Net wt. 138g / 4.8 oz



• limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor. **Other information:** • protect the product in this container from excessive heat and direct sun. You may report a serious adverse reaction to Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222.

Informations pharmaceutiques

Ingrédients actifs: Avobenzone - 2.86%, Octisalate - 4.95%, Octocrylène - 9.75%

Objectif: Écran solaire **Utilisation:** • contribue à prévenir les coups de soleil • utilisé selon le mode d'emploi avec d'autres moyens de protection solaire (voir le **Mode d'emploi**), il diminue le risque de cancer de la peau et le vieillissement prématuré de la peau causés par le soleil. **Avertissements:** **Pour usage extérieur seulement. Ne pas utiliser** sur une peau abîmée ou fissurée. **Utiliser ce produit** en évitant le contour des yeux. Rincer à l'eau pour l'enlever. **Cesser l'utilisation et consulter un médecin en cas d'irritation. Garder hors de portée des enfants.** En cas d'ingestion, demander de l'aide médicale ou contacter immédiatement un centre antipoison. **Mode d'emploi:** En écran solaire : • appliquez une dose généreuse 15 minutes avant de vous exposer au soleil • réappliquez au moins toutes les 2 heures • utilisez un écran solaire résistant à l'eau pour nager ou si vous transpirez • **Mesures de protection solaire:** L'exposition prolongée au soleil augmente le risque de cancer de la peau et le vieillissement prématuré de la peau. Pour diminuer ce risque, appliquez régulièrement un écran solaire à Large Spectre SPF 15 ou plus et autre protection solaire en : • limitant le temps passé au soleil, particulièrement entre 10 h 00 et 14 h 00 • portant des chemises à manches longues, des chapeaux et des lunettes de soleil • pour les enfants de moins de 6 mois : consulter un médecin. **Autres informations:** • protégez le produit dans ce contenant de la chaleur excessive et des rayons directs du soleil. Vous pouvez signaler une réaction indésirable grave à Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222.

PLBM23NA.H01

AESOP AVAIL BODY SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, octisalate, octocrylene lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76293-879
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	28.6 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)		OCTISALATE	49.5 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	97.5 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)			
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)			
CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER (2000 MPA.S) (UNII: N7YC58165T)			
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)			
SILICA (UNII: ETJ7Z6XBU4)			
GLYCERIN (UNII: PDC6A3C0OX)			
PANTHENOL (UNII: WV9CM0O67Z)			
PEG-40 STEARATE (UNII: ECU18C66Q7)			
TRIACONTANYL PVP (UNII: N0SS3Q238D)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
GLYCERYL BEHENATE/EICOSADIOATE (UNII: 73CJJ317SR)			
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL (UNII: ZBP1YXW0H8)			
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M)			
OCTYLDODECANOL (UNII: 461N1O614Y)			
CITRUS LIMON (LEMON) PEEL OIL (UNII: I9GRO824LL)			
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)			
XANTHAN GUM (UNII: TTV12P4NEE)			
ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL (UNII: 8LGU7VM393)			
METHYL GLUCOSE SESQUISTEARATE (UNII: V1YW10H14D)			
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)			
MENTHA VIRIDIS (SPEARMINT) LEAF OIL (UNII: C3M81465G5)			
TOCOPHEROL (UNII: R0ZB2556P8)			
DEHYDROACETIC ACID (UNII: 2KAG279R6R)			
MENTHA PIPERITA (PEPPERMINT) OIL (UNII: AV092KU4JH)			
SOYBEAN OIL (UNII: 241ATL177A)			
BETA-CAROTENE (UNII: 01YAE03M7J)			
CARROT (UNII: L56Z1JK48B)			
LINALOOL (UNII: D81QY6I88E)			
LIMONENE, (+)- (UNII: GFD7C86Q1W)			
GERANIOL (UNII: L837108USY)			

CITRAL (UNII: T7EU0O9VPP)

COUMARIN (UNII: A4VZ22K1WT)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76293-879-01	1 in 1 CARTON	10/01/2025	
1		138 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2025	

Labeler - Emeis Cosmetics Pty Ltd (754271146)

Establishment

Name	Address	ID/FEI	Business Operations
Ensign Laboratories Proprietary Limited		753228022	manufacture(76293-879)

Revised: 10/2025

Emeis Cosmetics Pty Ltd