

PAIN RELIEF- acetaminophen suspension
QUALITY CHOICE (Chain Drug Marketing Association)

Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily reduces fever
- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dose (see overdose warning).

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not take more than directed (see Overdose warning)**
- **shake well before using**
- mL = milliliter
- use only the enclosed dosing cup designed for use with this product. Do not use any other dosing device.
- if needed, repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give more than 5 days unless directed by a doctor
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.

Weight (lb)	Age (year)	Dose (mL)*
under 24	under 2	ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 ml
48-59	6-8	10 mL
60-71	9-10	12.5 mL

72-95	11	15 mL
-------	----	-------

*or as directed by a doctor

Other information

- **each 5 mL contains:**sodium 2 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- see bottom panel for lot number and expiration date

Inactive ingredients

butylparaben, carboxymethylcellulose sodium, citric acid, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions or comments?

Call **1-800-935-2362** Monday-Friday 9AM-5PM EST

Principal Display Panel

**Compare to the Active Ingredient in Children's Tylenol® Oral Suspension

Children's

Pain Relief

Pain Reliever and Fever Reducer

Acetaminophen 160 mg per 5 mL

Oral suspension

For Ages 2-11 Years

Aspirin Free

Alcohol Free

Ibuprofen Free

Dye-Free

Grape Flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Tylenol® Oral Suspension.

Distributed by CDMA, Inc.

Novi, MI 48375

Product Label

<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> use only the enclosed dosing cup designed for use with this product. Do not use any other dosing device. if needed, repeat dose every 4 hours while symptoms last do not give more than 5 times in 24 hours do not give more than 5 days unless directed by a doctor find the right dose on chart below. If possible, use weight to dose; otherwise, use age. <table border="1"> <thead> <tr> <th>Weight (lb)</th> <th>Age (year)</th> <th>Dose (mL)*</th> </tr> </thead> <tbody> <tr> <td>under 24</td> <td>under 2 years</td> <td>ask a doctor</td> </tr> <tr> <td>24-35</td> <td>2-3 years</td> <td>5 mL</td> </tr> <tr> <td>36-47</td> <td>4-5 years</td> <td>7.5 mL</td> </tr> <tr> <td>48-59</td> <td>6-8 years</td> <td>10 mL</td> </tr> <tr> <td>60-71</td> <td>9-10 years</td> <td>12.5 mL</td> </tr> <tr> <td>72-95</td> <td>11 years</td> <td>15 mL</td> </tr> </tbody> </table> <p>*or as directed by a doctor</p> <p>Other information</p> <ul style="list-style-type: none"> each 5 mL contains: sodium 2 mg store between 20-25°C (68-77°F) do not refrigerate see bottom panel for lot number and expiration date <p>Inactive ingredients butylparaben, carboxymethylcellulose sodium, citric acid, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum</p> <p>Questions or comments? Call 1-800-935-2362 Monday-Friday 9AM-5PM EST</p>	Weight (lb)	Age (year)	Dose (mL)*	under 24	under 2 years	ask a doctor	24-35	2-3 years	5 mL	36-47	4-5 years	7.5 mL	48-59	6-8 years	10 mL	60-71	9-10 years	12.5 mL	72-95	11 years	15 mL	<p>NDC 83324-034-04</p> <p>QC QUALITY CHOICE</p> <p>**Compare to the Active Ingredient in Children's Tylenol® Oral Suspension</p> <p>Children's Pain Relief</p> <p>Pain Reliever and Fever Reducer</p> <p>Acetaminophen 160 mg per 5 mL Oral Suspension</p> <p>For Ages 2-11 Years</p> <p>Aspirin Free Alcohol Free Ibuprofen Free</p> <p>Dye-Free Grape Flavor</p> <p>4 FL OZ (118 mL)</p>	<p>NDC 83324-034-04</p> <p>QC QUALITY CHOICE</p> <p>**Compare to the Active Ingredient in Children's Tylenol® Oral Suspension</p> <p>Children's Pain Relief</p> <p>Pain Reliever and Fever Reducer</p> <p>Acetaminophen 160 mg per 5 mL Oral Suspension</p> <p>For Ages 2-11 Years</p> <p>Aspirin Free Alcohol Free Ibuprofen Free</p> <p>Dye-Free Grape Flavor</p> <p>4 FL OZ (118 mL)</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredient (in each 5 mL)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Acetaminophen 160 mg</td> <td>Pain reliever/fever reducer</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> temporarily reduces fever temporarily relieves minor aches and pains due to <ul style="list-style-type: none"> the common cold flu headache sore throat toothache <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:</p> <ul style="list-style-type: none"> more than 5 doses in 24 hours, which is the maximum daily amount with other drugs containing acetaminophen <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: <ul style="list-style-type: none"> skin reddening blisters rash If a skin reaction occurs, stop use and seek medical help right away. </p> <p>Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p>Do not use</p> <ul style="list-style-type: none"> with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. if your child is allergic to acetaminophen or any of the inactive ingredients in this product <p>Ask a doctor before use if your child has liver disease.</p> <p>Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.</p> <p>When using this product, do not exceed recommended dose (see Overdose warning).</p> <p>Stop use and ask a doctor if <ul style="list-style-type: none"> new symptoms occur redness or swelling is present pain gets worse or lasts more than 5 days fever gets worse or lasts more than 3 days These could be signs of a serious condition. </p> <p>Keep out of reach of children.</p> <p>Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.</p> <p>Directions</p> <ul style="list-style-type: none"> this product does not contain directions or complete warnings for adult use do not take more than directed (see Overdose warning) shake well before using mL = milliliter 	Active Ingredient (in each 5 mL)	Purpose	Acetaminophen 160 mg	Pain reliever/fever reducer
Weight (lb)	Age (year)	Dose (mL)*																										
under 24	under 2 years	ask a doctor																										
24-35	2-3 years	5 mL																										
36-47	4-5 years	7.5 mL																										
48-59	6-8 years	10 mL																										
60-71	9-10 years	12.5 mL																										
72-95	11 years	15 mL																										
Active Ingredient (in each 5 mL)	Purpose																											
Acetaminophen 160 mg	Pain reliever/fever reducer																											

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Tylenol® Oral Suspension.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

100% SATISFACTION GUARANTEED

Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

99938

6 35515 99938 1

PLD-A234D F0009084

Lot No.:

Exp. Date:

QUALITY CHOICE Children's Pain Relief Grape Flavor

PAIN RELIEF			
acetaminophen suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-034
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-034-04	1 in 1 BOX	03/15/2024	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/15/2024	

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)