MUCINEX CHILDRENS MIGHTY CHEWS COLD AND FLU- acetaminophen and dextromethorphan hydrobromide tablet, chewable RB Health (US) LLC

Mucinex Children's Mighty Chews Cough

Drug Facts

Dextromethorphan HBr 10 mg

Dextromethorphan HBr 10 mg......Cough suppressant

Uses

Uses

■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

Warnings

Do not use

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a sodium-restricted diet
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product

■ do not exceed recommended dosage

Stop use and ask a doctor if

■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

Directions

- take every 4 hours or as directed by a doctor
- chew thoroughly before swallowing

adults and children 12 years of age and over children 6 to under 12 years of age

children under 6 years of age

2 chewable tablets every 4 hours, not to exceed 12 chewable tablets in any 24-hour period 1 chewable tablet every 4 hours, not to exceed 6 chewable tablets in any 24-hour period do not use

Other information

- each chewable tablet contains: potassium 5 mg and sodium 15 mg
- store in a cool dry place at 20-25°C (68-77°F)

Inactive ingredients

anhydrous citric acid, corn syrup, FD&C red no. 40, flavors, glycerin, malic acid, maltodextrin, pectin, potassium sodium tartrate, purified water, sodium chloride, trisodium citrate (anhydrous), sodium polymetaphosphate, sucralose, sucrose

Questions? 1-866-MUCINEX (1-866-682-4639)

NDC 72854-084-016

Children's Mucinex®

Cough Suppressant

Dextromethorphan HBr 5 mg

Age 6+

Mixed Berry Flavor

Chewable Tablets



MUCINEX CHILDRENS MIGHTY CHEWS COLD AND FLU

acetaminophen and dextromethorphan hydrobromide tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72854-084
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	162.5 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg

Inactive Ingredients		
Ingredient Name	Strength	
ETHYLCELLULOSE (UNII: 7Z8S9VYZ4B)		
CORN SYRUP (UNII: 9G5L16BK6N)		
GLYCERIN (UNII: PDC6A3C0OX)		
WATER (UNII: 059QF0KO0R)		
PECTIN (UNII: 89NA02M4RX)		
POTASSIUM SODIUM TARTRATE (UNII: QH257BPV3J)		
SUCROSE (UNII: C151H8M554)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
ANHYDROUS TRISODIUM CITRATE (UNII: RS7A450LGA)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
MALIC ACID (UNII: 817L1N4CKP)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	23mm
Flavor	BERRY (Mixed Berry)	Imprint Code	М
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:72854-084- 16	16 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2025	

Marketing In	larketing Information		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2025	

Labeler - RB Health (US) LLC (081049410)

Revised: 1/2025 RB Health (US) LLC