

MIRAFast SOFT CHEWS- magnesium hydroxide bar, chewable
Bayer HealthCare LLC.

MiraFAST soft chews UI1615762

Drug Facts

Active ingredients (in each tablet)

Magnesium hydroxide USP 1200mg

Purpose

Saline laxative

Uses

relieves occasional constipation (irregularity). This product usually produces bowel movement in 1/2 to 6 hours.

Warnings

Do not use

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Keep out of reach of children

Keep out of reach of children.

Directions

- drink a full glass (8 oz) of liquid with each dose.
- dose may be taken as a single daily dose, in divided doses, or as directed by a doctor.
- do not exceed the maximum recommended daily dose in a 24 hour period

adults and children 12 years of age and over	2 to 4 chews
children 6 to under 12 years of age	1 to 2 chews
children 4 to 6 years of age	1 chew
children under 4 years of age	ask a doctor

Other information

- **each chew contains:** magnesium 500mg, sodium 1mg
- store between 20 ° to 25 ° C (68 ° to 77 ° F). Avoid excessive heat and humidity.
- Do not use if pouch is torn or open

Inactive ingredients

corn syrup, FD&C red no. 40 aluminum lake, flavors, glycerin, hydrogenated coconut oil, soy lecithin, sucrose, water.

Questions or comments?

Questions or comments? 1-800-647-2529

MiraFAST Soft Chews

Great Tasting Soft Chews!

Different Ingredient:
Magnesium Hydroxide

From the Makers of *MiraLAX*®

MiraFAST™

Magnesium Hydroxide 1200mg Saline Laxative

soft chews

**GENTLE
CONSTIPATION RELIEF**

CRAMP & STIMULANT FREE

- Gentle relief in 30 minutes to 6 hours
- Works naturally with your body



30 soft chews
individually wrapped



Mixed Berry
Flavored

For best results, remember to drink one glass of liquid with every dose!

Drug Facts

Active ingredient (in each chew) Magnesium hydroxide USP 1200 mg.....Saline laxative

Purpose

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings

Do not use if you have ever had an allergic reaction to this product or any other ingredients

Ask a doctor before use if you have kidney disease ■ a magnesium-restricted diet

■ stomach pain, nausea, or vomiting ■ a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

■ you need to use a laxative for more than 1 week

If pregnant or breastfeeding, ask a health professional for use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Dosage

Drink a full glass (8 oz) of liquid with each dose. ■ dose may be taken as a single daily dose, in divided doses, or as directed by a doctor. ■ do not exceed the maximum recommended daily dose in a 24 hour period

adults and children 12 years of age and older 2 to 4 chews

children 6 to under 12 years of age 1 to 2 chews

children 4 to under 6 years of age 1 chew

children under 4 years of age ask a doctor

Other information

■ each chew contains: magnesium 500 mg, sodium 1 mg ■ store between 20° to 25° C (68° to 77° F). Avoid excessive heat and humidity. ■ Do not use if pouch is torn or open

Inactive ingredients

corn syrup, FD&C red no. 40 aluminum lake, flavors, glycerin, hydrogenated coconut oil, soy lecithin, sucrose, water.

Questions or comments? 1-800-647-2529

actual size



Bayer

C00013427

Bayer, the Bayer Cross, Miralax and MiralaxST are trademarks of Bayer.
 Pat.: patents.livewell.bayer.com © 2024 Bayer. Product of Israel
 Dist by: Bayer Healthcare LLC, Whippany, NJ 07981



how2recycle.info



MIRAFAST SOFT CHEWS

magnesium hydroxide bar, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0159
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	1200 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CORN SYRUP (UNII: 9G5L16BK6N)	
HYDROGENATED COCONUT OIL (UNII: JY81OXM1OM)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	no score
Shape	RECTANGLE	Size	2mm
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0159-1	30 in 1 CARTON	02/17/2025	
1		1 in 1 POUCH; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/17/2025	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 1/2025

Bayer HealthCare LLC.