

**DAYTIME COLD AND COUGH NIGHTTIME COLD AND CONGESTION-  
brompheniramine maleate, dextromethorphan hbr, diphenhydramine hcl,  
phenylephrine hcl  
CVS**

-----  
**Children's Daytime Cold & Cough Nighttime Congestion and Cold**

**ACTIVE INGREDIENT(S) FOR DAYTIME (in each 5 mL)**

Brompheniramine Maleate 1 mg

Dextromethorphan HBr 5 mg

Phenylephrine HCl 2.5 mg

**ACTIVE INGREDIENT(S) FOR NIGHTTIME (in each 5 mL)**

Diphenhydramine HCl 6.25 mg

Phenylephrine HCl 2.5 mg

**PURPOSE FOR DAYTIME**

Antihistamine

Cough suppressant

Nasal decongestant

**PURPOSE FOR NIGHTTIME**

Antihistamine / Cough suppressant

Nasal Decongestant

**USE(S)**

**DAYTIME**

- temporarily relieves cough due to minor bronchial irritation as may occur with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis): • sneezing • itching of the nose or throat • runny nose • itchy, watery eyes
- temporarily restores freer breathing through the nose

## **NIGHTTIME**

- temporarily relieves these symptoms occurring with a cold, hay fever or other upper respiratory allergies:
  - sneezing. itching of the nose or throat. runny nose
  - itchy, watery eyes. cough. nasal congestion

## **WARNINGS**

### **DO NOT USE**

#### **Daytime**

##### **Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### **Nighttime**

##### **Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

### **ASK A DOCTOR BEFORE USE IF YOU HAVE**

#### **DAYTIME**

- heart disease
- glaucoma
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis or emphysema

## **NIGHTTIME**

- heart disease
- glaucoma
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

## **ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE**

### **DAYTIME**

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

### **NIGHTTIME**

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

## **WHEN USING THIS PRODUCT**

### **DAYTIME**

- **do not take more than directed**
- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### **NIGHTTIME**

- **do not take more than directed**
- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

## **STOP USE AND ASK DOCTOR IF**

- nervousness, dizziness or sleeplessness occur
- symptoms do not improve within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious

condition.

## **IF PREGNANT OR BREAST-FEEDING**

ask a health professional before use.

## **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **DIRECTIONS**

### **DAYTIME**

- do not take more than 6 doses in any 24-hour period
- do not exceed recommended dosage
- mL milliliter
- tsp = teaspoon

Age	Dose
adults & children 12 years over	4 tsp (20 mL) every 4 hours
children 6 years to under 12 years	2 tsp (10 mL) every 4 hours
children under 6 years	do not use

### **NIGHTTIME**

- do not take more than 6 doses in any 24-hour period
- do not exceed recommended dosage
- mL milliliter
- tsp = teaspoon

Age	Dose
adults & children 12 years over	4 tsp (20 mL) every 4 hours
children 6 years to under 12 years	2 tsp (10 mL) every 4 hours
children under 6 years	do not use

## **OTHER INFORMATION**

### **DAYTIME**

- **each teaspoon (tsp) contains:** sodium 5 mg
- store at 20-25°C (68-77°F)
- measuring cup provided

### **NIGHTTIME**

- **each teaspoon (tsp) contains:** sodium 5 mg
- store at 20-25°C (68-77°F)
- measuring cup provided

## **INACTIVE INGREDIENTS**

### **DAYTIME**

anhydrous citric acid, artificial flavor, FD&C blue #1, FD&C red #40, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

### **NIGHTTIME**

anhydrous citric acid, artificial flavor, FD&C blue #1, FD&C red #40, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

## **PRINCIPAL DISPLAY PANEL**

### **DAY/NIGHT PACK**

**NDC 51316-939-04**

**CVS Health**

**Compare to the active Ingredients in Children's Dimetapp® Cold & Cough\***

**Compare to the active Ingredients in Children's Dimetapp® Nighttime Cold & Cough\***

**Children's Daytime Cold & Cough**

**BROMPHENIRAMINE MALEATE**

**Antihistamine**

**DEXTROMETHORPHAN HBr**

Cough suppressant

**PHENYLEPHRINE HCl**

Nasal decongestant

DM Liquid

Relieves:

Nasal congestion; Stuffy nose;

Runny nose; Sneezes

Calms allergy symptoms

Soothes Cough

Alcohol Free

Grape Flavor

Ages 6 Years & Over

4 FL OZ (118 mL)

### **Children's Nighttime Congestion & Cold**

**DIPHENYLHYDRAMINE HCl**

**Cough suppressant; Antihistamine**

**PHENYLEPHRINE HCl**

Nasal decongestant

Liquid

Relieves:

Nasal congestion; Stuffy nose;

Runny nose; Sneezes

Calms allergy symptoms

Soothes Cough

Alcohol Free

Grape Flavor

Ages 6 Years & Over

4 FL OZ (118 mL)

# DAY / NIGHT PACK

## BUY TWO & SAVE

**CVS**  
Health™

Compare to the active ingredients in Children's Dimetapp® Cold & Cough\*

Grape

**CVS**  
Health™

Compare to the active ingredients in Children's Dimetapp® Nighttime Cold & Congestion\*

Grape

**Children's**

## Daytime Cold & Cough

**BROMPHENIRAMINE MALEATE**

Antihistamine

**DEXTROMETHORPHAN HBr**

Cough suppressant

**PHENYLEPHRINE HCl**

Nasal decongestant

**DM Liquid**

**Relieves:**

Nasal congestion; Stuffy nose;  
Runny nose; Sneezes

Calms allergy symptoms  
Soothes cough

Alcohol free



Grape Flavor  
Ages 6 Years & Over

4 FL OZ (118 mL)



**Children's**

## Nighttime Congestion & Cold

**DIPHENHYDRAMINE HCl**

Cough suppressant; Antihistamine

**PHENYLEPHRINE HCl**

Nasal decongestant

**Liquid**

**Relieves:**

Nasal congestion, Stuffy nose,  
Runny nose; Sneezes

Calms allergy symptoms  
Soothes cough

Alcohol free



Grape Flavor  
Ages 6 Years & Over

4 FL OZ (118 mL)



**DAYTIME COLD AND COUGH NIGHTTIME COLD AND CONGESTION**



brompheniramine maleate, dextromethorphan hbr, diphenhydramine hcl, phenylephrine hcl kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-939
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-939-04	1 in 1 KIT; Type 0: Not a Combination Product	01/31/2025	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE	118 mL

## Part 1 of 2

### CHILDRENS DAYTIME COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl liquid

## Product Information

<b>Item Code (Source)</b>	NDC:51316-916
---------------------------	---------------

<b>Route of Administration</b>	ORAL
--------------------------------	------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9Z N03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	1 mg in 5 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYL GALLATE</b> (UNII: 8D45NN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	

### Product Characteristics

<b>Color</b>	PURPLE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-916-03	1 in 1 CARTON		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/03/2025	

### Part 2 of 2

## CHILDRENS NIGHTTIME CONGESTION AND COLD

diphenhydramine hcl, phenylephrine hcl liquid

### Product Information

<b>Item Code (Source)</b>	NDC:51316-919
<b>Route of Administration</b>	ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	6.25 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	PURPLE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-919-03	1 in 1 CARTON		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/03/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2025	

**Labeler** - CVS (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(51316-939)

