

STUDIO FINISH CONCEALER BROAD SPECTRUM SPF 35- octinoxate and titanium dioxide paste
MAKEUP ART COSMETICS

STUDIO FINISH CONCEALER BROAD SPECTRUM SPF 35

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Octinoxate 5.00%	Sunscreen
Titanium Dioxide 2.00%	Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m
 - wear long-sleeved shirts, pants, hats and sunglasses.
- children under 6 months of age: ask a doctor

inactive ingredients

octyldodecanol, synthetic beeswax, copernicia cerifera (carnauba) wax, silica, hydrogenated polyisobutene, simmondsia chinensis (jojoba) seed oil, tocopherol, ascorbyl palmitate, polybutene, pvp/hexadecene copolymer, alumina, stearic acid [+/-

(may contain) titanium dioxide (ci 77891), iron oxides (ci 77491, ci 77492, ci 77499), chromium oxide greens (ci 77288)] <iln28455>

Other information

protect the product in this container from excessive heat and direct sun


DIST. BY: MAKE-UP ART COSMETICS
TORONTO, ONTARIO, CANADA M5V 1R7

PRINCIPAL DISPLAY PANEL - 7 g Jar Carton

M•A•C

STUDIO FINISH
CONCEALER
SPF 35
BROAD SPECTRUM
SPF 35

NET WT. 7 g/.24 US OZ e



Drug Facts

Active Ingredients Purpose

Octinoxate 5,00%	Sunscreen
Titanium Dioxide 2,00%	Sunscreen

Use helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs ▶

Drug Facts (continued)

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun ▶

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses.
- children under 6 months of age: ask a doctor ▶

Drug Facts (continued)

inactive ingredients octyldodecanol, synthetic beeswax, copernicia cerifera (carnauba) wax, silica, hydrogenated polyisobutene, simmondsia chinensis (jojoba) seed oil, tocopherol, ascorbyl palmitate, polybutene, pvp/hexadecene copolymer, alumina, stearic acid [+/- (may contain) titanium dioxide (ci 77891), iron oxides (ci 77491, ci 77492, ci 77499), chromium oxide greens (ci 77288)] <iIn28455> ▶

Drug Facts (continued)

Other information

protect the product in this container from excessive heat and direct sun

DIST. BY/PAR: MAKE-UP ART COSMETICS
TORONTO, ONTARIO, CANADA M5V 1R7
LONDON W1K 3BQ / MTPX

MADE IN CANADA/
FABRIQUE AU CANADA

MACCOSMETICS.COM




STUDIO FINISH CONCEALER BROAD SPECTRUM SPF 35

octinoxate and titanium dioxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:40046-0078
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
OCTYLDODECANOL (UNII: 461N1O614Y)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
JOJOBA OIL (UNII: 724GKU717M)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CHROMIC OXIDE (UNII: X5Z09SU859)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:40046-0078-1	1 in 1 CARTON	08/08/2011	
1		7 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/08/2011	

Labeler - MAKEUP ART COSMETICS (010597206)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		202952982	manufacture(40046-0078)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	pack(40046-0078) , label(40046-0078)

Revised: 12/2024

MAKEUP ART COSMETICS