

**DAYTIME AND NIGHTTIME HIGH BLOOD PRESSURE COLD AND FLU LIQUID-  
acetaminophen, dextromethorphan hbr and acetaminophen,  
dextromethorphan hbr, doxylamine succinate  
CVS Pharmacy, Inc.**

-----  
**CVS 666L Daytime & Nighttime High Blood Pressure Cold and Flu Liquid**

***Drug Facts***

***Daytime High Blood Pressure Cold & Flu***

***Active ingredients (in each 30 mL)***

Acetaminophen 650 mg

Dextromethorphan HBr 20 mg

***Purpose***

Pain reliever/fever reducer

Cough suppressant

***Uses*** temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses (30 mL each dose) in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain or cough get worse or last more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL per dose every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

**Other information**

- each 30 mL contains: **sodium 30 mg**
- store at no greater than 25°C and do not refrigerate

**Inactive ingredients** anhydrous citric acid, FD&C yellow no. 6, flavors, glycerin, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol solution, sucralose, xanthan gum

**Questions or comments?** Call **1-877-290-4008**

**Drug Facts**

## ***Nighttime High Blood Pressure Cold & Flu***

### ***Active ingredients (in each 30 mL)***

Acetaminophen 650 mg

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

### ***Purpose***

Pain reliever/fever reducer

Cough suppressant

Antihistamine

***Uses*** temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever
- runny nose and sneezing

### ***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses (30 mL each dose) in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### ***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin.

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

---

adults & children 12 yrs & over	30 mL per dose every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use


---

**Other information**

- each 30 mL contains: **sodium 30 mg**
- store at no greater than 25°C and do not refrigerate

**Inactive ingredients** anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavors, glycerin, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol solution, sucralose, xanthan gum

**Questions or comments? Call 1-877-290-4008**



NDC XXXXX-XXX-XX

Compare to the active ingredients in Vicks®  
DayQuil™ High Blood Pressure Cold & Flu Liquid®

# Daytime

**HIGH BLOOD  
PRESSURE**

**COLD & FLU**

**Acetaminophen,**  
Dextromethorphan HBr

Headache,  
Fever, Sore  
Throat,  
Minor Aches  
& Pains

Cough

DECONGESTANT  
FREE

**SUGAR &  
ALCOHOL  
FREE**

**8 FL OZ (236mL)**

Compare to the active ingredients in Vicks® DayQuil™/NyQuil™ High Blood Pressure Cold & Flu Liquid†

DAY &  
NIGHT  
PACK

NDC XXXXX-XXX-XX

SUGAR &  
ALCOHOL  
FREE

Daytime

HIGH BLOOD  
PRESSURE  
COLD & FLU

Acetaminophen,  
Dextromethorphan HBr

Headache,  
Fever, Sore  
Throat,  
Minor Aches & Pains

Cough

DECONGESTANT FREE

Nighttime

HIGH BLOOD  
PRESSURE  
COLD & FLU

Acetaminophen, Doxylamine  
Succinate, Dextromethorphan HBr

Headache,  
Fever,  
Sore Throat,  
Minor Aches & Pains

Sneezing, Runny  
Nose

Cough

Nighttime Relief  
DECONGESTANT FREE

2 BOTTLES - 1 DAYTIME/1 NIGHTTIME; 8 FL OZ (236 mL) EACH; TOTAL 16 FL OZ (472 mL)

DAYTIME AND NIGHTTIME HIGH BLOOD PRESSURE COLD AND FLU LIQUID

acetaminophen, dextromethorphan hbr and acetaminophen, dextromethorphan hbr, doxylamine succinate kit

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	
			NDC:51316-666	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-666-07	1 in 1 PACKAGE; Type 0: Not a Combination Product	04/21/2025	
Quantity of Parts				
Part #	Package Quantity		Total Product Quantity	

<b>Part 1</b>	1 BOTTLE	236 mL
<b>Part 2</b>	1 BOTTLE	236 mL

Part 1 of 2

NIGHTTIME HIGH BLOOD PRESSURE COLD AND FLU

acetaminophen, dextromethorphan hbr, doxylamine succinate liquid

Product Information

<b>Item Code (Source)</b>	NDC:51316-664
<b>Route of Administration</b>	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM SACCHARIN</b> (UNII: SB8ZUX40TY)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	

Product Characteristics

<b>Color</b>	red (Clear red color solution)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			



## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-664-06	236 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/21/2025	

## Part 2 of 2

### DAYTIME HIGH BLOOD PRESSURE COLD AND FLU

acetaminophen, dextromethorphan hbr liquid

## Product Information

Item Code (Source)	NDC:51316-665
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SODIUM SACCHARIN</b> (UNII: SB8ZUX40TY)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	

## Product Characteristics

<b>Color</b>	orange (Clear orange color solution)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CITRUS	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-665-06	236 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/21/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/21/2025	

**Labeler** - CVS Pharmacy, Inc. (062312574)

**Registrant** - Time Cap Laboratories, Inc. (037052099)

## Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(51316-666)

Revised: 2/2025

CVS Pharmacy, Inc.