

**TRIPLE ANTIBIOTIC AND PAIN RELIEF MAXIMUM STRENGTH- bacitracin zinc, neomycin sulfate, polymyxin b sulfate and pramoxine hydrochloride ointment
CVS Pharmacy**

Triple Antibiotic & Pain Relief Maximum Strength Ointment - CVS

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc, USP 500 units
Neomycin 3.5 mg
Polymyxin B sulfate, USP 10,000 units
Pramoxine hydrochloride, USP 10 mg

Purposes

First aid antibiotic/Pain reliever

Uses

First aid to help prevent infection and for temporary relief of pain or discomfort due to

- minor cuts
- scrapes
- burns

Warnings

For external use only

Allergy alert:

- do not use if allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older:

- clean affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years of age: ask a doctor

Other information

- Store at 59°-86°F (15°-30°C).
- Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient

white petrolatum

Questions?

1-800-432-8534 between 9 am and 4 pm EST, Monday-Friday.

PRINCIPAL DISPLAY PANEL

CVSHealth™

Compare to the active ingredients
in Neosporin® + Pain Relief*

NDC 59779-823-34

Infection prevention for:

- Burns
- Cuts
- Scrapes

MAXIMUM STRENGTH OINTMENT**Triple Antibiotic & Pain Relief**

BACITRACIN ZINC-NEOMYCIN SULFATE-POLYMYXIN B SULFATE-PRAMOXINE HCl

First aid antibiotic/pain relieving ointment

NET WT 0.5 OZ (14 g)

CVS Health. Compare to the active ingredients in Neosporin® + Pain Relief*
NDC 59779-823-34

Infection prevention for:

- Burns
- Cuts
- Scrapes

CVS Health.
MAXIMUM STRENGTH OINTMENT
Triple Antibiotic & Pain Relief
BACITRACIN ZINC - NEOMYCIN SULFATE - POLYMYXIN B SULFATE - PRAMOXINE HCl

CVS Health. Compare to the active ingredients in Neosporin® + Pain Relief*
NDC 59779-823-34
MAXIMUM STRENGTH OINTMENT
Triple Antibiotic & Pain Relief
BACITRACIN ZINC - NEOMYCIN SULFATE - POLYMYXIN B SULFATE - PRAMOXINE HCl
First aid antibiotic/pain relieving ointment NET WT 0.5 OZ (14 g)

322430
08230714 R0615 ABG3A/01
Code: 60/DRUGS/362
*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin® + Pain Relief.
Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895
© 2015 CVS/pharmacy CVS.com®
1-800-SHOP CVS
Made in India V-16347

CVS Quality
Money Back Guarantee

CVS Health.
MAXIMUM STRENGTH
Triple Antibiotic & Pain Relief
OINTMENT
BACITRACIN ZINC
POLYMYXIN B SULFATE
NEOMYCIN SULFATE
PRAMOXINE HCl

Drug Facts

Active ingredients (in each gram)
Bacitracin zinc, USP 500 units
Polymyxin B sulfate, USP 10,000 units
Neomycin 5 mg
Pramoxine hydrochloride, USP 10 mg
Pain reliever

Uses
First aid to help prevent infection and for temporary relief of pain or discomfort due to
■ minor cuts ■ scrapes ■ burns

Warnings
For external use only
Allergy alert: ■ do not use if allergic to any of the ingredients
Do not use ■ in the eyes ■ over large areas of the body
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns
When using this product ■ do not use longer than 1 week unless directed by a doctor
Stop use and ask a doctor if ■ condition persists or gets worse ■ symptoms last for more than 7 days or clear up
and come back within a few days ■ rash or other allergic reaction develops

Directions
Adults and children 2 years of age and older: ■ clean affected area ■ apply a small amount of this product (an amount equal to the surface area of the lip or a finger) on the area 1 to 3 times daily
Children under 2 years of age: ask a doctor
■ may be covered with a sterile bandage
■ Store at 59°-86°F (15°-30°C).
■ Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient
white petrolatum

Questions?
1-800-432-8534 between 9am and 4pm EST, Monday-Friday

TRIPLE ANTIBIOTIC AND PAIN RELIEF MAXIMUM STRENGTH

bacitracin zinc, neomycin sulfate, polymyxin b sulfate and pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-823
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-823-34	1 in 1 CARTON	01/03/2005	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:59779-823-56	1 in 1 CARTON	01/03/2005	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/03/2005	12/31/2024

Labeler - CVS Pharmacy (062312574)