

**NEUTROGENA PURE AND FREE BABY SUNSCREEN BROAD SPECTRUM SPF 50-
zinc oxide lotion
Kenvue Brands LLC**

Neutrogena[®] pure & free[®] baby SUNSCREEN Broad Spectrum SPF 50

Drug Facts

Active ingredient

Zinc Oxide 21.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum value of SPF 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Octyldodecyl Citrate Crosspolymer, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Glycerin, Polyhydroxystearic Acid, Ethyl Methicone, Silica, Cetyl Dimethicone, Triethoxycaprylylsilane, Phenoxyethanol, Glyceryl Behenate, Sodium Chloride, Acrylates/Dimethicone Copolymer, Chlorphenesin, Phenethyl Alcohol, Caprylyl Glycol, Cetyl Dimethicone/Bis-Vinyldimethicone Crosspolymer, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice

Questions or comments?

Call toll-free **800-299-4786** or **215-273-8755** (collect). www.neutrogena.com

Distributed by:

Kenvue Brands LLC
Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 88 mL Tube Label

Neutrogena®

pure & free®

baby

SUNSCREEN

Broad Spectrum SPF 50

50

pureSCREEN®

100% zinc oxide active uva.uvb

ACCEPTED

e

NATIONALECZEMA.ORG

NATIONAL

ECZEMA

ASSOCIATION

TEAR FREE

fragrance free

water resistant

(80 minutes)

#1 DERMATOLOGIST

RECOMMENDED SUNCARE

3.0 FL OZ (88mL)

lacquer free area



30059528

Neutrogena®

pure & free® baby

SUNSCREEN

Broad Spectrum SPF 50

50

pureSCREEN®

100% zinc oxide active uva•uvb



TEAR FREE

fragrance free
water resistant
(80 minutes)

**#1 DERMATOLOGIST
RECOMMENDED SUNCARE**

3.0 FL OZ (88 mL)

Drug Facts

Active ingredient	} Purpose
Zinc Oxide 21.6%	

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum value of SPF 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m.–2 p.m.
 ■ wear long-sleeved shirts, pants, hats, and sunglasses
 ■ children under 6 months of age: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients Water, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Octyldodecyl Citrate Crosspolymer, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Glycerin, Polyhydroxystearic Acid, Ethyl Methicone, Silica, Cetyl Dimethicone, Triethoxycaprylylsilane, Phenoxyethanol, Glyceryl Behenate, Sodium Chloride, Acrylates/Dimethicone Copolymer, Chlorphenesin, Phenethyl Alcohol, Caprylyl Glycol, Cetyl Dimethicone/Bis-Vinyldimethicone Crosspolymer, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice

Questions or comments?

Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com



Pat. www.kenvue.com

Distributed by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands LLC 2025

non-printable area

NEUTROGENA PURE AND FREE BABY SUNSCREEN BROAD SPECTRUM SPF 50

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0275
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL
---	------------	----------------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: X323T6QO4M)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYL METHICONE (8 MPA.S) (UNII: 3YWG8XYT8H)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETYL DIMETHICONE/BIS-VINYLDIMETHICONE CROSSPOLYMER (UNII: AE7QA6TW0Q)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
GLYCERYL MONOBEHENATE (UNII: A626UU0W2A)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FEVERFEW (UNII: Z64FK7P217)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0275-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2016	

Labeler - Kenvue Brands LLC (118772437)