ASPIRIN- as pirin tablet, coated Liberty Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ASPIRIN FOR TIME CAP

Each tablet contains Aspirin 325 mg

corn starch, croscarmellose sodium, Hypromellose, microcrystalline cellulose, mineral oil, titanium dioxide

Ask a doctor before use if:
stomach bleeding warning applies to you
You have a history of stomach problems, such as heartburn
You have high blood pressure, heart disease, liver cirrhosis, or kidney disease
You are taking a diuretic
You have asthma
You have not been drinking fluids
You have lost a lot of fluid due to vomiting or diarrhea

WARNINGS: Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include, hives, facial swelling, shock, asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID which may cause severe stomach bleeding. The chance is higher if you are age 60 or older, have had stomach ulcers or bleeding problems, take a blood thinning (anticoagulant) or steroid drug, take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others); have 3 or more alcoholic drinks every day while using this product, take more or for a longer time than directed

Do not use

If you are allergic to aspirin or any other pain reliever/fever reducer

Directions:

Drink a full glass of water with each dose

Adults and children 12 years and over: take 1 to 2 tablets every 4 hours while symptoms last

Do not take more than 12 tablets in 24 hours unless directed by a doctor.

Children under 12 years: consult a doctor

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.


Pain Reliever

Uses:

For the temporary relief of minor aches and pains due to:

headache, colds, muscle pain, menstrual pain, toothache, minor pain of arthritis or as directed by your doctor.

Repackaged By : Aidarex Pharmaceuticals LLC, Corona, CA 92880



ASPIRIN aspirin tablet, coated **Product Information** HUMAN OTC DRUG NDC:0440-1130(NDC:49483-011) Product Type Item Code (Source) ORAL **Route of Administration Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) **ASPIRIN** 325 ng

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
MINERAL O IL (UNII: T5L8T28FGP)			
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)			

Product Characteristics	t Characteristics				
Color	WHITE	Score	no score		
Shape	ROUND	Size	10 mm		
Flavor		Imprint Code	TCL011		
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:0440-1130-90	90 in 1 BOTTLE, PLASTIC					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC MONOGRAPH NOT FINAL	part343	04/18/2012				

Labeler - Liberty Pharmaceuticals, Inc. (012568840)

Revised: 9/2013 Liberty Pharmaceuticals, Inc.