

**THERACARE PAIN RELIEF 4% LIDOCAINE- lidocaine patch**  
**Veridian Healthcare**

-----  
**Theracare 4% Lidocaine Pain Relief Patch**

**Active ingredient**

Lidocaine 4%

**Purpose**

Topical anesthetic

**Uses**

For temporary relief of pain

**Warnings**

**For external use only**

**Do not use**

- more than one patch on your body at a time
- on cut or swollen skin
- on puncture wounds
- For more than one week without consulting a doctor if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened

**When using this product**

- use only as directed
- read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of a used patch in a manner that always keeps the product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingest this patch.

**Stop use and ask a doctor if**

- conditions worsen
- Redness is present
- Irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of an injury, such as pain, swelling, or blistering where the product was applied.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center 800-222-1222 right away.

**Directions**

**Adults and children 12 years of age and over:**

- clean and dry affected area
- carefully remove the backing from the patch starting at a corner
- Apply the sticky side of patch to the affected area.
- Use one patch for up to 12 hours
- Discard patch after single use

**Children under 12 years of age:** consult a physician.

**Other information**

- store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive ingredients**

dihydroxy aluminium aminoacetate, disodium EDTA, glycerin, methyl paraben, polyacrylic acid, polyvinyl alcohol, propyl paraben, propylene glycol, sodium carboxy methyl cellulose, sodium polyacrylate, tartaric acid, titanium dioxide, water

**Questions or comments?**

Toll free **866-326-1313**

**Principal Display Panel**



## THERACARE PAIN RELIEF 4% LIDOCAINE

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71101-059
<b>Route of Administration</b>	TOPICAL, PERCUTANEOUS, TRANSDERMAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	

<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)
<b>POLYACRYLIC ACID (8000 MW)</b> (UNII: 73861X4K5F)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>WATER</b> (UNII: 059QF0K00R)
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71101-059-05	5 in 1 BOX	02/01/2025	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/01/2025	

**Labeler** - Veridian Healthcare (830437997)

### Establishment

Name	Address	ID/FEI	Business Operations
InterMed Laboratories Private Limited		676244169	manufacture(71101-059)

Revised: 3/2025

Veridian Healthcare