

**SAL DE UVAS PICOT- citric acid monohydrate and sodium bicarbonate granule, effervescent  
Reckitt Benckiser Mexico, S.A. de C.V.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Sal de Uvas Picot®**

***Drug Facts***

<b><i>Active ingredients (in each packet)</i></b>	<b><i>Purposes</i></b>
Citric acid 1.9485 g	Antacid
Sodium bicarbonate (heat-treated) 2.4850 g	Antacid

**Uses**

for the relief of

- heartburn
- sour stomach
- acid indigestion
- upset stomach associated with these symptoms

**Warnings**

**Do not take more than directed** or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor before use if you have** a sodium-restricted diet.

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

**Directions**

- fully dissolve one packet in ½ glass of water every 4 hours or as directed by a doctor
- adults 60 years of age and over: do not exceed 3 packets in 24 hours
- adults and children 12 to 60 years of age: do not exceed 4 packets in 24 hours
- children under 12 years of age: ask a doctor

**Other information**

- each packet contains: **sodium 712 mg**
- store in a cool, dry place
- store between 20-25°C (68-77°F)

**Inactive ingredients**

silicon dioxide, sucrose, tartaric acid

**Questions ?**

**1-844-700-9956**

**PRINCIPAL DISPLAY PANEL - 12 Packet Carton**

**UPSET  
STOMACH**

*sal de uvas  
picot<sup>®</sup>*

*12 packets*

**Citric Acid•Antacid  
Sodium Bicarbonate•Antacid  
Effervescent Powder for Solution**

**UPSET STOMACH**



**sal de uvas**

# picot

0.75

**Citric Acid-Antacid**  
**Sodium Bicarbonate-Antacid**  
**Effervescent Powder for Solution**

**12 packets**

**MALESTAR ESTOMACAL**



**sal de uvas**

# picot

**Ácido Cítrico-Antiácido**  
**Bicarbonato de Sodio-Antiácido**  
**Polvo Efervescente para Solución**

**12 sobres**

<b>Información del Medicamento</b>	<b>Información del Medicamento (continuación)</b>
<b>Ingredientes activos</b> (por sobre) Ácido cítrico 1.9485 g.....Antiácido Bicarbonato de sodio (tratado por calor) 2.4850 g.Antiácido	No se deje al alcance de los niños. En caso de sobredosis consulte a su médico o acuda a su centro de salud inmediatamente.
<b>Funciones</b> Antiácido	<b>Instrucciones</b>
<b>Usos para el alivio de:</b> • agruras • acidez • indigestión • malestar estomacal asociados con estos síntomas	<ul style="list-style-type: none"> <li>• un sobre disuelto en ½ vaso de agua cada 4 horas o según sea indicado por su médico</li> <li>• adultos de 60 años de edad y mayores: no exceder más de 3 sobres en 24 horas</li> <li>• adultos y niños de 12 a 60 años de edad: no exceder más de 4 sobres en 24 horas</li> <li>• niños menores de 12 años: consulte a su médico</li> </ul>
<b>Advertencias</b> No tome o use la dosis máxima de este producto por más de 2 semanas, excepto bajo advertencia y supervisión de un médico.	<b>Otra información</b>
Consulte a su médico si usted está en una dieta baja en sodio.	<ul style="list-style-type: none"> <li>• cada sobre contiene: 712 mg de sodio</li> <li>• consérvase en lugar fresco y seco</li> <li>• almacenar a 20-25°C (68-77°F)</li> </ul>
Consulte a su médico o farmacéutico antes de usarlo si usted está tomando algún medicamento de prescripción (los antiácidos pueden interactuar con ciertos medicamentos).	<b>Excipientes</b> ácido tartárico, dióxido de silicio, sucrosa
Si está embarazada o en período de lactancia, consulte a un profesional de la salud antes de usarlo.	Made in/ Hecho en México. Manuf/ Dist for/ Hecho/ Distr para: Reclitt Bendóser México, S.A. de C.V., Campos Eliseos No. 345 Piso 9, México (Col. Chapultepec Polanco, Del. Miguel Hidalgo), Mexico City 11560.

Made in Mexico/Hecho en México 1003 16 © 2016 RB

¿Preguntas? ¿Preguntas? 1-844-700-956

**Warning**

Do not take more than directed or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

If pregnant or breast-feeding, ask a health professional before use.

**Other information**

- adults 60 years of age and over: do not exceed 3 packets in 24 hours
- adults and children 12 to 60 years of age: do not exceed 4 packets in 24 hours
- children under 12 years of age: ask a doctor

**Inactive ingredients**

- store in a cool, dry place
- store between 20-25°C (68-77°F)
- each packet contains sodium 712 mg
- silicon dioxide, sucrose, tartaric acid

**Drug Facts (continued)**

**Active ingredients**  
 Citric acid 1.9485 g  
 Sodium bicarbonate (heat-treated) 24850 g


**Purposes**  
 Antacid

**Directions**  
 Fully dissolve one packet in ½ glass of water every 4 hours or as directed by a doctor.

**Uses for the relief of**





S609S



Lote No.:  
 Lot Number:

Fecha de Caducidad:  
 Expiration Date:

3 64613 04562 0



3039515

**SAL DE UVAS PICOT**

citric acid monohydrate and sodium bicarbonate granule, effervescent

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70565-580
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Citric Acid monohydrate</b> (UNII: 2968PHW8QP) (Anhydrous Citric Acid - UNII:XF417D3PSL)	Anhydrous Citric Acid	1.9485 g
<b>Sodium Bicarbonate</b> (UNII: 8MDF5V39QO) (Sodium Cation - UNII:LYR4M0NH37, Bicarbonate Ion - UNII:HN1ZRA3Q20)	Sodium Bicarbonate	2.485 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>Silicon dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>Sucrose</b> (UNII: C151H8M554)	
<b>Tartaric acid</b> (UNII: W4888I119H)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70565-580-01	6 in 1 CARTON	03/31/2016	
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:70565-580-02	8 in 1 CARTON	03/31/2016	
2		1 in 1 PACKET; Type 0: Not a Combination Product		

3	NDC:70565-580-03	12 in 1 CARTON	03/31/2016	
3		1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:70565-580-04	50 in 1 CARTON	03/31/2016	
4		1 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part331	03/31/2016	

**Labeler** - Reckitt Benckiser Mexico, S.A. de C.V. (810061093)

Revised: 12/2016

Reckitt Benckiser Mexico, S.A. de C.V.