

**ACT ANTICAVITY FLUORIDE ARCTIC BLAST- sodium fluoride mouthwash  
Chattem, Inc.**

-----  
**ACT Anticavity Fluoride Mouthwash Arctic Blast**

**ACT® Anticavity™ Fluoride Rinse**

**Arctic Blast**

***Drug Facts***

***Active ingredient***

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

***Purpose***

Anticavity

***Use***

- aids in the prevention of dental cavities

***Warnings***

**Keep out of reach of children.**

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**adults and children 6 years of age and older:**

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. FILL to FILL LINE (10 mL)
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

**children under 6 years of age: consult a dentist or doctor**

**Other information**

- do not use if safety seal is broken or missing

**Inactive ingredients**

water, sorbitol, poloxamer 407, propylene glycol, menthol, methyl salicylate, sodium phosphate, disodium phosphate, potassium sorbate, polysorbate 20, sodium saccharin, flavor, cetylpyridinium chloride, calcium disodium EDTA, sodium benzoate, blue 1

**PRINCIPAL DISPLAY PANEL**

ZERO ALCOHOL  
ACT  
1X Daily  
ANTICAVITY  
ARCTIC BLAST  
18 fl oz (532 mL)

FOR **STRONGER**  
**HEALTHIER TEETH**



**#1 DENTIST RECOMMENDED**  
BRAND FOR STRENGTHENING ENAMEL\*

# ACT



**ANTICAVITY**  
FLUORIDE MOUTHWASH

- Helps
- **PREVENT** Cavities & Tooth Decay
  - **FRESHENS** Breath
  - **STRENGTHENS** Teeth



**ARCTIC BLAST**

**ZERO** ALCOHOL

Sodium Fluoride 0.05%  
18 fl oz (532 mL)

IMPORTANT: Read directions  
for proper use.  
895830





## ACT ANTICAVITY FLUORIDE ARCTIC BLAST

sodium fluoride mouthwash

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0937
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	0.2 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y)	
<b>SODIUM PHOSPHATE</b> (UNII: SE337SVY37)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>CETYLPYRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P)	
<b>EDETATE CALCIUM DISODIUM ANHYDROUS</b> (UNII: 8U5D034955)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0937-2	532 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/02/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	01/02/2019	

**Labeler** - Chattem, Inc. (003336013)