

**GOOD REMEDIES EXTRA STRENGTH PAIN RELIEF PM CAPLET- acetaminophen,  
diphenhydramine hydrochloride tablet  
Strive Pharmaceuticals Inc.**

-----  
**GOOD REMEDIES™ EXTRA STRENGTH Pain Relief PM CAPLETS**

***Drug Facts***

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Diphenhydramine HCl 25 mg

***Purpose***

Pain reliever  
Nighttime sleep aid

***Uses***

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

***Warnings***

**Liver warning:** this product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

***Ask a doctor before use if you have***

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland • glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur • avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness
  - pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present • new symptoms occur
- These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets at bedtime</li><li>• do not take more than 2 caplets of this product in 24 hours</li></ul>
children under 12 years	do not use

**Other information**

- store at room temperature between 20°-25°C(68°-77°F)
- protect from light, heat and moisture

**Inactive ingredients**

FD&C Blue No. 1, FD&C Blue No. 2, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, polyvinylpyrrolidone, pregelatinized starch, stearic acid powder, titanium dioxide

**Questions or comments?**

**1-888-577-8033** Monday - Friday 8am - 4pm EST

Compare to the active ingredients of Extra Strength Tylenol® PM\*

Distributed by:

Strive Pharmaceuticals Inc.,  
 East Brunswick, NJ 08816  
 PRODUCT OF INDIA

\*This product is not manufactured or distributed by Kenvue, Inc., owner of the registered trademark Tylenol®.

**READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Packaging**

**GOOD REMEDIES™**  
 EXTRA STRENGTH  
**Pain Relief PM**  
 Acetaminophen 500 mg  
 Diphenhydramine HCl 25 mg  
 Pain Reliever, Nighttime Sleep Aid  
 30 CAPLETS

NDC 70692-741-03  
 Compare to the active ingredients of Extra Strength Tylenol® PM\*

Actual Size

**GOOD REMEDIES™**  
 EXTRA STRENGTH  
**Pain Relief PM**  
 Acetaminophen 500 mg  
 Diphenhydramine HCl 25 mg  
 Pain Reliever, Nighttime Sleep Aid  
 30 CAPLETS

NDC 70692-741-03  
 Compare to the active ingredients of Extra Strength Tylenol® PM\*

Actual Size

**Drug Facts (continued)**  
 Questions or comments?  
 1-888-577-8833 Monday - Friday 9am - 4pm EST  
 Distributed by:  
 Strive Pharmaceuticals Inc.,  
 East Brunswick, NJ 08816  
 PRODUCT OF INDIA  
 \*This product is not manufactured or distributed by Kenvue, Inc., owner of the registered trademark Tylenol®.  
 CT7069274103 REV:00-022025

**Drug Facts (continued)**  
 When using this product:  
 ■ avoid alcoholic drinks  
 ■ drowsiness will occur  
 ■ do not drive a motor vehicle or operate machinery  
**Stop use and ask a doctor if:**  
 ■ sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ redness or swelling is present  
 ■ new symptoms occur  
 These could be signs of a serious condition.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children.  
**Overdose warning:** In cases of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ do not take more than directed (see overdose warning)  
 adults and children 12 years and over  
 ■ take 2 caplets at bedtime  
 ■ do not take more than 2 caplets of this product in 24 hours  
 children under 12 years: do not use

**Other information**  
 ■ Store at room temperature between 20°–25° (68°–77°F)  
 ■ protect from light, heat and moisture

**Inactive ingredients**  
 FD&C Blue No. 1, FD&C Blue No. 2, hydroxymethylcellulose, hydroxypropylcellulose, microcrystalline cellulose, polyethylene glycol 400, polyvinylpyrrolidone, pregelatinized starch, stearic acid powder, titanium dioxide

**Drug Facts (continued)**  
**Active ingredients (in each caplet)** Purpose  
 Acetaminophen 500 mg Pain reliever  
 Diphenhydramine HCl 25 mg Nighttime sleep aid  
**Uses**  
 temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness  
**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product  
 ■ if you have ever had an allergic reaction to this product  
 Allergy alert: acetaminophen may cause severe skin reactions.  
 Symptoms may include:  
 ■ skin redness ■ rash  
 ■ a skin reaction occurs, stop use and seek medical help right away.  
**Do not use**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ with any other product containing diphenhydramine, even one used on skin  
 ■ in children under 12 years of age  
 ■ if you have ever had an allergic reaction to this product or any of its ingredients  
**ask a doctor before use if you have**  
 liver disease  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ trouble urinating due to an enlarged prostate gland ■ glaucoma  
**ask a doctor or pharmacist before use if you are**  
 taking the blood thinning drug warfarin  
 ■ taking sedatives or tranquilizers

**NO VARNISH**  
 LOT:  
 EXP:  
 3 70692 00112 9  
 TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**KO FOR GLUING**

NO EXTERIOR GUELINE

## DRUG FACTS LABEL

### Drug Facts

#### Active ingredients (in each caplet) Purpose

Acetaminophen 500 mg.....Pain reliever  
Diphenhydramine HCl 25 mg.....Nighttime sleep aid

#### Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

#### Warnings

**Liver warning:** this product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

#### Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland ■ glaucoma

#### Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### Drug Facts (continued)

#### When using this product

- drowsiness will occur ■ avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

#### Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness
  - pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present ■ new symptoms occur
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 caplets at bedtime
- do not take more than 2 caplets of this product in 24 hours

children under 12 years | do not use

#### Other information

- store at room temperature between 20°–25°C(68°–77°F)
- protect from light, heat and moisture

#### Inactive ingredients

FD&C Blue No. 1, FD&C Blue No. 2, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, polyvinylpyrrolidone, pregelatinized starch, stearic acid powder, titanium dioxide

### Drug Facts (continued)

#### Questions or comments?

1-888-577-8033 Monday - Friday 8am - 4pm EST

# GOOD REMEDIES EXTRA STRENGTH PAIN RELIEF PM CAPLET

acetaminophen, diphenhydramine hydrochloride tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70692-741
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY3S)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	S525
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-741-03	1 in 1 CARTON	03/17/2025	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M013	03/17/2025	

**Labeler** - Strive Pharmaceuticals Inc. (080028013)

Revised: 3/2025

Strive Pharmaceuticals Inc.