

RIGHT REMEDIES MAXIMUM STRENGTH NIGHTTIME SLEEP-AID SOFTGEL-
diphenhydramine hydrochloride capsule, liquid filled
Strive Pharmaceuticals Inc.

RIGHT REMEDIES Maximum Strength Nighttime Sleep-Aid Softgel

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

- glaucoma
- heart disease
- a breathing problem such as emphysema, asthma, or chronic bronchitis
- difficulty in urination due to an enlargement of prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers, or any other sleep aid

When using this product

- avoid alcoholic beverages and other drugs that cause drowsiness.
- be careful when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

adults and children 12 years and over	take 1 softgel (50mg) at bedtime if needed, or as directed by a doctor
children under 12 years	do not use

Other information

- store at room temperature between 20°-25°C (68°-77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light, heat and moisture

Inactive ingredients

edible ink, FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol 400, propylene glycol, sorbitol sorbitan anhydrous, titanium dioxide

Questions or comments?

1-888-577-8033 Monday-Friday 8am-4pm EST

Compare to the active ingredient of **Unisom**[®] SleepGels^{®*}

fall asleep fast safe, non-habit forming

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Chatem, Inc., owner of the registered trademark Unisom[®].

Distributed by: Strive Pharmaceuticals Inc., East Brunswick, NJ 08816

PRODUCT OF INDIA

Packaging

Compare to the active ingredient
in **Unisom® SleepGels****

NDC 70692-834-71

Maximum Strength

Nighttime Sleep-Aid

DIPHENHYDRAMINE HCl, 50 mg
Nighttime sleep-aid

fall asleep fast
safe, non-habit forming

275 softgels

Actual Size

* TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each softgel)
Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

- glaucoma
- heart disease
- a breathing problem such as emphysema, asthma, or chronic bronchitis
- difficulty in urination due to enlargement of prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers, or any other sleep aid

When using this product


- avoid alcoholic beverages and other drugs that cause drowsiness.
- be careful when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if
sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Drug Facts (continued under label)

LB7069283471 REV00-022025



LOT: 3 70692 00064 1 EXP: 1

NO VARNISH

PEEL HERE

* This product is not manufactured or distributed by Chatem, Inc., owner of the registered trademark Unisom®.

DRUG FACTS LABEL

Drug Facts

Active ingredient (in each softgel) **Purpose**
Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

- glaucoma
- heart disease
- a breathing problem such as emphysema, asthma, or chronic bronchitis
- difficulty in urination due to enlargement of prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers, or any other sleep aid

When using this product

- avoid alcoholic beverages and other drugs that cause drowsiness.
- be careful when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if
sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

adults and children 12 years and over	take 1 softgel (50mg) at bedtime if needed, or as directed by a doctor
children under 12 years	do not use

Other information

- store at room temperature between 20°–25°C (68°–77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light, heat and moisture

Inactive ingredients
edible ink, FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol 400, propylene glycol, sorbitol sorbitan anhydrous, titanium dioxide

Questions or comments?
1-888-577-8033 Monday-Friday 8am-4pm EST

RIGHT REMEDIES MAXIMUM STRENGTH NIGHTTIME SLEEP-AID SOFTGEL

diphenhydramine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70692-834
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	903
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-834-71	275 in 1 BOTTLE; Type 0: Not a Combination Product	03/19/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	03/19/2025	

Labeler - Strive Pharmaceuticals Inc. (080028013)

Revised: 3/2025

Strive Pharmaceuticals Inc.