

**RIGHT REMEDIES EXTRA STRENGTH GAS RELIEF- simethicone capsule, liquid filled**  
**Strive Pharmaceuticals Inc.**

-----  
***RIGHT REMEDIES* Extra Strength Gas Relief softgel**

***Drug Facts***

***Active ingredient (in each softgel)***

Simethicone 125 mg

***Purpose***

Antigas

***Uses***

for relief of

- pressure, bloating, and fullness commonly referred to as gas

***Warnings***

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

***Directions***

- adults and children 12 years and older: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

***Other information***

- store at room temperature between 20–25°C (68–77°F)
- protect from light, heat and moisture

***Inactive ingredients***

ammonium hydroxide, black iron oxide, D&C Yellow No. 10, FD&C Blue No. 1, gelatin,

glycerin, isopropyl alcohol, N-butyl alcohol, peppermint oil, propylene glycol, shellac glaze, sorbitol sorbitan solution, titanium dioxide

***Questions or comments?***

**1-888-577-8033** Monday - Friday 8am - 4pm EST

Compare to the active ingredient of Extra Strength **Gas-X®**\*

**Fast relief of:**  
**bloating**  
**pressure**  
**fullness & gas**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**

\*This product is not manufactured or distributed by GSK Consumer Healthcare, owner of the registered trademark Gas-X®

Distributed by: Strive Pharmaceuticals Inc.,  
East Brunswick, NJ 08816

PRODUCT OF INDIA

**Packaging**

Package: 365 softgels



Compare to the active ingredient  
of Extra Strength Gas-X®\*\*

NDC 70692-835-65

# Extra Strength Gas Relief

SIMETHICONE 125 mg  
ANTIGAS

Fast relief of:

- bloating
- pressure
- fullness & gas



Actual Size

365  
softgels

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredient  
(in each softgel)**  
Simethicone 125 mg.....Antigas

**Uses**  
for relief of  
■ pressure, bloating, and fullness commonly referred to as gas

**Warnings**  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.  
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Drug Facts (continued under label)**

\*This product is not manufactured or distributed by GSK Consumer Healthcare, owner of the registered trademark Gas-X®



3 70692 00043 6

LOT:      EXP:     

NO VARNISH

PEEL HERE

**Drug Facts (continued)**

**Directions**  
■ adults and children 12 years and older: swallow with water 1 or 2 softgels as needed after meals and at bedtime  
■ do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

**Other information**  
■ store at room temperature between 20–25°C (68–77°F)  
■ protect from light, heat and moisture

**Inactive ingredients**  
ammonium hydroxide, black iron oxide, D&C Yellow No. 10, FD&C Blue No. 1, gelatin, glycerin, isopropyl alcohol, N-butyl alcohol, peppermint oil, propylene glycol, shellac glaze, sorbitol sorbitan solution, titanium dioxide

**Questions or comments?**  
1-888-577-8033 Monday - Friday 8am - 4pm EST  
Distributed by: Strive Pharmaceuticals Inc.,  
East Brunswick, NJ 08816  
PRODUCT OF INDIA  
ILB7069283565  
REV.00-022025

Package: 25 softgels

READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION

**Drug Facts**

**Active ingredient (in each softgel)**  
Simethicone 125 mg.....Antigas

**Uses**  
for the relief of  
■ pressure, bloating, and fullness commonly referred to as gas

**Warnings**  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.  
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Directions**  
■ adults and children 12 years and older: swallow with water 1 or 2 softgels as needed after meals and at bedtime  
■ do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

**Other information**  
■ store at controlled room temperature 20–25°C (68–77°F)  
■ protect from light, heat and moisture

**Inactive ingredients**  
ammonium hydroxide, black iron oxide, D&C Yellow No. 10, FD&C Blue No. 1, gelatin, glycerin, isopropyl alcohol, N-butyl alcohol, peppermint oil, propylene glycol, sorbitol sorbitan solution, titanium dioxide



Extra Strength  
Simethicone 125 mg  
ANTIGAS



Compare to the active ingredient  
in Extra Strength Gas-X®\*\*

NDC 70692-835-95


# Extra Strength Gas Relief

Simethicone 125 mg  
ANTIGAS

Fast relief of:

Extra Strength  
Simethicone 125 mg  
ANTIGAS





Package: 180 softgels



RIGHT REMEDIES EXTRA STRENGTH GAS RELIEF

simethicone capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70692-835
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE, UNSPECIFIED	125 mg

Inactive Ingredients	
Ingredient Name	Strength
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>BUTYL ALCOHOL</b> (UNII: 8PJ61P6TS3)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

Product Characteristics			
<b>Color</b>	green	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	911
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-835-81	180 in 1 BOTTLE; Type 0: Not a Combination Product	05/05/2025	
2	NDC:70692-835-95	1 in 1 CARTON	05/05/2025	
2		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:70692-835-65	365 in 1 BOTTLE; Type 0: Not a Combination Product	05/05/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	05/05/2025	

Revised: 5/2025

Strive Pharmaceuticals Inc.