

DOCUSATE SODIUM- docusate sodium capsule
PD-Rx Pharmaceuticals, Inc.

Drug Facts

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be a signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided dose
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:**sodium 5 mg
- store at 25°C (77°F);excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

edible ink, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water sorbitan, sorbitol

Questions or comments?

Call **1-877-753-3935**Monday-Friday 9AM-5PM EST

Principal Display Panel

Docusate Sodium

Stool Softener Laxative

TAMPER EVIDENT: DO NOT USE IF SEAL IS BROKEN OR MISSING FROM BOTTLE.

Product Label

Drug Facts	
Active Ingredient (in each softgel)	Purpose
Docusate sodium 100mg....Stool softener laxative	
Uses	
<ul style="list-style-type: none"> for relief of occasional constipation irregularity this product generally produces bowel movement in 12 to 72 hours. 	
Warnings	
Do not use if you are presently taking mineral oil, unless directed by a doctor.	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> stomach pain, nausea or vomiting a sudden change in bowel habits that lasts more than 2 weeks 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. you need to use a stool softener laxative for more than 1 week 	
If pregnant or breast feeding, ask a health professional before use.	

NDC 72789-295-30



Docusate Sodium

Stool Softener Laxative

100 mg

30 Softgels
TAMPER EVIDENT: DO NOT USE IF SEAL IS BROKEN OR MISSING FROM BOTTLE.

Marketed and Package By:
PD-Rx Pharmaceuticals, Inc
Oklahoma City, OK 73127
1-405-942-3040 V.11.19.0

Drug Facts (continued)	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (800)222-1222	
Directions:	
Take with a glass of water. This dose may be taken as a single daily dose or in divided doses.	
Adults and children 12 years and over	take 1-3 softgels daily
Children 2 to under 12 years of age	take 1 softgel daily
Children under 2 years of age	ask a doctor
Other information	
<ul style="list-style-type: none"> each softgel contains sodium 5 mg store at (25°C) (77°F); excursions permitted between 15° - 30°C (59° - 86°F) 	
Inactive Ingredients: edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol	
Questions or comments? call 1-877-753-3935 Monday-Friday 9AM-5PM EST	



GTIN: 00372789295305
SNO: L22B69000001
EXP: 07/2024
LOT: L22B69

DOCUSATE SODIUM

docusate sodium capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72789-295(NDC:50804-862)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
SORBITAN (UNII: 6O92ICV9RU)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P51
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72789-295-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/23/2022	05/28/2026
2	NDC:72789-295-90	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/23/2022	05/28/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/28/2021	05/28/2026

Labeler - PD-Rx Pharmaceuticals, Inc. (156893695)

Registrant - PD-Rx Pharmaceuticals, Inc. (156893695)

Establishment

Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(72789-295)

Revised: 10/2025

PD-Rx Pharmaceuticals, Inc.