

ORAJEL RESCUE RELIEF PEN- oral pain reliever gel
Church & Dwight Co., Inc.

Orajel Rescue Relief Pen

ACTIVE INGREDIENTS

Benzocaine 20%
Menthol 0.26%
Zinc chloride 0.15%

PURPOSE

Oral Pain Reliever / Oral Astringent

USES

- for the temporary relief of
- pain due to minor irritation or injury of the mouth and gums
- occasional sore mouth and sore throat

WARNINGS

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: • pale, gray, or blue colored skin (cyanosis) • headache • rapid heart rate • shortness of breath • dizziness or lightheadedness • fatigue or lack of energy

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

DO NOT USE

- more than directed
- for more than 7 days unless directed by a dentist or doctor
- for teething
- in children under 2 years of age

STOP USE AND ASK A DENTIST OR DOCTOR IF

- sore throat is severe, persists for more than 2 days
- sore mouth symptoms do not improve in 7 days

- headache, nausea, vomiting, swelling, rash or fever develops
- irritation, pain or redness persists or worsens

KEEP OUT OF REACH OF CHILDREN

In case of overdose or allergic reaction, get medical help or contact a Poison Control Center right away.

DIRECTIONS

adults and children 2 years of age and older	apply to the affected area up to 4 times daily or as directed by a dentist or doctor
children between 2 and 12 years of age	ask a doctor before use. Should be supervised in the use of this product.
children under 2 years of age	do not use

OTHER INFORMATION

- do not use if package has been opened

INACTIVE INGREDIENTS

ammonium glycyrrhizate, flavor, PEG-8, PEG-75, sodium saccharin, sorbic acid, water

QUESTIONS OR COMMENTS?

Call us at **1-800-952-5080** M-F 9am-5pm ET or visit our website at **www.oraljel.com**

#1 ORAL PAIN

RELIEF BRAND

FOR ADULTS

Orajel™

TOOTHACHE & GUM

IMMEDIATE RELIEF OF:

ORAL PAIN

BRACE/DENTURE IRRITATION

GUM DISCOMFORT

CANKER SORES

RESCUE RELIEF PEN

GENTLE. TARGETED. TOUCH-FREE.

PLUS COOLING RELIEF

50+ USES

ORAL PAIN RELIEVER / ASTRINGENT

NET WT 0.07 OZ (2.0 g)

#1 ORAL PAIN
RELIEF BRAND
FOR ADULTS

Orajel™

TOOTHACHE & GUM

IMMEDIATE RELIEF OF:

- ✓ **Oral Pain**
- ✓ **Brace/Denture Irritation**
- ✓ **Gum Discomfort**
- ✓ **Canker Sores**

**RESCUE
RELIEF PEN**



**GENTLE. TARGETED.
TOUCH-FREE.**

**PLUS COOLING RELIEF
50+ USES**

**ORAL PAIN RELIEVER/
ASTRINGENT**

NET WT 0.07 OZ (2.0 g)

ORAJEL RESCUE RELIEF PEN

oral pain reliever gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10237-731
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC CHLORIDE (UNII: 86Q357L16B) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	1.5 mg in 1 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2.6 mg in 1 g
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
SORBIC ACID (UNII: X045WJ989B)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PEG-75 (UNII: G2M7P15E5P)	
SODIUM SACCHARIN (UNII: SB8ZUX40TY)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	yellow (Pale yellow to tan)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-731-07	1 in 1 BLISTER PACK	02/01/2025	
1		2 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	02/01/2025	

Labeler - Church & Dwight Co., Inc. (001211952)

Revised: 2/2025

Church & Dwight Co., Inc.