QIDILA 5% MINOXIDIL FOAM- minoxidil, biotin aerosol, foam Beijing JUNGE Technology Co., Ltd.

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during andimmediately following application.

swallowed, get medical help or contact a Poison Control Center rightaway.(1-800-222-1222)right away.

ALCOHOL
GLYCERIN
CETYL ALCOHOL
STEARYL ALCOHOL
POLYSORBATE 80
ANHYDROUS CITRIC ACID
LACTIC ACID
CASTOR OIL
.ALPHA.-TOCOPHEROL
EDETATE DISODIUM
WATER

Before use, read all information on carton and enclosed leaflet

Store at controlled room temperature 20° to 25°C (68° to 77°F). Do not incinerate container, Do not expose to heat or store attemperature abowe 120°F (49°C).

See enclosed leaflet for complete directions on how to use.

Apply half a capful twice daily directly to the scalp in the hair loss area

Massage into scalp with fingers, then wash hands well.

Using more or more often will not improve results.

Continued use is necessary to increase and keep your hair regrowthor hair loss will begin again.

Do not use more than directed.

Do not apply on other parts of the body.

Avoid contact with the eyes, In case of accidental contact, rinse eyeswith large amounts of cool tap water.

For some women, you may need to use this product once a day forat least 6 months before you see results.

The amount of hair regrowth is different for each person. This product will not work for all women

if chest pain, rapid heartbeat, faintness, or dizziness occurs

if sudden, unexplained weight gain occurs.

if your hands or feet swell.

if scalp irritation or redness occurs.

if unwanted facial hair growth occurs.

if you do not see hair regrowth in 6 months.

your degree of hair loss is different than that shown on side of thiscarton because this product may not work for you.

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

You do not know the reason for your hair loss.

Your hair loss is associated with childbirth.

You are under 18 years of age, Do not use on babies and children,

You use other medicines on the scalp.


Your scalp is red, inflamed, infected, irritated, or painful.

Minoxidil 5% Biotin 5%

For external use only. Extremely Flammable: Avoid fire, flame, or smoking during andimmediately following application.

Use to regrow hair on the top of the scalp

Hair regrowth treatment




QIDILA 5% MINOXIDIL FOAM minoxidil, biotin aerosol, foam **Product Information Product Type HUMAN OTC DRUG Item Code (Source)** NDC:85212-0002 **Route of Administration EXTRACORPOREAL Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1) MINOXIDIL 5 g in 100 mL

BIOTIN

Inactive Ingredients			
Ingredient Name	Strength		
DIGLYCERIN (UNII: 3YC120743U)	1 mL in 100 mL		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	1 mL in 100 mL		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	1 mL in 100 mL		
LACTIC ACID (UNII: 33X04XA5AT)	1 mL in 100 mL		
CETYL ALCOHOL (UNII: 936JST6JCN)	1 mL in 100 mL		
WATER (UNII: 059QF0KO0R)	83 mL in 100 mL		
CASTOR OIL (UNII: D5340Y2I9G)	1 mL in 100 mL		
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	1 mL in 100 mL		

Product Characteristics			
Color		Score	
Shape	OVAL	Size	
Flavor		Imprint Code	
Contains			

Ш	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:85212- 0002-1	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2024		



Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	09/01/2024		

Labeler - Beijing JUNGE Technology Co., Ltd. (848718652)

Registrant - Beijing JUNGE Technology Co., Ltd. (848718652)

Establishment				
Name	Address	ID/FEI	Business Operations	
Zhejiang Ayan Biotech Co., Ltd.		544377996	manufacture(85212-0002)	

Revised: 2/2025 Beijing JUNGE Technology Co., Ltd.