

LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch
Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.

Active ingredient

Lidocaine 4% Purpose: Topical Analgesic

Purpose

Topical Analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use ... if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

... ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur

- symptoms persist for more than 7 days

If pregnant or breast-feeding

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Usage

1. Remove patch from outer package
2. Partially peel back protection film
3. Place on affected area
4. Remove remaining film while pressing patch to skin

Questions or Comments

supports@sumifunofficial.com

Lidocaine

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunofficial
Twitter: @sumifunofficial
TikTok: @sumifunofficial

16
PATCHES

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

16 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Luquanmiao Import & Export Trade Co., Ltd.
419, Building A, No. 8, Dong Heng San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

sumifun®



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 19773 14 134697 8

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, PropyleneGlycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

business@sumifunofficial.com

Child Resistant Packaging

517-17

Lidocaine

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunofficial
Twitter: @sumifunofficial
TikTok: @sumifunofficial

17
PATCHES

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

17 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Luquanmiao Import & Export Trade Co., Ltd.
419, Building A, No. 8, Dong Heng San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

sumifun®



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 9 7 7 3 1 4 3 4 6 9 6 1

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, PropyleneGlycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

business@sumifunofficial.com

Child Resistant Packaging

517-20

Lidocaine

20
PATCHES

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
Twitter: @sumifunOfficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain :

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

20 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Liqunmei Import & Export Trade Co., Ltd.
421 Building A, No. 8 Dong Feng San Road,
Zhuocun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



1 Remove patch from
outer package



2 Partially peel back
protective film



3 Place on
affected area



4 Remove remaining
film while
pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Analgesic

Uses

Temporarily relieves muscle soreness and minor joint
pains in the wrist, knees, back, neck, hips, shoulders,
elbows.

Warnings

For external use only

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

Do not use

- use only as directed
- avoid contact with the eyes, mucous membranes, or
rashes
- do not bandage tightly

When using this product

- skin reactions such as redness, swelling, blistering
or other discomfort occur
- symptoms persist for more than 7 days

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering
or other discomfort occur
- symptoms persist for more than 7 days

6 977314 347005

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If involved accidentally, get medical help or
contact with Poison Control Center immediately.

Directions

Adults and Children above 15 years old:

- Clean and dry the affected area.
 - Tear off the protective film and apply the exposed
part of the patch to the affected area.
 - Carefully remove remaining film while pressing
the patch firmly on the skin.
 - Remove patch from the skin after at most 8-hour
application
- Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium
Ethylenediaminetetraacetic Acid, Glycerin, Keolin,
Methylparaben, Polysorbate 80, Propylene Glycol,
Polyacrylic Acid, Polyvinylpyrrolidone K90,
Propylparaben, Sodium Polycrylate, Titanium
Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging



157-36

36
PATCHES

Lidocaine

www.sumifunofficial.com
[YouTube @sumifun](https://www.youtube.com/channel/UCsumifunofficial)
[Facebook @sumifunOfficial](https://www.facebook.com/sumifunofficial)
[Instagram @sumifunofficial](https://www.instagram.com/sumifunofficial)
[Twitter @sumifunOfficial](https://www.linkedin.com/company/sumifunofficial)
[TikTok @sumifunofficial](https://www.tiktok.com/@sumifunofficial)

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

✉ NO Irritation

✉ Stay-put Flexible Patch

✉ Numbs Pain Away

LONG LASTING
8H

4%LIDOCAINE 36 PATCHES

(3.3" x 3.3" / 8.5cm x 8.5cm)

Guangzhou Lidaosunman Import & Export Trade Co., Ltd.
470 Building A, No. 8, Dong Heng San Road,
Zhucun, Nanhe District, Guangzhou, Guangdong, China

MADE IN CHINA

Usage

- 1

Remove patch from outer package.
- 2

Partially peel back protective film
- 3

Place on affected area
- 4

Remove remaining film while pressing patch to skin

Knee

Back

Neck

Elbow

Shoulder

Drug Facts

Active ingredient Lidocaine 4% **Purpose** Topical Anesthetic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or lotions
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or mouth
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyethylamine Ammonioacetate, Disodium Ethylenediaminetetraacetate Acid, Glycine, Inulin, Methylparaben, Polyacrylate 60, Propylene Glycol, Polyacrylic Acid, Polyethylene Glycol 900, Propylparaben, Sodium Polysorbate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:
support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

Lidocaine
 www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

32
 PATCHES

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- NO Irritation
- Stay-put Flexible Patch
- Numbs Pain Away

LONG LASTING
8H

4% LIDOCAINE **32** PATCHES
 3.5" x 3.94" (Pack of 32)

Guangzhou Liguangbao Import & Export Trade Co., Ltd.
 40, Baoling Rd, No. 8, Song Jiang Sai Road,
 Zhushan, Tianhu District, Guangzhou, Guangdong, China

100% Pure

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun®

Knee Back Neck Elbow Shoulder

Drug Facts

Active ingredient **Purpose**
 Lidocaine 4% Topical Anesthetic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rash
- do not bandage tightly

Stop use and ask a doctor if

- skin reacts such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydroxyethylamine, Ammonioacetate, Disodium Ethylenediaminetetraacetate, Acid, Glycine, Koolin, Methylparaben, Polyorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:
 support@sumifunofficial.com
Business Cooperations:
 business@sumifunofficial.com

Child Resistant Packaging

6 977314134049 8

Lidocaine
 www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

31
 PATCHES

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- NO Irritation
- Stay-put Flexible Patch
- Numbs Pain Away

LONG LASTING
8H

4% LIDOCAINE **31** PATCHES
 3.5" x 3.94" (Pack of 31 Patches)

Guangzhou Lidaqianbao Import & Export Trade Co., Ltd.
 40, Baoling Rd, No. 8, Song Jiang Sai Road,
 Zhushan, Tianhu District, Guangzhou, Guangdong, China

MADE IN CHINA

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun®

Knee Back Neck Elbow Shoulder

Drug Facts

Active ingredient Lidocaine 4% **Purpose** Topical Anesthetic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only
 • on wounds or damaged skin
 • with a heating pad or device
 • with other ointments, creams, sprays, or lotions
 • if you are allergic to any ingredients of this product

When using this product
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or rash
 • do not bandage tightly

Stop use and ask a doctor if
 • skin reactions such as redness, swelling, blistering or other discomfort occur
 • symptoms persist for more than 7 days

If pregnant or breast-feeding,
 ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8-hour application
 Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydroxyethylamine, Ammonioacetate, Disodium Ethylenediaminetetraacetate Acid, Glycine, Koolin, Methylparaben, Polyorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:
 support@sumifunofficial.com
 Business Cooperations:
 business@sumifunofficial.com

Child Resistant Packaging

6 89773 14 347 10 41

Lidocaine

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunofficial
Twitter: @sumifunofficial
TikTok: @sumifunofficial

18
PATCHES

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

18 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Luquanmiao Import & Export Trade Co., Ltd.
419, Building A, No. 8, Dong Heng San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

sumifun®



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 19 7 7 3 1 4 | 3 4 6 9 8 5 |

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
 - Tear off the protective film and apply the exposed part of the patch to the affected area.
 - Carefully remove remaining film while pressing the patch firmly on the skin.
 - Remove patch from the skin after at most 8-hour application.
- Children under age of 12: Consult a doctor**

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, PropyleneGlycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

business@sumifunofficial.com

Child Resistant Packaging

Lidocaine

19
PATCHES

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

- NO Irritation
- Stay-put Flexible Patch
- Numbs Pain Away

LONG LASTING
-8H-

4% LIDOCAINE **19** PATCHES
5.5"X 3.94" (14cm X 10cm)

Guangzhou Liqunmei Import & Export Trade Co., Ltd.
 421 Building A, No. 8 Dong Feng San Road,
 Zhaocun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package




Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active ingredient **Purpose**
 Lidocaine 4% Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

Do not use

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

When using this product

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Stop use and ask a doctor if

- symptoms persist for more than 7 days

6 19 7 7 3 1 4 | 3 4 9 4 8 1

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If involved accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 15 years old:

- Clean and dry the affected area.
 - Tear off the protective film and apply the exposed part of the patch to the affected area.
 - Carefully remove remaining film while pressing the patch firmly on the skin.
 - Remove patch from the skin after at most 8-hour application
- Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Keolin, Methylparaben, Polysorbate 80, Polyvinylchloride, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:

business@sumifunofficial.com

Child Resistant Packaging

Lidocaine

28
PATCHES

www.sumifunofficial.com
@sumifunofficial
@sumifunofficial
@sumifunofficial

Maximum Strength

NDC 83602-157-28

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

28 PATCHES
5.2" X 3.9" (13cm X 10cm)

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

Guangzhou Lidocaine Import & Export Trade Co., Ltd.
413 Building A, No. 6, Dong Heng Sea Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

unjuwms



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use
• on wounds or damaged skin
• with a heating pad or device
• with other ointments, creams, sprays, or liniments
• if you are allergic to any ingredients of this product

When using this product

• use only as directed
• avoid contact with the eyes, mucous membranes, or rashes
• do not bandage tightly

Stop use and ask a doctor if

• skin reactions such as redness, swelling, blistering or other discomfort occur
• symptoms persist for more than 7 days



6 10 7 3 1 4 3 4 9 5 3 5 1

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:
• Clean and dry the affected area.
• Tear off the protective film and apply the exposed part of the patch to the affected area.
• Carefully remove remaining film while pressing the patch firmly on the skin.
• Remove patch from the skin after at most 8-hour application.
Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polyacrylate 60, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Talcum Acid, Water

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:

business@sumifunofficial.com

Child Resistant Packaging

Lidocaine

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial

29
 PATCHES

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

29 PATCHES
 5.6" X 3.84" (More & More)

Guangzhou Lianshanhai Import & Export Trade Co., Ltd.
 475 Building A, No. 8, Dong Feng San Road,
 Zhuocun, Tianhe District, Guangzhou, Guangdong, China.

©2020 Sumifun

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active ingredient Purpose
 Lidocaine 4% Topical Anesthetic

Uses
 Temporarily relieves muscle aches and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
 For external use only
 Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or sores
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Inactive ingredients
 Dihydroxyethylamine Acetate, Oleoalmond Ethylhexadecylacetate, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polysorbic Acid, Polyvinylpyrrolidone K99, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:
 info@sumifunofficial.com
 Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Child Resistant Packaging

6 19 7 7 3 1 4 1 3 4 7 0 9 8

157-41



157-42

Sumifun (Guangzhou) Pharmaceutical Co., Ltd.
 415 Building A, No. 8 Dong Hong San Road,
 Zhushu, Tainan District, Guangzhou, Guangdong, China.

© 2019 Sumifun

Sumifun



Drug Facts

Active Ingredient **Purpose**
 Lidocaine 4% Topical Anesthetic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other creams, ointments, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or nipples
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,
 ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8-hour application.
 Children under age of 12: Consult a doctor

Inactive Ingredients
 Dihydroxyethylamine Ammonium Salt, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polyethylene Glycol Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Hydroxide, Titanium Dioxide, Terebic Acid, Water

Questions or Comments:
 support@sumifun.com
Business Cooperation:
 business@sumifun.com

Child Resistant Packaging

6 80773 1413472 03

42
PATCHES

Lidocaine

www.sumifun.com
[YouTube @sumifun](https://www.youtube.com/channel/UCsumifun)
[Facebook: @sumifunOfficial](https://www.facebook.com/sumifunOfficial)
[Instagram: @sumifunofficial](https://www.instagram.com/sumifunofficial)
[TikTok: @sumifunofficial](https://www.tiktok.com/@sumifunofficial)
[Twitter: @sumifunOfficial](https://twitter.com/sumifunOfficial)

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE 42 PATCHES

(5.5" X 3.94" / 14cm X 10cm)

Guangzhou Sumifun Import & Export Trade Co., Ltd.
 410 Baotang A, No. 36, Song Jiang East Road,
 Zhuzhou, Tianhe District, Guangzhou, Guangdong, China.

Usage

- 1

Remove patch from outer package
- 2

Partially peel back protective film
- 3

Place on affected area
- 4

Remove remaining film while pressing patch to skin

Sumifun®


Knee


Back


Neck


Elbow


Shoulder

Drug Facts

Active ingredient: Lidocaine 4% **Purpose:** Topical Anesthetic

Uses: Temporarily relieves muscle aches and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings:
For external use only
 • on wounds or damaged skin
 • with a heating pad or device
 • with other treatments, creams, sprays, or liniments
 • if you are allergic to any ingredients of this product

When using this product:
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or nails
 • do not bandage tightly

Stop use and ask a doctor if:
 • skin reactions such as redness, swelling, blistering or other discomfort occur
 • symptoms persist for more than 7 days

6 88 773 14 13 4 9 5 1 1

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions:
Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Repeat patch from the skin after at most 8-hour application.
 Children under age of 12: Consult a doctor.

Inactive ingredients: Dihydroxyacetone, Arctostaphylos, Dacodon, Ethylhexylmethacrylate, Glycerin, Kaolin, Methylparaben, Polybutene-2G, Propylene Glycol, Polyacrylic Acid, Polybutylmethacrylate, Polypropylene Glycol, Titanium Dioxide, Talc, Water.

Questions or Comments:
sumifun.com
business@sumifun.com
 Child Resistant Packaging



LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-157
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)
GLYCERIN (UNII: PDC6A3C0OX)
POVIDONE K90 (UNII: RDH86HJV5Z)
METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
KAOLIN (UNII: 24H4NWX5CO)
TARTARIC ACID (UNII: W4888I119H)
WATER (UNII: 059QF0KO0R)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-157-16	16 in 1 BOX	10/14/2024	
1		12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:83602-157-17	17 in 1 BOX	10/14/2024	
2		12 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:83602-157-18	18 in 1 BOX	10/14/2024	
3		12 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:83602-157-19	19 in 1 BOX	10/14/2024	
4		12 g in 1 PATCH; Type 0: Not a Combination Product		
5	NDC:83602-157-20	20 in 1 BOX	10/14/2024	
5		12 g in 1 PATCH; Type 0: Not a Combination Product		
6	NDC:83602-157-28	28 in 1 BOX	10/14/2024	
6		12 g in 1 PATCH; Type 0: Not a Combination Product		
7	NDC:83602-157-29	29 in 1 BOX	10/14/2024	
7		12 g in 1 PATCH; Type 0: Not a Combination Product		
8	NDC:83602-157-31	31 in 1 BOX	10/14/2024	

8		12 g in 1 PATCH; Type 0: Not a Combination Product		
9	NDC:83602-157-32	32 in 1 BOX	10/14/2024	
9		12 g in 1 PATCH; Type 0: Not a Combination Product		
10	NDC:83602-157-36	36 in 1 BOX	10/14/2024	
10		12 g in 1 PATCH; Type 0: Not a Combination Product		
11	NDC:83602-157-39	39 in 1 BOX	10/14/2024	
11		12 g in 1 PATCH; Type 0: Not a Combination Product		
12	NDC:83602-157-40	40 in 1 BOX	10/14/2024	
12		12 g in 1 PATCH; Type 0: Not a Combination Product		
13	NDC:83602-157-41	41 in 1 BOX	10/14/2024	
13		12 g in 1 PATCH; Type 0: Not a Combination Product		
14	NDC:83602-157-42	42 in 1 BOX	10/14/2024	
14		12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/14/2024	

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Registrant - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 2/2025

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.