# KIDS MULTI SYMPTOM COLD AND FLU- acetaminophen, dextromethorphan hbr suspension Genexa Inc.

-----

Kids' Multi-Symptom Cold and Flu

**Drug Facts** 

Active ingredients

(in each 10 mL)

Acetaminophen 320 mg

Dextromethorphan HBr, USP 5 mg

### **Purposes**

Pain reliever/fever reducer

Cough suppressant

#### Uses

- temporarily reduces fever and relieves these common cold/flu symptoms:
- minor aches & pains
- headache
- cough due to minor throat and bronchial irritation
- sore throat
- controls the impulse to cough to help your child get to sleep

### Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

### Ask a doctor before use if the child has

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus).

Ask a doctor or pharmacist before use if the child is taking the blood thinning drug warfarin

### When using this product do not use more than directed

### Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

### **Directions**

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see Overdose warning)
- SHAKE WELL before each use
- find right dose on chart below
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	7.5 mL every 4 hours
children under 4 years	do not use

#### Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

### Inactive ingredients

organic agave syrup, organic blueberry flavor, natural citrus extract, natural flavor, purified water

**Questions?** 1-855-436-3921

SHAKE WELL before each use.

Tamper evident: Do not use if perforated band around the bottle is disturbed or missing.

Distributed by: Genexa Inc., Atlanta, GA 30324

genexa.com | U.S. Patent No. 11,617,795

Made in the USA with globally sourced ingredients

NDC 69676-0096-9

**NEW FORMULA!** 

**Genexa®** 

**MEDICINE MADE CLEAN** 

Ages 4+

Kids' Multi-Symptom Cold & Flu

Acetaminophen 320 mg - Pain Reliever/Fever Reducer

Dextromethorphan HBr 5 mg - Cough Suppressant

**Fever** 

Headache

**Body Aches & Pains** 

**Sore Throat** 

Cough

Medicine made clean

Same effective active ingredients, but no artificial fillers.

Organic Blueberry Flavor

4 fl oz (118 mL) Dosing cup included









Keep outer package for complete product information

#### Drug Facts

Active ingredients Purposes (in each 10 mL)

Dextromethorphan HBr, USP 5 mg...Cough suppressant

#### Uses

- temporarily reduces fever and relieves these
- common cold / flu symptoms:
   minor aches & pains headache
- · cough due to minor throat and bronchial irritation sore throat
- controls the impulse to cough to help your child get

#### Warnings

- Liver warning: This product contains acetaminopher Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen with other drugs commaning accuration point Altery alert acetaminophen may cause severe skin reactions. Symptoms may include:
   skin reddening \* blisters \* rash fl a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not
- (prescription or nonprescription). If you are not some whether a drug contains acetaminophen, ask a doctor or pharmacist.

  in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, If you do not know if your child's prescription drug contains an MAOI. your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this

### Ask a doctor before use if the child has • liver disease

- cough that occurs with too much phlegm (mucus) persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive

#### Drug Facts (continued)

Ask a doctor or pharmacist before use if the child is taking the blood thinning drug warfarin

When using this product do not use more than directed

#### Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present cough comes back or occurs with rash or headache that lasts.
- These could be signs of a serious condition.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is

critical even if you do not notice any signs or symptoms.

#### Directions

- this product does not contain directions or complete warnings for adult use do not give more than directed (see Overdose warning)

- SHAKE WELL before each use find right dose on chart below for accurate dosing, use measuring cup provided.
- Do not use with any other dosing device. give dose every 4 hours while symptoms last do not give more than 5 times in 24 hours

children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	7.5 mL every 4 hours
children under 4 years	do not use

#### Other information

store between 20-25°C (68-77°F) do not refrigerate

#### Inactive ingredients

organic agave syrup, organic blueberry flavor, natural citrus extract, natural flavor, purified water

Questions? 1-855-436-3921

**NEW FORMULA** 



# Kids' Multi-Symptom

Acetaminophen 320 mg - Pain Reliever/Fever Reducer Dextromethorphan HBr 5 mg - Cough Suppressant



Body Aches & Pains Sore Throat Cough

% Medicine made clean

Same effective active ingredients, but no artificial fillers.



Organic Blueberry Flavor

4 fl oz (118 mL) Dosing cup included



Acetaminophen

Dextromethorphan HBr

Organic Agave Syrup

Organic Blueberry Flavor

Natural Citrus Extract

Natural Flavor

**Purified Water** 

And that's all.

#### SHAKE WELL before each use.

Tamper evident: Do not use if perforated by around the bottle is disturbed or missing.







Distributed by: Genexa Inc., Atlanta, GA 303: genexa.com | U.S. Patent No. 11,617,795 Made in the USA with globally



sourced ingredients R-20240307 | NDC 69676-0096-9





### KIDS MULTI SYMPTOM COLD AND FLU

acetaminophen, dextromethorphan hbr suspension

### **Product Information**

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:69676-0096

**Route of Administration ORAL** 

### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength **DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) DEXTROMETHORPHAN** 5 mg **HYDROBROMIDE** (DEXTROMETHORPHAN - UNII:7355X3ROTS) in 10 mL 320 ma ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN in 10 mL

Inactive Ingredients		
Ingredient Name	Strength	
CITRUS FRUIT (UNII: XDK00Z8012)		
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)		
WATER (UNII: 059QF0KO0R)		

Product Characteristics			
Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676- 0096-9	1 in 1 CARTON	11/20/2024	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/20/2024	

## **Labeler -** Genexa Inc. (079751024)

Revised: 2/2025 Genexa Inc.