# CHILDRENS COUGH AND CHEST CONGESTION- dextromethorphan hbr, guaifenesin suspension Genexa Inc.

-----

## Children's Cough & Chest Congestion

**Drug Facts** 

Active ingredients

(in each 5 mL)

Dextromethorphan HBr, USP 5 mg

Guaifenesin, USP 100 mg

## **Purpose**

Cough suppressant

Expectorant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

## Warnings

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

#### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

(1-800-222-1222)

#### **Directions**

- do not give more than 6 doses in any 24-hour period
- use only with enclosed dose cup. Do not use with any other dosing device.
- mL = milliliter

children 6 to under 12 years	5 mL - 10 mL every 4 hours
children 4 to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

#### Other information

store between 20-25°C (68-77°F)

## Inactive ingredients

organic agave syrup, organic blueberry flavor, natural citrus extract, flavor, purified water

### Questions? 1-855-436-3921

\*This product is not manufactured or distributed by PF CONSUMER HEALTHCARE 1 LLC, owner of the registered trademark Children's Robitussin® Cough & Chest Congestion DM.

# Bottle is safety sealed with a perforated band around bottle. DO NOT use if bottle seal is disturbed or missing.

Patent Pending | Distributed by: Genexa Inc.

Atlanta, GA 30318 | genexa.com

Made in the USA with globally sourced ingredients

NDC 69676-0070-9

Children's

**Genexa®** 

**MEDICINE MADE CLEAN** 

**Ages 4-11** 

**Cough & Chest Congestion** 

**Dextromethorphan HBr | Guaifenesin** 

Cough Suppressant - Expectorant

Mucus

**Chest Congestion** 

Compare to active ingredients in Children's Robitussin® Cough & Chest Congestion DM\*

How we're different

## Made without: sodium benzoate, propylene glycol, sucralose & more!

### Organic Blueberry Flavor

## 4 fl oz (118 mL) Dosing cup included

Keep outer package for complete product information

## Drug Facts

Active ingredients

(in each 5 mL)
Dextromethorphan HBr, USP 5 mg...

Guaifenesin, USP 100 mg..

suppressant

Purpose

#### Uses

temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

#### Warnings

Warnings
Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

## Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus)

persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### Directions

- do not give more than 6 doses in any
- 24-hour period

   use only with enclosed dose cup. Do not use with any other dosing device.

   mL = milliliter

# People over

We think you should feel good about what makes you feel better. That's why we make medicine with the same active ingredients you need, but without the artificial ones you don't. It's what people deserve.



Questions for our founders? Text Max.

310-502-8844

#### Drug Facts (continued)

children 6 to under 12 years children 4 to under 6 years

2.5 mL - 5 mL every 4 hours children under 4 years do not use

#### Other information store between 20-25°C (68-77°F)

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural citrus extract, flavor, purified water

5 mL - 10 mL every 4 hours

#### Questions? 1-855-436-3921

\*This product is not manufactured or distributed by PF CONSUMER HEALTHCARE 1 LLC, owner of the registered trademark Children's Robitussin® Cough & Chest Congestion DM.





## Cough & Chest Congestion

Dextromethorphan HBr | Guaifenesin

Cough Supressant - Expectorant

Mucus Chest Congestion

Compare to active ingredients in Children's Robitussin® Cough & Chest Congestion DM\*



Made without: sodium benzoate. propylene glycol, sucralose & more!



4 fl oz (118 mL) Dosing cup included



Give it a SHAKE! We use clean ingredients so it's normal for them to separate and change color over time.

Bottle is safety sealed with a perforated band around bottle. DO NOT use if bottle seal is disturbed or missing.







Patent Pending | Distributed by: Genexa Inc. Atlanta, GA 30318 | genexa.com



Made in the USA with globally sourced ingredients





## CHILDRENS COUGH AND CHEST CONGESTION

dextromethorphan hbr, guaifenesin suspension

## **Product Information**

**HUMAN OTC DRUG** NDC:69676-0070 **Product Type** Item Code (Source)

**Route of Administration ORAL** 

## **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strenath

,	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients			
Ingredient Name	Strength		
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)			
WATER (UNII: 059QF0KO0R)			
CITRUS FRUIT (UNII: XDK00Z8012)			
BLUEBERRY (UNII: 253RUG1X1A)			

Product Characteristics		
Color	brown (Golden)	Score
Shape		Size
Flavor	BLUEBERRY	Imprint Code
Contains		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:69676- 0070-9	1 in 1 CARTON	09/01/2022	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/01/2022	

## **Labeler -** Genexa Inc. (079751024)

Revised: 2/2025 Genexa Inc.