# FLUTICASONE PROPIONATE- fluticasone propionate spray, metered Selder, S.A. de C.V.

-----

380 - XL-3 Nasal Spray

# **Active ingredient**

Fluticasone propionate (glucocorticoid) 50 mcg

# **Purpose**

Allergy symptom reliever

#### Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- runny nose
- sneezing
- itchy nose
- itchy, watery eyes

# Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

#### Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

### Ask a doctor before use if

have or had glaucoma or cataracts

# Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

# When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs

• remember to tell your doctor about all the medicines you take, including this one

## Stop use and ask a doctor if

- you have, or come into contact with someone who has chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

## If pregnant or breast-feeding

ask a health professional before use.

# Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- read the Quick Start Guide for how to:
- prime the bottle
- use the spray
- clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

#### ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1: use 2 sprays in each nostril daily
- Week 2 through 6 months: use 1 or 2 sprays in each nostril once daily, as needed to treat symptoms
- After 6 months of daily use: ask a doctor if you can keep using

### **CHILDREN 4 to 11 YEARS OF AGE**

- the growth of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than 2 months a year.
- an adult should supervise use
- use 1 spray in each nostril daily

### **CHILDREN UNDER 4 YEARS OF AGE**

do not use

#### Other information

- you may start to feel relief the first day and full effect after several days of regular once-a-day use
- store between 4º 30ºC (39º 86ºF)
- keep this label and enclosed materials.

They contain important additional information.

# **Inactive ingredients**

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

### **Questions or comments?**

Call toll free 1-888-952-0050 weekdays 8:30am - 5:00pm Eastern Standard Time

# **Principal Display Panel**

XL-3\*

Allergy Cortix

FLUTICASONE PROPIONATE

NASAL SPRAY, USP

50 mcg Per Spray

Allergy Symptom Reliever

(Glucocorticoid

24 hour (icon) Non-Drowsy\*

relief of:

Itchy, watery eyes

Nasal congestion

Runny nose

Itchy nose

Sneezing

Full Prescription Strength

120 Metered Sprays

0.54 FL OZ (15.8mL)





FLUTICASONE PROPIONATE NASAL SPRAY, USP

(Glucocorticoid) 50 mcg Per Spray

#### **Drug Facts**

Active ingredient (in each spray) Fluticasone propionate (glucocorticoid) 50 mcg.

Purpose Allergy symptom

#### Uses

LOSCS
Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: ■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose ■ itchy, watery eyes

Warnings
Only for use in the nose. Do not spray into your eyes or mouth.

Do not use ■ in children under 4 years of age ■ to treat asthma ■ if you have an injury or surgery to your nose that is not fully healed ■ if you have ever had an allergic reaction to this product or any of the ingredients Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

medicine for HIV infection (such as ritonavir) a steroid medicine for asthma allergies or skin rash ketoconazole pills (medicine for fungal infection)

altergies of skin hash 

\*\*Redoconazore pins (nedictine for fungal meciant)

\*\*The provider and the product 

# the growth rate of some children may be slower 

# stinging or sneezing may occur for a few seconds right after use 

# do not share this bottle with anyone else as this may spread germs 

# remember to tell your doctor about all the medicines you take, including this one

- medicines you take, including this one
  Stop use and ask a doctor if

  you have, or come into contact with someone who has chicken pox, measles
  or you get new symptoms such as severe facial pain or thick nesal discharge.
  You may have something more than allergies, such as an infection.

  you get a constant whistling sound from your nose. This may be a sign of
  damage inside your nose.

  you get an allergic reaction to this product. Seek medical help right away.

  you get now changes to your vision that develop after starting this product.

  you have severe or frequent nosebleeds

- you have severe or frequent nosebleeds

  If pregnant or breast-feeding, ask a health professional before use,
  Keep out of reach of children. In case of overdose, get medical help or contact
  a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions

read the Quick Start Guide for how to:

prime the bottle \*\*use the spray\*\*
clean the spray nozale
stake gently before each use
use this product only once a day
do not use more than directed
ADULTS AND CHILDREN 12 YEARS OF AGE
AND OLDER

Week 1 - use 2 sprays in each nostril once daily

■ Week 1 - use 2 sprays in each nostril once daily
■ Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms ■ After 6 months of daily use - ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

with growth of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.

an adult should supervise use

CHILDREN UNDER 4 YEARS OF AGE

#### do not use

Other information
■ you may start to feel relief the first day and full effect after several days of regular once-a-day use
■ store between 4° - 30°C (39° - 86°F)
■ keep this label and enclosed materials. hey contain important additional infor

Inactive ingredients 102% w/w benzalkonium chloride, dextrose, ilcrocrystalline cellulose and carboxymethylcellu-ise sodium, 0.25% w/w phenylethyl alcohol, olysorbate 80, purified water

#### Questions or comments?

Call toll free 1-888-952-0050 weekdays 8:30am - 5:00pm Eastern Standard Time

MADE IN CANADA

ckaged by Allegiant Health



Allergy Cortix

**FLUTICASONE PROPIONATE** NASAL SPRAY, USP

50 mcg Per Spray

Allergy Symptom Reliever

(Glucocorticoid)



- a Itchy, watery eyes
- Nasal congestion
- Runny nose
- Itchy nose

Sneezing Full Prescription Strength

**120** Metered Sprays 0.54 FL OZ (15.8mL)





Non-Drowsy\* relief of:

- d Itchy, watery eyes
- *♦* Nasal congestion
- **a** Runny nose
- d Itchy nose
- Sneezing



Lot:

**Exp Date:** 

Fluticasone Propionate 50mcg

# FLUTICASONE PROPIONATE

fluticasone propionate spray, metered

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:63654-380

**Route of Administration** NASAL

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength

FLUTICASONE PROPIONATE (UNII: O2GMZ0LF5W) (FLUTICASONE -**FLUTICAS ONE** 50 ug UNII:CUT2W21N7U) **PROPIONATE** 

Inactive Ingredients			
Ingredient Name	Strength		
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)			
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
DEXTROSE (UNII: IY9XDZ35W2)			
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)			
POLYSORBATE 80 (UNII: 60ZP39ZG8H)			
WATER (UNII: 059QF0KO0R)			

P	Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:63654- 380-01	1 in 1 CARTON	05/17/2017					
1		120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)						

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA208150	05/17/2017			

# **Labeler -** Selder, S.A. de C.V. (824413629)

Revised: 11/2017 Selder, S.A. de C.V.