

INTRAUTERINE BOLUS - urea tablet
Agri Laboratories, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

INTRAUTERINE BOLUS Antiseptic and Proteolytic Bolus

INDICATIONS

For use as an antiseptic and proteolytic aid in beef and dairy cattle and sheep.

PRECAUTION: Do not administer orally.

PRECAUTION: Strict cleanliness must be observed to prevent introduction of further infections. Thoroughly cleanse hands and arms of operator and external genital parts of the animal with soap and water before inserting boluses or flush.

PRECAUTION: Do not use in deep or puncture wounds or for serious burns.

DOSAGE AND ADMINISTRATION

For intrauterine or topical use only. Insert boluses into uterus or dissolve in 1 pint warm water to make a flush.

Cattle: 2-4 boluses

Sheep: 1/2-1 bolus

For topical application, dissolve 4 boluses in one pint of warm water and thoroughly flush wound.

Repeat treatment in 24 to 48 hours if necessary.

COMPOSITION

Each bolus contains:

Urea.....13.4 g

Store in a cool, dry place.

Keep container tightly closed when not in use.

TAKE TIME OBSERVE LABEL DIRECTIONS

For Animal Use Only

Keep Out of Reach of Children

INDICATIONS: For use as an antiseptic and proteolytic aid in beef and dairy cattle and sheep.

PRECAUTION: Do not administer orally.

PRECAUTION: Strict cleanliness must be observed to prevent introduction of further infections. Thoroughly cleanse hands and arms of operator and the external genital parts of the animal with soap and water before inserting boluses or flush.

PRECAUTION: Do not use in deep or puncture wounds or for serious burns.

DOSAGE AND ADMINISTRATION: For intrauterine or topical use only. Insert boluses into uterus or dissolve in 1 pint warm water to make a flush.

Cattle- 2 to 4 boluses.

Sheep- 1/2 to 1 bolus

For a topical application, dissolve 4 boluses in one pint of warm water and thoroughly flush wound. Repeat treatment in 24 to 48 hours if necessary.

U-7622-02

Rev. 07-08

® Registered Trademark of Agri Laboratories, Ltd.

**Manufactured for
Agri Laboratories, Ltd.
St. Joseph, MO 64503**

Lot No.

Exp. Date

NDC 57561-762-02

INTRAUTERINE BOLUS

Antiseptic and Proteolytic Bolus

For Animal Use Only

Keep Out Of Reach Of Children

Net Contents: 50 Boluses



COMPOSITION: Each bolus contains:

Urea 13.4 g

Store in a cool, dry place.

Keep container tightly closed when not in use.



INTRAUTERINE BOLUS

urea tablet

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:57561-762
Route of Administration	INTRAUTERINE, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UREA (UNII: 8W8T17847W) (UREA - UNII:8W8T17847W)	UREA	13 g

Product Characteristics

Color	pink (Pink)	Score	2 pieces
Shape	OVAL (Oblong)	Size	6 mm
Flavor		Imprint Code	;
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57561-762-02	50 in 1 JAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	------------------------------------------	----------------------	--------------------

unapproved drug other		08/11/1995	
-----------------------	--	------------	--

Labeler - Agri Laboratories, Ltd. (155594450)

Revised: 3/2011

Agri Laboratories, Ltd.