

WEN TONG GAO- I-menthol ointment
CAI Industries Corp.

Active Ingredients

Menthol 15%

Purpose

External analgesic

Uses

Temporarily relieves muscle and joint pains: backaches, arthritis, strains, bruises, sprains

Warnings

For external use only

When using this product

- avoid contact with the eyes or mucous membranes
- do not use on wounds or broken skin

Stop use and ask a doctor if

- conditions worsen
- excessive skin irritation develops
- nausea, vomiting, abdominal discomfort, diarrhea, or a skin rash occurs
- symptoms persists for more than 7 days

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Adults and children 12 years of age and older:** Apply it and massage into affected areas.
- **Children under 12 years of age:** consult your physician

Other Information

- Keep unused plasters in the pouch
- Store in a cool dry place at room temperature.

Inactive ingredients

Chuan Wu (Aconitum Carmichaelli Root), Di Huang (Rehmannia Glutinosa Root), Bai Zhi (Angelica Dahurica Root), Chi Shao (Paeonia Lactiflora Whole), Wu Yao (Lindera Aggregata Root), Du Huo (Angelica Pubescens Root), Da Huang (Rheum Officinale Root), Rou Gui Resin (Chinese Cinnamon), Cao Wu (Aconitum Kusnezoffii Leaf), Bai Lian (Ampelopsis Japonica Tuber), Dang Gui (Angelica Sinensis Root), Qiang Huo (Hansenia Forbsii Whole), Gan Cao (Licorice Root), Xuan Shen (Scrophularia Ningpoensis Root), Mo Yao (Myrrh), Ru Xiang (Frankincense), Methyl Salicylate

Product label

藥品資料 有效成份：薄荷油 15% 作用：外用止痛 作用 暫時緩解下列症狀引起的肌肉和關節疼痛： —扭傷、挫傷、關節炎、風濕、頭痛、腰痛。 注意事項 僅供外用 ■ 勿塗於接觸眼睛和黏膜 ■ 請勿用於傷口、發炎及敏感皮膚 如出現下列情況應停止使用本品並請就醫： ■ 症狀惡化 ■ 惡心、嘔吐、腹部不適、腹瀉或皮膚 ■ 皮膚出現嚴重刺激或發炎 ■ 症狀持續七天以上。 如蒙懷孕或哺乳，使用前請先諮詢醫師。 將本品放在兒童無法接近處。如誤食，請馬上尋求醫療協助或撥打毒物控制中心。 用法 ■ 成人及12歲以上兒童：塗抹於患處 ■ 12歲以下兒童：遵醫囑 其他成份：川芎、地黃、白芷、赤芍、羌活、獨活、大黃、肉桂、厚樸、白芷、當歸、元胡、延胡、玄參、阿膠、乳香、沒藥油。	溫通膏 WEN TONG GAO® PAIN RELIEF OINTMENT • 止痛藥膏	DRUG FACTS ACTIVE INGREDIENTS PURPOSE l-Menthol 15% External Analgesic USES Temporarily relieves muscle and joint pains: backaches, arthritis, strains, bruises, sprains. WARNING For external use only When using this product ■ avoid contact with the eyes or mucous membranes ■ do not use on open wounds or broken skin Stop use and ask a doctor if ■ conditions worsen ■ excessive skin irritation develops ■ nausea, vomiting, abdominal discomfort, diarrhea, or a skin rash occurs ■ symptoms persist for more than 7 days If pregnant or breast-feeding, ask a doctor before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	DIRECTIONS ■ Adults and children 12 years of age and older: apply it and massage into affected areas ■ Children under 12 years of age: consult your physician OTHER INGREDIENTS Chuan Wu (ACONITUM CARMICHAELI ROOT), Di Huang (REHMANIA GLUTINOSA ROOT), Bai Zhi (ANGELICA DAHURICA ROOT), Chi Shao (PAEONIA LACTIFLORA WHOLE), Wu Yao (LINDERA AGGREGATA ROOT), Du Huo (ANGELICA PUBESCENS ROOT), Da Huang (RHEUM OFFICINALE ROOT), Rou Gui Resin (CHINESE CINNAMON), Cao Wu (ACONITUM KUSNEZOFFII LEAF), Bai Lian (AMPELOPSIS JAPONICA TUBER), Dang Gui (ANGELICA SINENSIS ROOT), Qiang Huo (HANSENIA FORBESII WHOLE), Gan Cao (LICORICE ROOT), Xuan Shen (SCOPHULARIA NINGPOENSIS ROOT), Mo Yao (MYRRH), Ru Xiang (FRANKINCENSE), Methyl Salicylate DISTRIBUTED BY (美國總經銷) C. A. I. CORPORATION 10166 Rush St., South El Monte, CA 91733
ITEM # NL-1053 MADE IN TAIWAN (台灣製造)	External Analgesic • 外用止痛膏 Net Wt. 1 oz (30 g) • 淨重：1 盎司 (30 克)		

溫通膏 WEN TONG GAO® PAIN RELIEF OINTMENT • 止痛藥膏 External use only 外用 30 g	LEKON® How to Use: ♣ Apply to needed area ♣ Do not use on open wounds ♣ Keep out of reach of children Item # NL-1053B	溫通膏 WEN TONG GAO® PAIN RELIEF OINTMENT • 止痛藥膏 External use only 外用 30 g	INGREDIENTS (成份) NET WT: 30 g (10 克) Chuan Wu (Aconitum Carmichaelli Root) 川芎, Di Huang (Rehmannia Glutinosa Root) 地黃, Bai Zhi (Angelica Dahurica Root) 白芷, Chi Shao (Paeonia Lactiflora Whole) 赤芍, Wu Yao (Lindera Aggregata Root) 烏藥, Du Huo (Angelica Pubescens Root) 獨活, Da Huang (Rheum Officinale Root) 大黃, Rou Gui Resin (Chinese Cinnamon) 肉桂, Cao Wu (Aconitum Kusnezoffii Leaf) 草烏, Bai Lian (Ampelopsis Japonica Tuber) 白蓮, Dang Gui (Angelica Sinensis Root) 當歸, Qiang Huo (Hansenia Forbsii Whole) 羌活, Gan Cao (Licorice Root) 甘草, Xuan Shen (Scrophularia Ningpoensis Root) 玄參, Mo Yao (Myrrh) 沒藥, Ru Xiang (Frankincense) 乳香, Methyl Salicylate 水楊基。 Distributed by: C.A.I. CORPORATION, CALIFORNIA, USA
---	--	---	---

160 mm

WEN TONG GAO

l-menthol ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85954-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	15 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ACONITUM CARMICHAELII ROOT (UNII: XJ28061U1S)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)	
PAEONIA LACTIFLORA WHOLE (UNII: N44H57P7WG)	
LINDERA AGGREGATA ROOT (UNII: 517Q7XRT2T)	
ANGELICA PUBESCENS ROOT (UNII: 0MF1EI01KJ)	
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M)	
CHINESE CINNAMON (UNII: WS4CQ062KM)	
ACONITUM KUSNEZOFFII LEAF (UNII: SXZ33Q1M29)	
AMPELOPSIS JAPONICA TUBER (UNII: O2672197TF)	
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)	
HANSENIA FORBESII WHOLE (UNII: GE02RM96WK)	
LICORICE (UNII: 61ZBX54883)	
SCROPHULARIA NINGPOENSIS ROOT (UNII: HC0FB6P85R)	
MENTHOL, (+)- (UNII: C6B1OE8P3W)	
MYRRH (UNII: JC71GJ1F3L)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85954-003-01	30 g in 1 BOTTLE; Type 0: Not a Combination Product	07/23/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/23/2025	

Labeler - CAI Industries Corp. (859060303)