# NESTABS DHA PRENATAL MULTI-VITAMIN/MINERAL SUPPLEMENT WITH

DHA/EPA- sodium ascorbate, cholecalciferol, di-alpha-tocopheryl acetate, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hcl, folic acid, cyanocobalamin, calcium formate, calcium carbonate, ferrous (ii) bis-glycinate chelate, potassium iodide, zinc oxide, choline bitartrate, with doconexent and icosapent

WOMENS CHOICE PHARMACEUTICALS LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **NESTABS DHA Prenatal Multi-vitamin/Mineral Tablet**

**Descripton:** Nestabs DHA combination tablet-capsule for oral administration is a light pink capsule-shaped film coated tablet with a pleasant sweet flavor with WCOO1 imprinted on one side of the tablet and a enteric coated light amber soft gel capsule omega-3 fatty acid containing both DHA and EPA.

**I ndications and Usage:** Nestabs DHA is indicated to provide vitamin/mineral and omega-3 fatty acid supplementation to women throughout pregnancy, during the postnatal for both lactating and nonlactating mothers. Nestabs DHA is also beneficial in improving the nutritional status of women prior to conception.

**C ontraindications:** This product is contraindicated in patients with a known hypersensitivity to any of the ingredients .

**W arnings:** Ingestion of more than 3 grams of omega-fatty acids per day has been shown to have potential antithrombotic effects, including increased bleeding time and INR. Administration of omega-3 fatty acids should be avoided in patients on anticoagulants and in those known to have an inherited or acquired bleeding diathesis.

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

**P recautions:** Folic acid in doses above 0.1mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations remain progressive. This product contains formate, which if consumed above the recommended level, could cause visual impairment and other health effects. Do not take more than the recommended amount. If you are pregnant, nursing, or taking any medications consult your doctor before use. Discontinue use and consult your doctor if any adverse reactions occur. Not intended for use by persons under the age of 18.

A dverse Reactions: Allergic sensitization has been reported following both oral and

parenteral administration of folic acid.

**D** osage and Administration: Nestabs DHA - One tablet and one soft gel capsule daily or as directed by a physician.

**How Supplied:** Nestabs DHA tablets for oral administration are supplied as six child-resistant blister cards containing 5 tablets and 5 softgel capsules each (NDC# 50967-317-30).

059916	Netable 7049 Pointed Medi-international Tables with Old And Collabor Microbian and Vogen Harden 704 km index provide Visionitariane di compo 1 km y coli supplementatori to sorone throughout programs, comp the possibility of the Microbian and evolutionity motives. Netable 704 km also benefation mergeving the uniformit statisticand and universe por to company. Microbian and Collaboration and and and and and and and and and an	<b>NestabsDHA</b>		Performance in the second seco
	WARDNER, Accidenter verelses of in-executivity predicts is a leading cause of fault prioriting in-billings muter. If SEET THE PRODUCT OUT OF THE REACHOF CHALPERE. In case of accident everelses, call a foctor or paises commercial exect immediately. DPT-out of the REACHOF CHALPERE is a case of accident everelses, call a foctor or paises commercial exect immediately. Readables: Fice calls in datas shows 0.1% of physical commercial base the nountables of the survey of the second state of the second sta	Gluten Free	Muti-Vitamin / Mineral Tablet + DHA / EPA Capsule Gluten Free	Bit Action     Bit Act
	eterinisation of deta call. Benerging and Administration: Restarch "DNA. One tablet and one soft pail capable daily or as directed New Expertised. Network: DNA bable to core administration on succeed as as chi-benetizer tablet New Expertised. Network: DNA bable to core administration on succeed as as chi-benetizer tablet network to control of tablet and soft pair capable and to Def 2 (NA). This is the CHI SA of the	Bervyn, PA 1912 • (000) 664-169 • vrws wysłama com 3 • 50 9 667 • 31730	NDC 5067-317-30 (30 count) 6 blister cards; each contraining 5 tablets and 5 capsules	Tanun Bana, Hoti Ka Bala, Bala Makanin, Nayawa Thana, Tanun Bana, Hankin Ka Bala Mana, Bala Makanin, Kabasan Kan Denga Tang Angkan Katanan Kan Denga Tang Angkan Katan

## NESTABS DHA PRENATAL MULTI-VITAMIN/MINERAL SUPPLEMENT WITH DHA/EPA

sodium ascorbate, cholecalciferol, di-alpha-tocopheryl acetate, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hcl, folic acid, cyanocobalamin, calcium formate, calcium carbonate, ferrous (ii) bis-glycinate chelate, potassium iodide, zinc oxide, choline bitartrate, with doconexent and icosapent kit

#### Product Information

Product Type	HUMAN PRESCRIPTION DRUG
i i ouuce i ype	

Item Code (Source)

NDC:50967-317

#### Packaging

#	ltem Code	<b>Package Description</b>	Marketing Start Date	Marketing End Date
1	NDC:50967-317-30	4 in 1 CARTON	02/01/2011	
1		1 in 1 BLISTER PACK		

# Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1		30
Part 2		30

### Part 1 of 2

### NESTABS MULTI-VITAMIN/MINERAL SUPPLEMENT

sodium ascorbate, cholecalciferol, di-alpha-tocopheryl acetate, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hcl, folic acid, cyanocobalamin, calcium formate, calcium carbonate, ferrous (ii) bis-glycinate chelate, potassium iodide, zinc oxide, choline bitartrate tablet Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE ION	3 mg
RIBOFLAVIN (UNII: TLM29760FR) (RIBOFLAVIN - UNII:TLM29760FR)	RIBOFLAVIN	3 mg
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	20 mg
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII: KV2JZ 1BI6Z)	PYRIDOXINE	50 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	10 ug
CALCIUM FORMATE (UNII: NP3JD65NPY) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	155 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	45 mg
FERROUS BISGLYCINATE (UNII: SFW1D987QV) (FERROUS CATION - UNII:GW895810WR)	FERROUS CATION	32 mg
SODIUM ASCORBATE (UNII: S033EH8359) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	120 mg
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	450 [iU]
ALPHA-TOCOPHERYLQUINONE (UNII: ZO763K43XR) (ALPHA- TOCOPHERYLQUINONE - UNII:ZO763K43XR)	ALPHA- TOCOPHERYLQUINONE	30 [iU]
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	100 ug
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10 mg
CHOLINE BITARTRATE (UNII: 6K2W7T9V6Y) (CHOLINE - UNII:N91BDP6H0X)	CHOLINE	55 mg

#### **Inactive Ingredients**

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE (UNII: FZ989GH94E)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
FD&C RED NO. 40 (UNII: WZ B9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SACCHARIN (UNII: FST467XS7D)	

#### **Product Characteristics**

Color	pink	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	WC;001
Contains			

## **Marketing Information**

Marketing

Category		Citatio	on	Da	te		Date
unapproved drug other	ved drug 02/01/201		02/01/2011				
Part 2 of 2							
NESTABS OME	GA 3-	-DHA					
doconexent and icos	apent s	upplement	capsule, gelatin co	pated			
Product Informat	ion						
Route of Administrat	tion	ORAL					
Active Ingredient/	Active	Moietv					
		redient Nar	ne			sis of	Strengtl
DOCONEXENT (UNII: ZAI	-				DOCONEX	ength	230 mg
ICOSAPENT (UNII: AAN7Q			-		ICOSAPEN		30 mg
ALPHATOCOPHEROL,	D- (UNII:	N9PR3490H9)	(.ALPHATOCOPHERO	L, D	.ALPHA		2 [iU]
UNII:N9PR3490H9)					TOCOPHE	ROL, D-	
Inactive Ingredien							
Ingredient Name Strength   GELATIN (UNII: 2G86QN327L)							
GLYCERIN (UNII: PDC6A3							
WATER (UNII: 059QF0KO							
Product Characte	ristics						
Color		low	Score			no score	
Shape	OV	AL	Size			6mm	
Flavor					;		
Contains							
Marketing Info	ormat	ion					
-			r or Monograph	Marketi	ng Start	Mark	ceting End
Category	•••	Citatio		Da			Date
unapproved drug other				02/01/2011			
Marketing Info	ormat	ion					
			r or Monograph	Marketi	ng Start	Mark	ceting End
Category	- pprod	Citatio		Da			Date

# Labeler - WOMENS CHOICE PHARMACEUTICALS LLC (833067841)

**Registrant -** WOMENS CHOICE PHARMACEUTICALS LLC (833067841)

## Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Women's Choice Pharmaceuticals		833067841	label(50967-317)

Revised: 4/2025

WOMENS CHOICE PHARMACEUTICALS LLC