ALLERGY RELIEF- fexofenadine hydrochloride tablet YYBA CORP

YYBA (as PLD) - WELMATE ANTIHISTAMINE ALLERGY RELIEF (73581-011)

Active ingredient (in each tablet)

Fexofenadine HCl 180 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product:

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

age
adults 65 years and older ask a doctor
consumers with kidney
disease

do not use
ask a doctor

Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- each tablet contains:sodium 8.2 mg
- this product meets the requirements of USP Dissolution Test 2

Inactive ingredients

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide.

Questions?

call toll-free 1-800-935-6737



DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each tablet) Purpose
Fexofenadine HCl 180 mg......Antihistamine

Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
 sneezing
 itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product:

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.



PEEL FOR DIRECTIONS

G7022-100-103-0

Drug Facts (continued)

Directions

adults and ohlidren 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
ohildren under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
oonsumers	ask a doctor

with kidney disease

Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- each tablet contains: sodium 8.2 mg
- this product meets the requirements of USP Dissolution Test 2

Inactive ingredients

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide.

Questions? call toll-free 1-866-933-6337

*This product is not manufactured or distributed by the owner of the registered trademark Allegra® Allergy 24 Hour Tablets





Wellspring Aimork, NY 10952, U.S.A.

Digributed by:

Why pay more?





DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Purpose Uses Temporarily relieves these symptoms due Active ingredient (in each tablet)

Inactive ingredients

 runny nose
 sneezing
 itching of the nose or throat to hay fever or other upper respiratory allergies:

Warnings

Other information

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product:

do not take more than directed do not take at the same time as aluminum or magnesium antacids

do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. professional before use.

PEEL FOR DIRECTIONS

Drug Facts (continued)

Directions

adults and

ANTIHISTAMINE **Allergy** Distributed by: Wellspring Airmont, NY 10952, U.S.A

Why pay more? wellspringmeds.com owner of the registered trademark Allegra® Allergy 24 Hour Tablets This product is not manufactured or distributed by the

Questions? call toll-free 1-866-933-6337

anhydrous lactose, colloidal silicon dioxide, corn stearic acid, titanium dioxide, yellow iron oxide. pregelatinized starch (maize), red iron oxide, lactose monohydrate, polyethylene glycol, starch, croscarmellose sodium, hypromellose,

 this product meets the requirements of USP Dissolution Test 2 each tablet contains: sodium 8.2 mg protect from excessive moisture store between 20° and 25°C (68° and 77°F)

years of age and older children under 12 children 12 years of age disease and over with kidney consumers adults 65 years of age take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours ask a doctor do not use ask a doctor

ALLERGY RELIEF

fexofenadine hydrochloride tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-011
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII: E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
STARCH, CORN (UNII: 08232NY3SJ)		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		

CORN (UNII: 0N86727070)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	

Product Characteristics			
Color	pink	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	SG202
Contains			

I	Packaging					
4	tem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:73581-011- 80	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/25/2021			
2	NDC:73581-011- 40	40 in 1 BOTTLE; Type 0: Not a Combination Product	01/02/2025			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204507	03/25/2021	

Labeler - YYBA CORP (006339772)

Revised: 1/2025 YYBA CORP