

TTSIYA WART REMOVER- wart remover liquid
Jiashen International Trade Limited

Active Ingredient

Salicylic acid 5%

Inactive ingredient

Borneol
Glycerin
Podofilox
Polyethylene Glycol
Water

Purpose

Use for
Corns
Calluses
Flat warts
Plantar warts
Common warts

Warning

Warnings
For external use only. Flammable-keep away from fire and flames. Do not apply to irritated skin or any areas that are infected or reddened. Avoid use on moles, birthmarks, warts with hair, genital warts, or warts on the face or mucous membranes. Not recommended for individuals with diabetes or poor blood circulation.

Stop use and ask a doctor

Stop use and ask a doctor if discomfort persists.

Do not use

Do not apply to irritated skin or any areas that are infected or reddened. Avoid use on moles, birthmarks, warts with hair, genital warts, or warts on the face or mucous membranes. Not recommended for individuals with diabetes or poor blood circulation.

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions for use

Directions for use

·wash affected area ·may soak wart in warm water for 5 minutes

*dry area thoroughly ·by squeezing tube gently, apply one drop at a time to sufficiently cover each wart. let dry

*repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Dosage

wash affected area ·may soak wart in warm water for 5 minutes

*dry area thoroughly ·by squeezing tube gently, apply one drop at a time to sufficiently cover each wart. let dry

*repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

When using this product

When using this product

avoid contact with eyes. If product gets into the eye, flush with water for

15 minutes. ·avoid inhaling vapors. cap tightly and store at room temperature away from heat

package



TTSIYA WART REMOVER

wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84867-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1.5 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PODOFILOX (UNII: L36H50F353)	
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
BORNEOL (UNII: M89NIB437X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84867-010-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/11/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	02/11/2025	

Labeler - Jiashen International Trade Limited (989067943)

Revised: 2/2025

Jiashen International Trade Limited