LEUDINE ANTI-DANDRUFF- pyrithione zinc shampoo B&R Products Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'Eudine Anti-dandruff Shampoo

Active ingredient

Pyrithione Zinc 1%

Purpose

Anti-dandruff

Keep Out of Reach of Children

If swallowed, get medical help or contact a Poison Control Center right away.

Uses

for relief of flaking and itching due to dandruff, and to help prevent their recurrence.

Warnings

For external use only.

When using this product

- avoid contact with eyes
- if contact occurs, rinse eyes thoroughly with water

Stop use and ask a doctor if

• condition worsens or does not improve after regular use of this product.

Directions

- for maximum dandruff control, use every time you shampoo
- wet hair, massage onto scalp, rinse, repeat if desired
- for best results use at least twice a week or as directed by a doctor.

Inactive ingredients

Acrylates Copolymer, Ammonium Laureth Sulfate, Ammonium Lauryl Sulfate, Ammonium Xylenesulfonate, Citric Acid, Cocamide MEA, Cocamidopropyl PG-Dimonium Chloride, Fragrance, Glycol Distearate, Guar Hydroxypropyltrimonium Chloride, Methylchloroisothiazolinone, Methylisothiazolinone, Panthenol, Sodium Chloride, Triethanolamine, Water, Blue 1.

Questions?

1-800-944-5846

Package/Label Principal Display Panel

L'EUDINE

anti-dandruff Shampoo

2.0 fl. oz. (60 mL)

MADE IN USA

| Drug Facts | | <u>ч</u> о |
|--|--|---------------------|
| Active ingredient Pyrithione Zinc 1% | Purpose Anti-dandruff | andruf |
| Uses for relief of flaking and itching help to prevent their recurrence. | g due to dandruff, and to | |
| <i>Warnings</i> For external use only | | |
| When using this product avoid contact with eyes if contact occurs, rinse eyes thorou | ghly with water | |
| Stop use and ask a doctor if condition worsens or does not impr this product. | | Q 2 |
| Keep out of the reach of children. I help or contact a Poison Control Cent | f swallowed, get medical er right away. | Ţ |
| Directions • for maximum dandruff control, use • wet hair, massage onto scalp, rinse • for best results use at least twice a a doctor. | every time you shampoo e, repeat if desired a week or as directed by | a |
| Inactive ingredients Acrylate Laureth Sulfate, Ammonium Lauryl S Xylenesulfonate, Citric Acid, Cocamid | s Copolymer, Ammonium ulfate, Ammonium | L'EUDINE |
| PG-Dimonium Chloride, Fragrance, G Hydroxypropyltrimonium Chloride, M none, Methylisothiazolinone, Panther | le MEA, Cocamidopropyl lycol Distearate, Guar ethylchloroisothiazoli- iol, Sodium Chloride, | 2.0 fl. oz. (60 ml) |
| Triethanolamine Water, Blue 1. Questions? 1-800-944-5846 | | MADE IN U.S.A. |

Bottle Label

| LEUDINE ANTI-DANDR pyrithione zinc shampoo | UFF | | | | | |
|---|--------------------------|----------------------------------|----------|------|---------------|--|
| Product Information | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) NDC:76482-013 | | | 482-013 | |
| Route of Administration | TOPICAL | | | | | |
| | | | | | | |
| Active Ingredient/Active Moiety | | | | | | |
| Ing | Basis of Strength | | Strength | | | |
| PYRITHIONE ZINC (UNII: R95302RHZ5) (PYRITHIONE ZINC - UNII: R95302RHZ5) PYRITH | | | | ZINC | 1 g in 100 mL | |

| Inactive Ingredien | ts | | | | | |
|---|---------------------------------|----------------------------------|---------------------------|-------------|------------|----------|
| | Ingredient Name | | | | | Strength |
| ETHYL ACRYLATE AN | D METHYL METHACRYLATE COPOI | YMER (2:1; 60 | 00000 MW) (UNII: X | RK36F | 13ZZ) | |
| AMMO NIUM LAURETH | -2 SULFATE (UNII: 69804Z48G6) | | | | | |
| AMMO NIUM LAURYL SULFATE (UNII: Q7AO2R1M0B) | | | | | | |
| AMMO NIUM XYLENES | ULFONATE (UNII: 4FZY6L6XCM) | | | | | |
| CITRIC ACID MONOHY | (UNII: 2968PHW8QP) | | | | | |
| COCO MONOETHANO | LAMIDE (UNII: C80684146D) | | | | | |
| COCAMIDO PRO PYL P | G-DIMONIUM CHLORIDE (UNII: 205Z | 54J075) | | | | |
| GLYCOL DISTEARATE | E (UNII: 13W7MDN21W) | | | | | |
| | YLTRIMONIUM CHLORIDE (1.7 SUB | STITUENTS PH | ER SACCHARIDE) (| UNII: B1 | l6G315W7A) | |
| | THIAZOLINONE (UNII: DEL7T5QRPN) | | | | | |
| METHYL ISO THIAZO L INO NE (UNII: 229 D0 E1QFA) | | | | | | |
| PANTHENOL (UNII: WV9CM0067Z) | | | | | | |
| SO DIUM CHLO RIDE (UNII: 451W47IQ8X) | | | | | | |
| TROLAMINE (UNII: 9O3K93S3TK) | | | | | | |
| WATER (UNII: 059QF0KO0R) | | | | | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | | | | | |
| | | | | | | |
| | | | | | | |
| Packaging | | | | | | |
| # Item Code | Package Description | Marketing Start Date Marketing 1 | | arketing En | d Date | |
| 1 NDC:76482-013-02 | 60 mL in 1 BOTTLE | | | | | |
| | | | | | | |
| | | | | | | |
| Marketing Information | | | | | | |
| Marketing Category | Application Number or Monogra | ph Citation | Marketing Start | Date | Marketing | End Date |
| OTC monograph final | part358 H | | 0 4/0 1/20 13 | | | |
| | | | | | | |

Labeler - B&R Products Inc (085560514)

Registrant - B&R Products Inc (085560514)

| Establishment | | | | | |
|------------------|---------|-----------|----------------------------|--|--|
| Name | Address | ID/FEI | Business Operations | | |
| B&R Products Inc | | 085560514 | MANUFACTURE(76482-013) | | |

Revised: 2/2013

B&R Products Inc