

**CELL FUSION C LASER UV DEFENSE SUNSCREEN BROAD SPECTRUM SPF 50-
homosalate, octisalate, octocrylene, zinc oxide cream
CMS LAB Inc.**

**52554-9062-1 Cell Fusion C Laser UV Defense Sunscreen Broad Spectrum
SPF 50 50mL**

Drug Facts

ACTIVE INGREDIENTS

Homosalate 6.0%
Octisalate 4.5%
Octocrylene 5.0%
Zinc Oxide 10.38%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

For external use only

- **Do not use on** damaged or broken skin
- **When using this product** keep out of the eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply generously and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor.

OTHER INFORMATION

- Protect this product in this container from excessive heat and direct sun.
- May stain some fabrics or surfaces.

INACTIVE INGREDIENTS

Water, Caprylic/Capric Triglyceride, Propanediol, Glycerin, Coco-Caprylate/Caprates, Cetearyl Olivates, Sphingomonas Ferment Extract, Hippophae Rhamnoides Oil, Sodium Hyaluronate, Hamamelis Virginiana (Witch Hazel) Water, Houttuynia Cordata Extract, Centella Asiatica Extract, Pentylene Glycol, 1,2-Hexanediol, Sorbitan Olivates, Glyceryl Stearate, Potassium Cetyl Phosphate, Lauroyl Lysine, Polyhydroxystearic Acid, Hydroxyacetophenone, Sodium Polyacryloyldimethyl Taurate, Acrylates Copolymer, Triethoxycaprylylsilane, Stearic Acid, Panthenol, Tromethamine, Neopentyl Glycol Diethylhexanoate, Polyacrylate Crosspolymer-6, Hydroxypropyl Methylcellulose Stearoyl Ether, Trisodium Ethylenediamine Disuccinate, Acetyl Glucosamine, Biosaccharide Gum-1, Sodium Hyaluronate Crosspolymer, Caprylyl Glycol, Hydrogenated Lecithin, Butylene Glycol, Ceramide NP, Sucrose Stearate, Palmitic Acid, Cholesterol, Ceramide NS, Glycosphingolipids, Phytosphingosine, Ceramide AP, Ceramide AS, Ethylhexylglycerin, Sodium DNA, Ceramide EOP, Cetearyl Alcohol, Fragrance (Parfum)

QUESTIONS?

Call +1-949-418-8592
Outside U.S. +82-080-889-7760
cmslab_os@wonik.com

Distributed By

Hansung USA LLC
15375 Barranca Parkway
Suite B-109, Irvine, CA USA 92618

CMS LAB Inc.

www.cellfusionnc.com
Made in Korea

PRINCIPAL DISPLAY PANEL: 50 ML / 1.69 FL.OZ. Carton

Cell Fusion C

LASER

UV DEFENSE
SUNSCREEN

BROAD SPECTRUM
SPF 50

FOR ALL SKIN TYPES
LIGHTWEIGHT FINISH

50 ML / 1.69 FL.OZ.

Cell Fusion C

**CELL FUSION C
LASER UV DEFENSE
SUNSCREEN**

BROAD SPECTRUM SPF 50

Drug Facts

ACTIVE INGREDIENTS

Homosalate (6.0%) ————— Sunscreen
Octisalate (4.5%) ————— Sunscreen
Octocrylene (5.0%) ————— Sunscreen
Zinc Oxide (10.38%) ————— Sunscreen

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months of age: Ask a doctor.

OTHER INFORMATION

- Protect this product in this container from excessive heat and direct sun.
- May stain some fabrics or surfaces.

QUESTIONS?

Call +1-949-418-8592
Outside U.S. +82-080-889-7760
cmslab_os@wonik.com ▶

**Drug Facts
(continued)**

**INACTIVE
INGREDIENTS**

WATER, CAPRYLIC/CAPRIC TRIGLYCERIDE, PROPANEDIOL, GLYCERIN, COCO-CAPRYLATE/CAPRATE, CETEARYL OLIVATE, SPHINGOMONAS FERMENT EXTRACT, HIPPOPHAE RHAMNOIDES OIL, SODIUM HYALURONATE, HAMA MELIS VIRGINIANA (WITCH HAZEL) WATER, HOTTUYNIA CORDATA EXTRACT, CENTELLA ASIATICA EXTRACT, PENTYLENE GLYCOL, 1,2-HEXANEDIOL, SORBITAN OLIVATE, GLYCERYL STEARATE, POTASSIUM CETYL PHOSPHATE, LAUROYL LYSINE, POLYHYDROXYSTEARIC ACID, HYDROXYACETOPHENONE, SODIUM POLYACRYLOYLDIMETHYLTAURATE, ACRYLATES COPOLYMER, TRIETHOXYCAPRYLYLSILANE, STEARIC ACID, PANTHOTHOL, TROMETHAMINE, NEOPENTYL GLYCOL DIETHYLHEXANOATE, POLYACRYLATE CROSSPOLYMER-6, HYDROXYPROPYL METHYLCELLULOSE STEAROXYETHER, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, ACETYL GLUCOSAMINE, BIOSACCHARIDE GUM-1, SODIUM HYALURONATE CROSSPOLYMER, CAPRYLYL GLYCOL, HYDROGENATED LECITHIN, BUTYLENE GLYCOL, CERAMIDE NP, SUCROSE STEARATE, PALMITIC ACID, CHOLESTEROL, CERAMIDES, GLYCOSPHINGOLIPIDS, PHYTOSPHINGOSINE, CERAMIDE AP, CERAMIDE AS, ETHYLHEXYLGLYCERIN, SODIUM DNA, CERAMIDE EOP, CETEARYL ALCOHOL, FRAGRANCE (PARFUM)

**Distributed By
Hansung USA LLC**

15375 Barranca Parkway
Suite B-109, Irvine, CA,
USA 92618

CMS LAB Inc.

www.cellfusionc.com
Made in Korea

Cell Fusion C

**LASER
UV DEFENSE
SUNSCREEN**
BROAD SPECTRUM
SPF 50

FOR ALL SKIN TYPES
LIGHTWEIGHT FINISH

50 ML / 1.69 FL.OZ.



CELL FUSION C LASER UV DEFENSE SUNSCREEN BROAD SPECTRUM SPF 50

homosalate, octisalate, octocrylene, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:52554-9062 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------------------------------------------------------------|-------------------|------------------|
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 6 g in 50 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 5 g in 50 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 4.5 g in 50 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 10.38 g in 50 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------------------------------|----------------------|--------------------|
| 1 | NDC:52554-9062-1 | 1 in 1 BOX | 02/14/2025 | |
| 1 | | 50 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| OTC Monograph Drug | M020 | 02/14/2025 | |

Labeler - CMS LAB Inc. (557795012)

Registrant - CMS LAB Inc. (557795012)